76CM CONTEMPORARY OVENS AND COMPANIONS

PLANNING GUIDE

PYROLYTIC OVEN | OB76SCPUDX3

PYROLYTIC STEAM ASSIST OVEN | OB76SCPSUDX3

COMPACT COMBI-STEAM | OS76NCUDX3

COMPACT COMBI-MICROWAVE | OM76NCUDX3

BUILT-IN COFFEE MAKER | EB60CSX3

TRIM KIT | TK7630NCX3

WARMING DRAWER | WB76SCX3, WB76SDEI3

CONTENTS | 76CM OVENS AND COMPANIONS

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

PAGE

For additional design planning and installation support please contact the Fisher & Paykel design support team.

designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONCEPT DESIGN		

DEVELOPED AND DETAILED DESIGN

PAGE

DEVELOPED AND DETAILED DESIGN

DESIGN CHOICE

4
5
6
7

SI

PECIFICATION GUIDE	
Pyrolytic Oven	9
Pyrolytic Steam Assist Oven	10
Compact Combi-Steam Oven	11
Compact Combi-Microwave Oven	12
Built-In Coffee Maker with Trim Kit	13
Warming Drawer	14
Integrated Warming Drawer	15
Dimensions - Ovens	16
Dimensions - Companions	17
Services	18

PAGE

DESIGN CHOICE









MINIMAL STYLE - HANDLELESS

MINIMAL STYLE

CONTEMPORARY STYLE

PROFESSIONAL STYLE

Celebrating a singular aesthetic to blend seamlessly into the kitchen, Minimal style ovens feature subtle textural and tonal contrasts for a sense of refinement and purity.

Defined by clean lines and timeless design cues, Contemporary style ovens bring a sense of balance and refinement. A versatile aesthetic that complements a range of kitchen styles.

This Planning Guide is for the Contemporary Style featuring 76cm Ovens and Companions. For information on other styles, please visit the Fisher and Paykel website. To see what models are available, head to the 'Overview' section in this Planning Guide. Distinctive and bold, Professional style ovens are the perfect interpretation of the commercial kitchen for the home chef.

Experience refined performance with stainless steel construction that is built to last.

FINISH OVENS COMPANIONS INSTALLATION OPTIONS

SELF-


CLEANING

SELF- STEAM

CLEANING ASSIST STEAM SPEED


COFFEE MAKER

WARMING DRAWERS

















Installation under-bench

^{*}Integrated model, panel ready for a custom front panel.

CONSIDERATIONS


Different configurations possible, consider heights for grid and row installations.

STACK HEIGHT

Stack Height is overall product height with minimum clearance above appliance front panel to upper cabinetry front panel or appliance.


STACKED INSTALLATION

Stack Height 1462mm



GRID INSTALLATION

Stack Height




Stack Height 731mm


ROW INSTALLATION

0	0	0

Stack Height 731mm



Stack Height 731mm



FRONT ELEVATION	0		0	0		•
SIDE ELEVATION						
		<u></u>	<u></u> +=====	$\bigcirc + \gtrsim$		\\\
	PYROLYTIC OVEN	PYROLYTIC STEAM ASSIST OVEN	COMPACT COMBI-STEAM OVEN	COMPACT COMBI- MICROWAVE OVEN	BUILT-IN COFFEE MAKER WITH TRIM KIT	WARMING DRAWER
Series	Series 9	Series 11	Series 9	Series 9	Series 9	Series 9
Brushed Silver Glass Models	OB76SCPUDX3	OB76SCPSUDX3	OS76NCUDX3	OM76NCUDX3	EB60CSX3, TK7630NCX3	WB76SCX3
Integrated Models	-	-				WB76SDEI3

Interface

Overall Height

Front Panel Thickness

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

6.8" Touchscreen

458mm

20mm

6.8" Touchscreen

729mm

20mm

6.8" Touchscreen

729mm

20mm

4.3" Touchscreen

458mm

20mm

6.8" Touchscreen

458mm

20mm

271mm

20mm

^{*}Integrated models available.

SPECIFICATION GUIDE



Designed to be distinctive and timeless, this Contemporary oven matches with our Contemporary style family of appliances. Pyrolytic self-cleaning simplifies maintenance, while intuitive temperature and heat type recommendations accessed via the large touch screen and SmartHQ $^{\text{TM}}$ support optimal cooking results across a wide range of functions and food types.

FEATURES

- ① Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- Self-cleaning pyrolytic function breaks down food residue for an easy clean
- ③ Premium soft-close door with advanced thermal performance
- 4 Generous 130L useable capacity
- 5 Large 6.8" touchscreen is intuitive and easy to use
- Achieve optimal results with temperature and heat type recommendations
- 7 Twin vertical fans, perfect for multi-shelf cooking
- Includes a wired temperature sensor for real-time monitoring of cooking temperatures
- Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime



76cm Series 9 Contemporary Pyrolytic Oven



SERIES & STYLE

Series 9 Contemporary

ACCESSORIES

- 1 Pyro-proof Side Ladders
- 2 Full Extension Sliding Shelf (x3)
- 3 Air Fry Tray
- 4 Multi-functional Deep Roasting Dish
- (5) Wired Temperature Sensor



Designed to be distinctive and timeless, this Contemporary oven matches with our Contemporary style family of appliances. Steam Assist enhances convection cooking, while pyrolytic cleaning simplifies maintenance. Intuitive temperature and heat type recommendations accessed via the large touch screen and SmartHQ™ support optimal cooking results across a wide range of functions and food types.



OB76SCPSUDX3

76cm Series 11 Contemporary Pyrolytic Steam Assist Oven



SERIES & STYLE

Series 11 Contemporary

FEATURES

- Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- ② Steam Assist combines convection heat with steam to enhance the cooking process
- 3 Self-cleaning pyrolytic function breaks down food residue for an easy clean
- Premium soft-close door with advanced thermal performance
- (5) Generous 130L useable capacity
- 6 Large 6.8" touchscreen is intuitive and easy to use
- ② Achieve optimal results with temperature and heat type recommendations
- (8) Twin vertical fans, perfect for multi-shelf cooking
- Includes a wired temperature sensor for real-time monitoring of cooking temperatures
- ① Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime

ACCESSORIES

- ① Pyro-proof Side Ladders
- ② Full Extension Sliding Shelf (x3)
- 3 Air Fry Tray
- 4 Multi-functional Deep Roasting Dish
- S Wired Temperature Sensor
- 6 Descale Solution 2 sachets (Part 580925)



Designed to be distinctive and timeless, this Contemporary Combi-Steam oven matches with our Contemporary style family of appliances. With versatile cooking options including steam or convection, plus a Steam Clean function for easy maintenance. Intuitive temperature and heat type recommendations can be accessed via the large touch screen and SmartHQ™, to support optimal cooking results across a wide range of functions and food types.

PRODUCTS

OS76NCUDX3

76cm Series 9 Contemporary Compact Combi-Steam Oven



SERIES & STYLE

Series 11
Contemporary

ACCESSORIES

- (1) Chrome Side Ladders
- 2 Full Extension Sliding Shelf
- (3) Flat Wire Shelf
- 4 Flat Brushed Baking Tray
- S Roasting Dish
- 6 Grill Rack

FEATURES

- Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- Versatile cooking options with steam or convection heat for optimal results
- 3 Premium soft open and close door
- 4 45L useable capacity with four shelf positions
- 5 Large 6.8" touchscreen is intuitive and easy to use
- Achieve optimal results with temperature and heat type recommendations
- Moisture control and even heat distribution thanks to ActiveVent™ and AeroTech™ technology
- Steam Clean function ensures a spotless oven with minimal effort
- Includes a wired temperature sensor for real-time monitoring of cooking temperatures
- ① Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime

ACCESSORIES

- ① Large Perforated Steam Dish
- ® Small Perforated Steam Dish
- Large Steam Dish
- Wired Temperature Sensor
- (1) Descale Solution 2 sachets (Part 580925)



Designed to be distinctive and timeless, this Contemporary Combi-Microwave oven matches with our Contemporary style family of appliances. With versatile cooking options including microwave or convection for efficient heating across a variety of dishes. Intuitive temperature and heat type recommendations can be accessed via the large touch screen and SmartHQ $^{\text{TM}}$, to support optimal cooking results across a wide range of functions and food types.



OM76NCUDX3

76cm Series 9 Contemporary Compact Combi-Microwave Oven

SERIES & STYLE

Series 9 Contemporary

FEATURES

- ① Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- Combines fast microwave cooking with even convection heat for versatile, efficient heating across a variety of dishes
- With soft open and close, the CoolTouch door is safe to touch from the outside - protecting hands and surrounding cabinetry
- 4 Generous 38L useable capacity with four shelf positions
- 5 Large 6.8" touchscreen is intuitive and easy to use
- Achieve optimal results with temperature and heat type recommendations
- Includes a wired temperature sensor for real-time monitoring of cooking temperatures
- ® Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime
- ⑤ Connected capability via the SmartHQ™ app gives control & visibility from anywhere at anytime

ACCESSORIES

- (1) Chrome Side Ladders
- Wire Shelf
- 3 Step Down Wire Shelf
- Grill Rack
- ⑤ Glass Tray
- **6** Wired Temperature Sensor







Designed to be distinctive and timeless, this Contemporary Coffee Maker matches with our Contemporary style family of appliances. It remembers your favourite brews over time, offering personalized coffee at the touch of a button. With precise grinding, creamy milk frothing, and effortless self-cleaning, it brings barista-quality coffee home.

PRODUCTS

EB60CSX3

60cm Series 9 Contemporary Built-in Coffee Maker

TK7630NCX3

76cm Series 9 Contemporary Trim Kit

Note: Trim Kit purchased separately.

SERIES & STYLE

Series 9 Contemporary

FEATURES

- ① Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- ② Intuitive touch display brews a perfect cup of coffee at the touch of a button
- ③ Programmable timer turns on the Coffee Maker at the ideal time each day
- (4) Personalised coffee and smart self-learning menu preferences with 13 functions to suit any taste
- (5) Allows you to prepare hot milk or creamy froth in seconds
- Stainless steel conical burr grinder with 13 coarseness positions
- ① 15 bar pump pressure
- Self-cleaning function and easy to empty coffee grounds container and drip tray
- 9 2.4L water tank capacity



Designed to be distinctive and timeless, this Contemporary Warming Drawer matches with our Contemporary style family of appliances. Featuring a push-to-open mechanism, intuitive touch controls, and a smooth glass base for easy cleaning. With six tailored programmes and space for 16 place settings, it keeps meals ready to serve.

FEATURES

- ① Contemporary style is distinctive and timeless. Designed to match with our Contemporary style family of appliances
- 2 Push-to-open drawer, designed for added convenience
- 3 Simple and intuitive touch controls for effortless operation
- 4 Easy-to-clean glass base
- S Automatic switch-off and delayed start functionality to help keep dishes warm until it is time to serve
- 6 Room for 16 standard-sized place settings
- Six tailored programmes for Warming, Proofing, Dehydrating, and Slow Cooking offer convenience and flexibility



WB76SCX3

76cm Series 9 Contemporary Warming Drawer




SERIES & STYLE

Series 9 Contemporary

ACCESSORIES

① Accessory rack for optimising space





Panel ready design allows for seamless integration and customisation of this Warming Drawer with kitchen cabinetry for a cohesive kitchen look. Featuring a push-to-open mechanism, intuitive touch controls, and a smooth glass base for easy cleaning. With six tailored programmes and space for 16 place settings, it keeps meals ready to serve.

PRODUCTS

WB76SDEI3*

76cm Series 9 Integrated Warming Drawer

*Panel ready.

SERIES & STYLE

Series 9 Integrated

FEATURES


- Panel ready design allows for seamless integration and customisation with kitchen cabinetry for a cohesive kitchen look
- 2 Push-to-open drawer, designed for added convenience
- 3 Simple and intuitive touch controls for effortless operation
- Automatic switch-off and delayed start functionality to help keep dishes warm until it is time to serve
- 5 Room for 16 standard-sized place settings
- Six tailored programmes for Warming, Proofing, Dehydrating, and Slow Cooking offer convenience and flexibility


ACCESSORIES


Accessory rack for optimising space


PRODUCT DIMENSIONS


CAVITY DIMENSIONS














	PYROLYTIC OVEN
	OB76SCPUDX3
PRODUCT DIMENSIONS	mm
Overall height	729
® Overall width	758
© Chassis height	708
Chassis width	720
€ Chassis depth	575
© Control panel thickness	20
Depth with door fully open*	594
*Measured from front of control panel.	
CAVITY DIMENSIONS	mm
Minimum inside height of cavity	712
Minimum inside width of cavity	724
① Minimum inside depth of cavity*	597**
Recommened cabinet height	731
Recommened cabinet width	762


сомі	PYROLYTIC STEAM ASSIST OVEN
	OB76SCPSUDX3
	mm
	729
	758
	708
	720
	575
	20
	594
	mm
	712
	724
	597**
	731
	762


COMPACT COMBI-STEAM O	
OS76NCUI	DX3
	mm
	458
	758
	435
	720
	545
	20
	320
	mm
	440
	724
	550
	460
	762


COMPACT COMBI-MICROWAVE OVEI OM76NCUDX mr 45 75 43 720 54 20 mr 440 72 550 466	
mr 45 75 43 720 54 320 mr 440 72 550°	COMPACT COMBI-MICROWAVE OVE
45 75 43 72 54 20 320 mr 44 72 550°	OM76NCUDX
75 43 72 54 21 32 mr 44 72 550*	mr
43 720 54 20 320 mr 440 720 550°	45
72: 54 2: 32: mr 44: 72: 550*	75
54 20 320 mr 440 72 550*	43
20 320 mr 440 72 550*	72
320 mr 440 72 550* 460	54
mr 440 72 550° 460	2
44) 72: 550* 46)	32
44) 72: 550* 46)	
44 72 550' 46	
72 550 46	mr
550° 46	44
46	72
	550*
76	46
	76

 $^{^*}$ Measured from front of chassis. * *Requires ventilation at the rear of the cavity.


PRODUCT DIMENSIONS









CAVITY DIMENSIONS







	BUILT-IN COFFEE MAKER WITH TRIM KIT	WARMING DRAWER	INTEGRATED WARMING DRAWER
	EB60CSX3, TK7630NCX3,	WB76SCX3	WB76SDEI3
PRODUCT DIMENSIONS	mm	mm	mm
Overall height	458*	271	271
Overall width	758*	758	758
© Chassis height	445	271	271
Chassis width	560	704	704
E Chassis depth	460	547**	547**
© Control panel/front panel thickness	20*	20	min 16***
Front panel height	-	267	267
Front panel width	-	758	758
*Measurements with trim kit. **Including power plug. ***A clearance	of 2mm between the cabinet and the custom panel is required for the push-	to-open mechanism (spacer included). Maximum custom panel weight 5kg.	
CAVITY DIMENSIONS	mm	mm	mm
Minimum inside height of cavity	450	273	273
Minimum inside width of cavity	560*	724	724
Minimum inside depth of cavity**	545***	580	580

^{*}Cabinetry requires additional vertical sidewalls to secure the product. **Measured from front of chassis. ***Requires ventilation at the rear of the cavity. Note: Drawers can fully support 76cm Fisher & Paykel oven, without adding shelf in between.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

460

762

Recommened cabinet height

Recommened cabinet width


273


762


273


762


ISOMETRIC VIEW














	PYROLYTIC OVEN	PYROLYTIC STEAM ASSIST OVEN	COMPACT COMBI-STEAM OVEN	COMPACT COMBI-MICROWAVE	BUILT-IN COFFEE MAKER WITH	WARMING DRAWER
	OB76SCPUDX3	OB76SCPSUDX3	OS76NCUDX3	OVEN	TRIM KIT	WB76SCX3, WB76SDEI3
				OM76NCUDX3	EB60CSX3, TK7630NCX3	
PRODUCT REQUIREMENTS						
Supply	220-240 V, 50 Hz					
Service	20 A	20 A	20 A	20 A	10 A	10 A
Connection	Hard wired Minimum 1500mm*	Hard wired Minimum 1500mm*	Hard wired Minimum 1500mm*	Hard wired Minimum 1500mm*	Plug with flex cord 1700mm	Plug with flex cord 1800mm
CAPACITY						
Total Oven capacity	137L	137L	55L	49L	-	-
Total water tank capacity	<u>-</u>	0.67L	1.4L	-	2.4L	-

^{*}The electrician provides sufficient free length of power supply cable to reach from the bottom rear of the cavity to at least 1.5m in front of the bottom edge of the opening.

Note: All Coffee Makers and Steam Ovens have internal water tanks which need to be filled manually. No external water supply is required.