INDUCTION COOKTOPS

PLANNING GUIDE

```
SERIES 7
90CM | CI905ZZDTB5 | CI905ZZDTG5 | CI905ZDTB5
80CM | CI804ZZDTB5 | CI804ZZDTG5 | CI804ZDTB5
60CM | CI604ZZDTB5 | CI604ZZDTG5 | CI604ZDTB5 | CI604ZDTPB5
```

30CM | CI302ZDTB5

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.

designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS


CONCEPT DESIGN	PAGE
Design choices	3
Cooktop models	4
Specification Guide	5
90cm Cl905ZZDTB5, Cl905ZZDTG5	6
90cm CI905ZDTB5	7
80cm Cl804ZZDTB5, Cl804ZZDTG5	8
80cm CI804ZDTB5	9
60cm CI604ZZDTB5, CI604ZZDTG5	10
60cm CI604ZDTB5, CI604ZDTPB5	11
30cm Cl302ZDTB5	12


DEVELOPED AND DETAILED DESIGN	PAGE	
Planning considerations	13	
Product dimensions	14	
Services	15	


GE	DEVELOPED AND DETAILED DESIGN	PAGE


DESIGN CHOICES

DESIGN CHOICES | INDUCTION COOKTOPS









30CM 2 ZONE INDUCTION COOKTOP, 1 SMARTZONE

90CM 5 ZONE INDUCTION COOKTOP, 2 SMARTZONES 80CM 4 ZONE INDUCTION COOKTOP, 2 SMARTZONES 60CM 4 ZONE INDUCTION COOKTOP, 2 SMARTZONES

Model no: **CI905ZZDTB5** Black, **CI905ZZDTG5** Grey 900W x 530D x 65H



Model no: CI804ZZDTB5 Black, CI804ZZDTG5 Grey $800W \times 530D \times 65H$




Model no: **CI604ZZDTB5** Black, **CI604ZZDTG5** Grey 600W x 530D x 65H



Model no: **CI302ZDTB5** Black 800W x 530D x 65H








Model no: CI905ZDTB5 Black 900W x 530D x 65H






80CM 4 ZONE INDUCTION COOKTOP, 1 SMARTZONE

Model no: **CI804ZDTB5** Black 800W x 530D x 65H





60CM 4 ZONE INDUCTION COOKTOP, 1 SMARTZONE

Model no: CI604ZDTB5 Black, CI604ZDTPB5 Black, low current 600W x 530D x 65H



SPECIFICATION GUIDE



This 90cm induction cooktop brings streamlined style and powerful performance to the kitchen, available in a sleek black or subtle grey finish.

Install flush or slightly raised from the countertop for complete design flexibility.

Five cooking zones, with SmartZone linking, accommodate larger cookware and complex cooking needs.

Touch&Slide controls respond instantly for precise, intuitive adjustments, with Pause and Recall functions for added control.

PRODUCT*

CI905ZZDTB5

90cm, Black, 5 Zone Induction Cooktop, 2 SmartZones

CI905ZZDTG5

90cm, Grey, 5 Zone Induction Cooktop, 2 SmartZones

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Choose from a sleek black or subtle grey finish to suit any kitchen style
- Install flush or raised with the countertop for complete design freedom
- Five cooking zones, with SmartZone linking to create a larger cooking surface
- Pause and Recall functions allow cooking to resume with settings restored
- ⑤ Touch&Slide controls for quick, accurate temperature adjustments
- Induction delivers instant heat response and precise control across all temperatures
- (7) Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- ⑤ Spills won't bake on, making the cooktop quick and easy to clean



This 90cm induction cooktop brings streamlined style and powerful performance to the kitchen, available in sleek black styling.

Install flush or slightly raised from the countertop for complete design flexibility.

Five cooking zones, with SmartZone linking, accommodate larger cookware and complex cooking needs.

Touch&Slide controls respond instantly for precise, intuitive adjustments, with Pause and Recall functions for added control.

PRODUCT*

CI905ZDTB5

90cm, Black, 5 Zone Induction Cooktop, SmartZone

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Install flush or raised with the countertop for complete design freedom
- Five cooking zones, with SmartZone linking to create a larger cooking surface
- 3 Pause and Recall functions allow cooking to resume with settings restored
- Touch&Slide controls for quick, accurate temperature adjustments
- Induction delivers instant heat response and precise control across all temperatures
- 6 Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- Spills won't bake on, making the cooktop quick and easy to clean



This 80cm induction cooktop combines refined style with powerful performance, available in a sleek black or subtle grey finish to complement any kitchen.

It can be installed flush or slightly raised from the countertop. With four cooking zones and SmartZone linking, it easily accommodates larger cookware.

Touch&Slide controls deliver instant, intuitive temperature adjustments, while Pause and Recall functions provide confident control throughout cooking.

PRODUCT*

CI804ZZDTB5

80cm, Black, 4 Zone Induction Cooktop, 2 SmartZones

CI804ZZDTG5

80cm, Grey, 4 Zone Induction Cooktop, 2 SmartZones

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Choose from a sleek black or subtle grey finish to suit any kitchen style
- ② Install flush or raised with the countertop for complete design freedom
- 3 Four cooking zones, with SmartZone linking to create a larger cooking surface
- Pause and Recall functions allow cooking to resume with settings restored
- ⑤ Touch&Slide controls for quick, accurate temperature adjustments
- Induction delivers instant heat response and precise control across all temperatures
- (7) Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- ⑤ Spills won't bake on, making the cooktop quick and easy to clean



This 80cm induction cooktop combines sleek black styling with precise, responsive performance. It can be installed flush or slightly raised from the countertop.

With four cooking zones and SmartZone linking, it easily accommodates larger cookware.

Touch&Slide controls deliver instant, intuitive temperature adjustments, while Pause and Recall functions provide confident control throughout cooking.

PRODUCT*

CI804ZDTB5

80cm, Black, 4 Zone Induction Cooktop, SmartZone

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Install flush or raised with the countertop for complete design freedom
- ② Four cooking zones, with SmartZone linking to create a larger cooking surface
- 3 Pause and Recall functions allow cooking to resume with settings restored
- Touch&Slide controls for quick, accurate temperature adjustments
- (5) Induction delivers instant heat response and precise control across all temperatures
- 6 Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- Spills won't bake on, making the cooktop quick and easy to clean



This 60cm induction cooktop combines sleek design with powerful performance, available in black or grey finishes to suit any kitchen.

With four cooking zones and SmartZone linking, it adapts to different cookware sizes.

Touch&Slide controls, Pause and Recall functions, and precise induction technology provide confidence and control in every dish.

PRODUCT*

CI604ZZDTB5

60cm, Black, 4 Zone Induction Cooktop, 2 SmartZones

CI604ZZDTG5

60cm, Grey, 4 Zone Induction Cooktop, 2 SmartZones

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Choose from a sleek black or subtle grey finish to suit any kitchen style
- ② Install flush or raised with the countertop for complete design freedom
- 3 Four cooking zones, with SmartZone linking to create a larger cooking surface
- Pause and Recall functions allow cooking to resume with settings restored
- ⑤ Touch&Slide controls for quick, accurate temperature adjustments
- Induction delivers instant heat response and precise control across all temperatures
- (7) Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- ⑤ Spills won't bake on, making the cooktop quick and easy to clean



This 60cm induction cooktop combines sleek black styling with precise, responsive performance.

With four cooking zones and SmartZone linking, it adapts to different cookware sizes.

Touch&Slide controls, Pause and Recall functions, and precise induction technology provide confidence and control in every dish.

PRODUCT*

CI604ZDTB5

60cm, Black, 4 Zone Induction Cooktop, SmartZone

CI604ZDTPB5

60cm, Black, 4 Zone Induction Cooktop, SmartZone, Low current

*Some models may not be available in all markets, please check fisherpaykel.com for more information.

FEATURES

- Install flush or raised with the countertop for complete design freedom
- ② Four cooking zones, with SmartZone linking to create a larger cooking surface
- 3 Pause and Recall functions allow cooking to resume with settings restored
- Touch&Slide controls for quick, accurate temperature adjustments
- ⑤ Induction delivers instant heat response and precise control across all temperatures
- 6 Gentle Heat functions for delicate cooking tasks
- Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- ⑤ Spills won't bake on, making the cooktop quick and easy to clean



This 30cm induction cooktop pairs sleek black glass styling with precise, responsive performance.

Install flush or raised for design flexibility. Two zones can work independently or combine as a SmartZone.

Touch&Slide controls, Pause and Recall functions, and low-heat options provide control, convenience, and efficiency for everyday cooking.

PRODUCT*

CI302ZDTB5


30cm, Black, 2 Zone Induction Cooktop, SmartZone


*Some models may not be available in all markets, please check fisherpaykel.com for more information.


FEATURES


- Install flush or raised with the countertop for complete design freedom
- ② Link two cooking zones with SmartZone to accommodate larger cookware
- 3 Pause and Recall functions allow cooking to resume with settings restored
- Touch&Slide controls for quick, accurate temperature adjustments
- Induction delivers instant heat response and precise control across all temperatures
- 6 Gentle Heat functions for delicate cooking tasks
- ② Surface stays cool unless cookware is detected, for added peace of mind
- Induction wastes less heat by heating only the cookware, not the cooktop surface
- Spills won't bake on, making the cooktop quick and easy to clean

PLANNING CONSIDERATIONS









90CM MODELS

Model no: CI905ZZDTB5, CI905ZZDTG5, CI905ZDTB5

Product Dimensions	mm
Cooktop width	900
Cooktop depth	530
© Glass height	4
Chassis width	845
© Chassis depth	485
F Chassis height (excluding glass)	50
Cutout Dimensions - Proud Install	mm
Minimum width	850
H Minimum depth	490
① Minimum height	65
Weights - packaged 16.5kg, unpackaged 14kg	

80CM MODELS

Model no:

CI804ZZDTB5, CI804ZZDTG5, CI804ZDTB5

Pro	oduct Dimensions	mm
A	Cooktop width	800
B	Cooktop depth	530
©	Glass height	4
D	Chassis width	715
E	Chassis depth	485
F	Chassis height (excluding glass)	50
Cu	tout Dimensions - Proud Install	mm
G	Minimum width	720
<u>H</u>	Minimum depth	490
I	Minimum height	65
We	ights - packaged, 13kg, unpackaged 11kg	

60CM MODELS

Model no: CI604ZZDTB5, CI604ZZDTG5, CI604ZZDTB5, CI604ZZDTB5 (low current)


Product Dimensions	mm
Cooktop width	600
B Cooktop depth	530
© Glass height	4
Chassis width	555
© Chassis depth	485
F Chassis height (excluding glass)	50
Cutout Dimensions - Proud Install m	
Minimum width	560
Minimum depth	490
① Minimum height	65
Weights - packaged 10kg, unpackaged 8.5kg	

30CM MODELS

Model no:

CI3	302ZDTB5	
Pro	oduct Dimensions	mm
(A)	Cooktop width	300
В	Cooktop depth	530
©	Glass height	
_D	Chassis width	260
E	Chassis depth	485
F	Chassis height (excluding glass)	50
Cu	tout Dimensions - Proud Install	mm
<u></u>	Minimum width	265
H	Minimum depth	490
I	Minimum height	65
We	eights - packaged 5.5kg, unpackaged 4.5kg	


SERVICES | INDUCTION COOKTOPS



90CM 5 ZONE INDUCTION COOKTOP

Model no: CI905ZZDTB5 Black, CI905ZZDTG5 Grey


Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	32 A



90CM 5 ZONE INDUCTION COOKTOP

Model no: CI905ZDTB5 Black

Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	32 A




80CM 4 ZONE INDUCTION COOKTOP

Model no:

CI804ZZDTB5 Black, CI804ZZDTG5 Grey

Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	20 A



80CM 4 ZONE INDUCTION COOKTOP

Model no: CI804ZDTB5 Black

Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	20 A



60CM 4 ZONE INDUCTION COOKTOP

Model no:

CI604ZZDTB5 Black, CI604ZZDTG5 Grey

Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	20 A




30CM 2 ZONE INDUCTION COOKTOP

Model no:

CI302ZDTB5 Black

Power Requirements		
Supply	220 - 240V, 50/60H:	
Service	16 A	



60CM 4 ZONE INDUCTION COOKTOP

Model no:

CI604ZDTB5 Black, CI604ZDTPB5 Black, Low Current

Power Requirements	
Supply	220 - 240V, 50/60Hz
Service	Unavailable at time of publication. Visit fisherpaykel.com for updates.