

SERIES 5 INDUCTION COOKTOPS

PLANNING GUIDE

30CM 2 ZONE INDUCTION COOKTOP SMARTZONE

CI302ZCTB2

60CM 4 ZONE INDUCTION COOKTOP

CI604CTB2 | CI604CTPB2

60CM 4 ZONE INDUCTION COOKTOP SMARTZONE

CI604ZCTB2 | CI604ZCTPB2

90CM 5 ZONE INDUCTION COOKTOP

CI905CTB2 | CI905CTPB2

90CM 5 ZONE INDUCTION COOKTOP SMARTZONE

CI905ZCTB2 | CI905ZCTPB2

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com


NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Refer to our website fisherpaykel.com for the latest document version. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Specific installation guidance will be available with the product on delivery and on our website.

CONTENTS

CONCEPT DESIGN	PAGE	CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
SPECIFICATION GUIDE		Model Specification			
Model Comparison	4	30cm 2 Zone Induction Cooktop SmartZone CI302CTB2	10		
Model Overview		60cm 4 Zone Induction Cooktops CI604CTB2, CI604CTPB2, CI604ZCTB2, CI604ZCTPB2	11		
30cm 2 Zone Induction Cooktop SmartZone CI302ZCTB2	5	90cm 5 Zone Induction Cooktops CI905CTB2, CI905CTPB2, CI905ZCTB2, CI905ZCTPB2	12		
60cm 4 Zone Induction Cooktop CI604CTB2, CI604CTPB2	6				
60cm 4 Zone Induction Cooktop SmartZone CI604ZCTB2, CI604ZCTPB2	7				
90cm 5 Zone Induction Cooktop CI905CTB2, CI905CTPB2	8				
90cm 5 Zone Induction Cooktop SmartZone CI905ZCTB2, CI905ZCTPB2	9				

SPECIFICATION GUIDE



induction Cooktop		30cm Series 5 2 Zone Induction Cooktop SmartZone		60cm Series 5 4 Zone Induction Cooktop		60cm Series 5 4 Zone Induction Cooktop SmartZone		90cm Series 5 5 Zone Induction Cooktop		90cm Series 5 5 Zone Induction Cooktop SmartZone	
Product Code		CI302ZCTB2		CI604CTB2	CI604CTPB2	CI604ZCTB2	CI604ZCTPB2	CI905CTB2	CI905CTPB2	CI905ZCTB2	CI905ZCTPB2
Series		Series 5		Series 5	Series 5	Series 5	Series 5	Series 5	Series 5	Series 5	Series 5
Zones		2 Zones		4 Zones	4 Zones	4 Zones	4 Zones	5 Zones	5 Zones	5 Zones	5 Zones
SmartZone		SmartZone				SmartZone	SmartZone			SmartZone	SmartZone
Low Current					Low Current		Low Current		Low Current		Low Current
Product Size	W x D x H	300 x 530 x 61		600 x 530 x 61	600 x 530 x 61	600 x 530 x 61	600 x 530 x 61	900 x 530 x 61	900 x 530 x 61	900 x 530 x 61	900 x 530 x 61
Cut Out	W x D	265 x 500		560 x 490	560 x 490	560 x 490	560 x 490	850 x 490	850 x 490	850 x 490	850 x 490
Power	Supply	220-240 V, 50 Hz		220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz	220-240 V, 50 Hz 380-415 V, 50 Hz
Service		16 A		32 A	20A	32 A	20 A	45 A	20 A	45 A	20 A

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [fisherpaykel.com](#)

OVERVIEW

This 30cm induction cooktop offers sleek black glass, intuitive single slider control, and two zones with one SmartZone for larger cooking areas. With Hood-to-Hob connectivity and SmartHQ™ app control, it's ideal for modern kitchens with limited space.



The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCTS

CI302ZCTB2
30cm Series 5 2 Zone Induction Cooktop SmartZone

FEATURES

- ① Two cooking zones with one SmartZone for larger cooking surfaces.
- ② Compact design, ideal for smaller kitchens or tight spaces.
- ③ Sleek black glass surface complements modern kitchen designs.
- ④ Single slider control for precise and intuitive cooking adjustments.
- ⑤ Hood-to-Hob connection activates rangehood automatically.
- ⑥ Wi-Fi connectivity via SmartHQ™ for remote control and notifications.
- ⑦ Auto switch-off feature for enhanced safety during cooking.
- ⑧ Overheating protection prevents damage to the cooktop during high temperatures.
- ⑨ Over-spillage protection ensures safety in case of spills or overflow.
- ⑩ PowerBoost activates a very high heat, bringing liquid to boil in less than a minute.

OVERVIEW

These 60cm 4 Zone induction cooktops feature intuitive single slider control, sleek black glass, and four versatile cooking zones. With a Hood-to-Hob connection, SmarthQ™ connectivity, and safety features, they provide efficient, convenient cooking.



The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCTS

CI604CTB2
60cm Series 5 4 Zone Induction Cooktop

CI604CTPB2
60cm Series 5 4 Zone Induction Cooktop Low Current

FEATURES

- ① Four versatile cooking zones for efficient multi-dish cooking.
- ② Single slider control for precise and intuitive cooking adjustments.
- ③ Sleek black glass surface complements modern kitchen designs.
- ④ Hood-to-Hob connection activates rangehood automatically.
- ⑤ Wi-Fi connectivity via SmarthQ™ for remote control and notifications.
- ⑥ Auto switch-off feature for enhanced safety during cooking.
- ⑦ Overheating protection prevents damage to the cooktop during high temperatures.
- ⑧ Over-spillage protection ensures safety in case of spills or overflow.
- ⑨ PowerBoost activates a very high heat, bringing liquid to boil in less than a minute.
- ⑩ Low current model (CI604CTPB2) supports cost-effective installation and energy efficiency.

OVERVIEW

These 60cm 4 Zone induction cooktops with SmartZone technology allow you to create larger cooking surfaces. With sleek black glass, single slider control, and Hood-to-Hob connection, they ensure efficient cooking. SmartHQ™ app connectivity, combined with safety features, ensures convenience and performance in modern kitchens.



The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCTS


- CI604ZCTB2**
60cm Series 5 4 Zone Induction Cooktop SmartZone
- CI604ZCTPB2**
60cm Series 5 4 Zone Induction Cooktop SmartZone Low Current

FEATURES

- ① Four cooking zones with one SmartZone for larger, combined cooking areas.
- ② Sleek black glass surface complements modern kitchen designs.
- ③ Single slider control for precise and intuitive cooking adjustments.
- ④ Hood-to-Hob connection activates rangehood automatically.
- ⑤ Wi-Fi connectivity via SmartHQ™ for remote control and notifications.
- ⑥ Auto switch-off feature for enhanced safety during cooking.
- ⑦ Overheating protection prevents damage to the cooktop during high temperatures.
- ⑧ Over-spillage protection ensures safety in case of spills or overflow.
- ⑨ Low current model (CI604ZCTPB2) supports cost-effective installation and energy efficiency.

OVERVIEW

These 90cm 5 Zone induction cooktops feature sleek black glass and five versatile cooking zones for maximum flexibility. With a hood-to-hob connection and SmartHQ™ Wi-Fi, they offer seamless control. Safety features, including PowerBoost, enhance cooking convenience, making them ideal for modern kitchens.



The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCTS

CI905CTB2
90cm Series 5 5 Zone Induction Cooktop


CI905CTPB2
90cm Series 5 5 Zone Induction Cooktop Low Current

FEATURES

- ① Five versatile cooking zones for maximum cooking flexibility.
- ② Sleek black glass surface complements modern kitchen designs.
- ③ Single slider control for precise and intuitive cooking adjustments.
- ④ Hood-to-Hob connection activates rangehood automatically.
- ⑤ Wi-Fi connectivity via SmartHQ™ for remote control and notifications.
- ⑥ Auto switch-off feature for enhanced safety during cooking.
- ⑦ Overheating protection prevents damage to the cooktop during high temperatures.
- ⑧ Over-spillage protection ensures safety in case of spills or overflow.
- ⑨ PowerBoost activates a very high heat, bringing liquid to boil in less than a minute.
- ⑩ Low current model (CI905CTPB2) supports cost-effective installation and energy efficiency.

OVERVIEW

These 90cm 5 Zone induction cooktops offer sleek black glass and five cooking zones with one SmartZone for larger cooking areas. With a hood-to-hob connection, SmarthQ™ app connectivity, and safety features like auto switch-off, they deliver efficiency, convenience, and enhanced performance for modern kitchens.



The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

PRODUCTS

CI905ZCTB2
90cm Series 5 5 Zone Induction Cooktop SmartZone
CI905ZCTPB2
90cm Series 5 5 Zone Induction Cooktop SmartZone Low Current

FEATURES

- ① Five cooking zones with one SmartZone for larger cooking surfaces.
- ② Sleek black glass surface complements modern kitchen designs.
- ③ Single slider control for precise and intuitive cooking adjustments.
- ④ Hood-to-Hob connection activates rangehood automatically.
- ⑤ Wi-Fi connectivity via SmarthQ™ for remote control and notifications.
- ⑥ Auto switch-off feature for enhanced safety during cooking.
- ⑦ Overheating protection prevents damage to the cooktop during high temperatures.
- ⑧ Over-spillage protection ensures safety in case of spills or overflow.
- ⑨ PowerBoost activates a very high heat, bringing liquid to boil in less than a minute.
- ⑩ Low current model (CI905ZCTPB2) supports cost-effective installation and energy efficiency.

SPECIFICATIONS

Model Number

CI302CTB2 30cm Series 5 2 Zone Induction Cooktop
SmartZone


Weight

Packaged 7 kg
Unpackaged 6 kg

Electrical

Supply 220–240 V, 50 Hz
Service 16 A
Connection 1200mm cable


PRODUCT DIMENSIONS



ISOMETRIC VIEW

Product Dimensions		mm
A	Overall width of cooktop	300
B	Overall depth of cooktop	530
C	Overall height of cooktop	61
D	Height of chassis	56

CUTOUT DIMENSIONS



ISOMETRIC VIEW

Cutout Dimensions		mm
A	Cutout width	265
B	Cutout depth	500

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SPECIFICATIONS

Model Number

CI604CTB2	60cm Series 5 4 Zone Induction Cooktop
CI604CTPB2	60cm Series 5 4 Zone Induction Cooktop Low Current
CI604ZCTB2	60cm Series 5 4 Zone Induction Cooktop SmartZone
CI604ZCTPB2	60cm Series 5 4 Zone Induction Cooktop SmartZone Low Current


Weight

Packaged	10 kg
Unpackaged	9 kg

Electrical

CI604CTB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	32 A
CI604CTPB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	20 A
CI604ZCTB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	32 A
CI604ZCTPB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	20 A
Connection	1200mm cable	


PRODUCT DIMENSIONS



ISOMETRIC VIEW

Product Dimensions		mm
A	Overall width of cooktop	600
B	Overall depth of cooktop	530
C	Overall height of cooktop	60
D	Height of chassis	55

CUTOUT DIMENSIONS



ISOMETRIC VIEW

Cutout Dimensions		mm
A	Cutout width	560
B	Cutout depth	490

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

SPECIFICATIONS

Model Number

CI905CTB2	90cm Series 5 5 Zone Induction Cooktop
CI905CTPB2	90cm Series 5 5 Zone Induction Cooktop Low Current
CI905ZCTB2	90cm Series 5 5 Zone Induction Cooktop SmartZone
CI905ZCTPB2	90cm Series 5 5 Zone Induction Cooktop SmartZone Low Current


Weight

Packaged	17 kg
Unpackaged	14 kg

Electrical

CI905CTB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	45 A
CI905CTPB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	20 A
CI905ZCTB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	45 A
CI905ZCTPB2	Supply	220-240 V, 50 Hz 380-415 V, 50 Hz
	Service	20 A
Connection	1200mm cable	


PRODUCT DIMENSIONS



ISOMETRIC VIEW

Product Dimensions		mm
A	Overall width of cooktop	900
B	Overall depth of cooktop	530
C	Overall height of cooktop	61
D	Height of chassis	56

CUTOUT DIMENSIONS



ISOMETRIC VIEW

Cutout Dimensions		mm
A	Cutout width	850
B	Cutout depth	490

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

