

GAS ON GLASS MODULAR COOKTOP

PLANNING GUIDE

CG151DLPGB5 | CG151DNGB5


FISHER & PAYKEL

This comprehensive Planning Guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

CONTENTS

CONCEPT DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE	DEVELOPED AND DETAILED DESIGN	PAGE
Design Choices	3	Planning Guide information for Developed and Detailed Design available in Q2 2024			
Pairing Guide	4				
Specification Guide	5				
Gas on Glass Modular Cooktop, 15"	6				

DESIGN CHOICES



Gas on Glass cooktops can be installed as a standalone product or paired alongside other modular cooktops.

MODELS

	Black Glass
Gas on Glass Modular Cooktop, 15", LPG	CG151DLPGB5
Gas on Glass Modular Cooktop, 15", Natural Gas	CG151DNGB5

Gas on Glass cooktops should be vented via an overhead ventilation unit. Do not use the Auxiliary downdraft ventilation module.

VENTILATION

Refer to website for options

It is optional to install a Primary Modular cooktop alongside a Gas on Glass module. Primary cooktops have a touchscreen but do not control the Gas on Glass module.

PRIMARY MODULAR COOKTOPS

	Black Glass
Primary Modular Induction Cooktop, 15"	CI152DTTB1
Primary Modular Induction Cooktop, 24"	CI244DTTB1
Primary Modular Induction Cooktop, 30"	CI304DTTB1
Primary Modular Induction Cooktop, 36"	CI365DTTB1

It is optional to pair up to 2x Auxiliary cooktops with a Primary cooktop. Auxiliary units do not have an interface so must be controlled via a Primary module.

AUXILIARY MODULAR COOKTOPS

	Black Glass
Auxiliary Modular Induction Cooktop, 12"	CI122DB1
Auxiliary Modular Induction Cooktop, 15"	CI152DB1
Auxiliary Modular Teppanyaki Cooktop, 12"	CIT122DX1
Auxiliary Modular Teppanyaki Cooktop, 15"	CIT152DX1

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available soon on our website fisherpaykel.com

SPECIFICATION GUIDE



CG151DLPGB5 - 15", LPG, Black

CG151DNGGB5 - 15", Natural Gas, Black

OVERVIEW

This modular gas cooktop is designed for precision and versatility, fitting flush or raised in countertops. Compatible with our series of modular cooktops, it allows for customizable configurations to suit any kitchen design. The precise dial and dual flame cater to various cooking techniques, ensuring perfect results every time.

PRODUCTS

CG151DLPGB5 Gas on Glass Modular Cooktop, 15", LPG, Black

CG151DNGGB5 Gas on Glass Modular Cooktop, 15", Natural Gas, Black

FEATURES

- ① Modular design for flexible kitchen layouts
- ② Sleek black glass finish
- ③ Mix and match with other modular cooktops for complete design freedom
- ④ Independently controlled via a manual dial for flexible cooking options
- ⑤ Option for flush or raised installation to match your benchtop design
- ⑥ Dual flame wok burner, for specialised cooking needs
- ⑦ Available in Natural Gas and LPG models
- ⑧ Flame-failure safety device; if the flame goes out, the gas turns off
- ⑨ Easy cleaning with removable cast iron trivets and wipeable ceramic glass

ACCESSORIES


- ① Wok ring
- ② Small pot support

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available soon on our website fisherpaykel.com

SPECIFICATIONS


Model No.	CG151DLPG5, CG151DNGB5
Product Dimensions	H 4 7/8" (124mm) W 15 5/32" (385mm) D 20 7/8" (530mm)
Weight	17 lb (8kg)
Electrical	
Supply	110-120 V, 50/60 Hz
Service	15 A
Connection	Plug
Gas - LP	
Supply	1/2" NPT Minimum 5/8" diameter flex line
Inlet	1/2" NPT
Gas - Natural	
Supply	1/2" NPT Minimum 5/8" diameter flex line
Inlet	1/2" NPT

PRODUCT DIMENSIONS



PRODUCT DIMENSIONS	inch	mm
(A) Overall width of cooktop	15 5/32	385
(B) Overall depth of cooktop	20 7/8	530
(C) Overall height of cooktop	4 7/8	124
(D) Height of chassis (including terminal block)	2 5/16	58

CUTOUT DIMENSIONS



CUTOUT DIMENSIONS	inch	mm
(A) Cutout width - flush - proud	13 11/16	347
(B) Cutout depth, proud - flush - proud	20 1/32 19 31/32	509 507
(C) Recess width	15 5/16	389
(D) Recess depth	21 1/32	534
Recess height (not shown)	1/4	6.5

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available soon on our website fisherpaykel.com

