



SYMBOL DEFINITION				MISSING SYMBOLS	
○	A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.			TOTAL NO. OF INSPECTIONS REQUIRED	50
				LAST NO. USED	23
				NO MISSING SYMBOL NUMBER	



DWG STATUS		ZONE		REVISION HISTORY		AUTH		DR		APPROV	
DATE	STG	REV	N/P	CHK							
15NO17	R	01	-	-	ALL PARTS - RELEASED PART DRAWING	436089	NKS	RRR	RRR	EH	
06JN18	R	02	-	-	ALL PARTS - REVISED GRAPHICS	440065	RRR	RRR	RRR	EH	
18JN18	R	03	-	-	ALL PARTS - REVISED NOTE #3	440067	RRR	RRR	RRR	EH	
28JN18	R	04	-	-	35068196 - UPDATED PART AVAILABILITY	440770	RRR	RRR	RRR	EH	
21SE18	R	05	-	-	ALL PARTS - REVISED GRAPHICS	440769	NKS	NKS	EH		
31JL19	R	06	-	-	35068197 - UPDATED PART AVAILABILITY	444117	GM	SNS	DD		







TYPE 102  
SAME AS TYPE 101  
EXCEPT AS SHOWN



TYPE 103  
SAME AS TYPE 101  
EXCEPT AS SHOWN



TYPE 101



- NOTES
- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
  - WHEN PARTS ARE SHIPPED THEY MUST BE PACKED IN PLASTIC BAGS OR SHIPPING CONTAINERS MUST BE LINED WITH PLASTIC LINERS. BAGS OR LINERS MUST BE SEALED TO AVOID FOREIGN MATTER.
  - SEALING CODE 1 - DESIGN WILL MEET REQUIREMENTS OF SAE/USCAR-6 UNSEALED CONNECTOR SYSTEM ENVIRONMENTAL TEST FLOW CHART.
  - THIS PART IS NOT CONTROLLED FOR AUTOMATIC FEEDING.
  - FOR APPLICATION DATA SEE THE INDIVIDUAL APPLICATION DRAWINGS.
  - THIS CONNECTOR IS COMPLIANT TO USCAR25 CLASS 3 PUSH SURFACE REQUIREMENTS.

DRAWING NUMBER		35068199	
SIZE	SCALE	FRAME NO	SHEET NO
A1x3	8:1	2 OF 2	1 OF 1
18			

35068198	03	-	103	35068195	33380638
35068197	03	AM	102	35068194	33380638
35068196	03	-	101	35068193	33380638
PART NO	REV	N/P	TYPE	CONN	CPA

DIMENSIONAL RANGE (MM)		TOLERANCE UNLESS OTHERWISE SPECIFIED						CHART E	
FROM	> 0	> 20	> 30	> 70	> 100	> 150	> 200	> 250	> 300
TO	20	30	70	100	150	200	250	300	400
		±0.15	±0.2	±0.3	±0.4	±0.5	±0.6	±0.8	±1
		ANGULAR TOLERANCE ±2°							