

Sauna Manual

Infrared Sauna: QD-EA3CR



FOREWORD

Thank you for purchasing our product!

Please read this manual carefully before assembly and save it.

Write down the Serial number of your sauna on Warranty card on the backcover,
it will be very helpful for our after services.

the Serial number is together with nameplate on outside of sauna rear panel.

1. SAFTY INSTRUCTION

1.1 WARNING

- (1) The sauna must be placed indoors and in a dry condition,
- (2) Sauna heaters must not be sprayed with water,
- (3) Do not take a shower or spray water inside the sauna,
- (4) Do not cover the heaters with towels or clothes to prevent overheating and fire,
- (5) Do not touch the heaters during and shortly after use, there is a risk of burns due to hot parts,
- (6) Installation and repair should be carried out by a qualified electrician.
- (7) The sauna should be switched off and needs a break at the latest 30 minutes after 2 hours's working.


1.2 CAUTION

- (1) Consult a doctor before using the infrared cabin, when you are suffering from an illness or other health problems, especially heart disease or circulatory disorders, or taking medicine.
- (2) Pregnant women and infants prohibited,
- (3) Children over 6 years old can only use the sauna under the supervision of adults,
- (4) If you feel uncomfortable when using the infrared cabin, stop immediately and contact your doctor.




2. TECHNICAL DATA

Modell	J21150	
Kabinenmaterial	Hemlock -Holz	
Länge	1500 mm	
Breite (Tiefe)	1500 mm	
Höhe	2000 mm	
Spannung	230V, 50HZ	
Strahler	Gesamtleistung	2580W
	Full spectrum heater	8 x 300W
	Carbon heater	1 x 180W

3. PARTLIST



NO.	NAME	QTY
1	Left rear panel	1
2	Right rear panel	1
3	Ceiling panel	1
4	Floor panel	1
5	Big glass window	2
6	Glass door	1
7	Small glass window	1
8	Backrest	2
9	Hinge	2
10	High bench 1	1
11	Low bench	1
12	High bench 2	1
13	Left support panel	1
14	Right support panel	1
15	Upper support panel	1


16	Lower support panel	1
17	Door handle	1
18	Roof cover	1
19	Glass seal 	1
20	Deco screw set 	16
21	Screw M3.5*40 	15

4. ASSEMBLY INSTRUCTION


4.1 INSTALLATION SITE

- (1) The flat and firm ground indoor,
- (2) dry and moisture-resistant,
- (3) 230V power supply with ground wire.


4.2 ASSEMBLY STEPS




(1) Place Floor panel on the ground.




(2) Put Right rear panel on the Floor panel.




(3) Put Left rear panel on the Floor panel, connect the Rear panels properly by preset outside buckles.




(4) Install Left big window to Floor panel with Deco screw set.




(5) Install Right big window to Floor panel.
with Deco Screw set




(6) Place Ceiling panel on the installed panels,
then screw Big windows to the Ceiling panel
with Deco screw set




(7) Screw Left support panel to Left rear panel and Floor panel with Screw M3.5*40



(8) Place Lower support panel on Floor panel. make it in the gap of wooden battens.




(9) Plug in the connector behind bench heater then put Lower bench onto Lower support panel:




(10) Install Upper support panel to Left support panel and right rear panel with preset hooks:







(11) Put Upper bench on Upper support panel, Install Right support panel to Right rear panel and Floor panel with Screw M3.5*40.



(12) Place Right bench on the right support panel.



(13) Glass door and Small front window are pre-connected with Hinges, install them to Ceiling panel and floor panel with Deco screw set.




(14) Install Door handle and Glass seal

4.3 CABLE CONNECTION


All cables are on the ceiling panel:




(1) Plug in the connectors of heater cables, make sure the cables not pinched between ceiling panel and other panels.



(2) Plug in the connector of control cable.




(3) Plug in the connector of temperture sensor




(4) Plug in the connector of antenna cable

4.4 INSTALL DUST COVER




Install the dust cover with screws on roof

5. OPERATING INSTRUCTION




OUTSIDE CONTROL PANEL



INSIDE CONTROL PANEL

5.1 TWO DISPLAY SCREENS:

- (1) Left screen: Real-time temperature
- (2) Right screen: Time remaining



5.2 FOUR LED INDICATORS:

- (1) Power indicator: Power on
- (2) Heat indicator: Sauna heating
- (3) F indicator: Fahrenheit degree
- (4) C indicator: Centigrade degree

5.3 TEN KEYPADS:

- (1) **POWER**  : sauna on/off,

- (2) **LIGHT**  : inside/outside lights:





- Press it to turn the inside light on,
- then press it to turn the inside light off, and turn the outside on,
- then press it to turn the inside/outside light on,

-then press it to turn the inside/outside light off.





(3) **COLOR LIGHT**  : color therapy light:

- Press it to turn the color light on/off,
- when the color light is on, press “color light” keypad for 2 seconds, the temperature display screen shows “LX” (X for 1-9),
- then press the keypad again to change the color light and status.

(4) **TEMPERATURE**  and  :

- Press the keypad  or  to increase or decrease the temperature by 1 degree at a time, keep pressing it for quick-adjusting.
- Press the keypad  and  at the same time to convert temperatures between Fahrenheit and Celsius.

(5) **TIME**  and  :

- press the keypad  or  to increase or decrease the time by 1 minute at a time, keep pressing it for quick-adjusting.
- in state of MODE, press Keypad  and  to adjust volume.

(6) **MODE**  :

Press it to select the mode of radio, bluetooth and USB,
Bluetooth device number is BT301

(7) **PLAY/PAUSE**  :

- in mode of Radio: press it for 3 seconds to search for and stock radio channels automatically, when the searching is over, press it to next channel,
- in mode of Bluetooth/USB: press it to next music.

(8) **MUTE**  :



- in mode of FM: press it for mute,
- in mode of Bluetooth and USB: press it for pause.

6. SERVICES

6.1 MAINTENANCE

- (1) Clean the cabin with a damp cotton cloth and dry with a clean and dry towel,
- (2) Clean the glass with a window/glass cleaner and a soft cloth,
- (3) Do not pour water into the control panel or clean it with a damp cloth,
- (4) Do not use chemical cleaning agents to clean the cabin,
- (5) Please tighten the screws of the bench every three months, avoid loosening or falling.

6.2 WARRANTY CARD

Infrared sauna: QD-EA3CR Voltage: 230 Volt, 50Hz Power: 2580 Watt Wood: Hemlock Heater: Carbon heater Full spectrum heater	 
--	--

Fill out this form and take a picture of it,

then email the picture of completed form and defective part of your sauna to our after service department:

Name:		
Phone Number:		
Purchasing date:		
Sauna serie number:		
Item status:	<input type="checkbox"/> Unopened <input type="checkbox"/> Just opened <input type="checkbox"/> First start <input type="checkbox"/> Used for long time	