0076-FILTER CLEANER

Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 1 of 13 Print date: 27/11/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name:	FILTER CLEANER
Product Code:	0076
UFI:	F470-W0JW-M000-QXHW

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Cleaner

Uses advised against: Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet. Company's identification:

FLUIDRA COMERCIAL ESPAÑA, S.A.
Av. Alcalde Barnils, 69
08174 SANT CUGAT DEL VALLÈS
Barcelona (España)
Teléfono: 937133022
+34 93 713 41 11
fds@inquide.com

Responsible for market placement:

Company: FLUIDRA COMERCIAL PORTUGAL

Address:Rua Alfredo Silva nº41City:2785-656 São Domingos de Rana,Province:Lisboa (PORTUGAL)Telephone:Tef. +351 214 444 720

1.4 Emergency telephone number: (Available 24 hours)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20 FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25 PORTUGAL: 808 250 143 BELGIQUE (Brussel): (+32) 070 245 245 Sweden: 112 - Begär Giftinformation (ask for Poisons Information) Denmark (Giftlinjen): +45 8212 1212 Finland: 0800 147 111 Norway: +47 22 59 13 00 Cyprus: 1401 Greece: (0030) 2107793777 Netherlands (NVIC): +31 (0)88 755 8000 Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica Apelabil de luni pâna vineri, între orele 8.00-15.00 CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

0076-FILTER CLEANER



Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 2 of 13 Print date: 27/11/2024

In accordance with Regulation (EU) No 1272/2008: Eye Dam. 1 : Causes serious eye damage. Skin Corr. 1B : Causes severe skin burns and eye damage.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008: Pictograms:



Signal Word:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P280Wear protective gloves/protective clothing/eye protection.P301+P310IF SWALLOWED: Call a POISON CENTRE or doctor immediately.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present andeasy to do. Continue rinsing.P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [orshower].

Contains: n-propanol didecyldimethylammonium chloride

2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB. The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate

(in accordance with Regulation (EU) 2020/878)



0076-FILTER CLEANER

Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 3 of 13 Print date: 27/11/2024

Index No: 612-131- 00-6 CAS No: 7173-51-5 EC No: 230-525-2 Registration No: 01- 2119945987-15-XXXX	didecyldimethylammonium chloride	5 - 10 %	Acute Tox. 4 *, H302 - Skin Corr. 1B, H314	-
Index No: 603-003- 00-0 CAS No: 71-23-8 EC No: 200-746-9 Registration No: 01- 2119486761-29-XXXX	n-propanol	3 - 20 %	Eye Dam. 1, H318 - Flam. Liq. 2, H225 - STOT SE 3, H336	-
Index No: 603-117- 00-0 CAS No: 67-63-0 EC No: 200-661-7 Registration No: 01- 2119457558-25-XXXX	propan-2-ol	1 - 10 %	Eye Irrit. 2, H319 - Flam. Liq. 2, H225 - STOT SE 3, H336	-
CAS No: 2372-82-9 EC No: 219-145-8	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	0.1 - 1 %	Acute Tox. 3, H301 - Aquatic Acute 1, H400 - STOT RE 2, H373 - Skin Corr. 1A, H314	:

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

(in accordance with Regulation (EU) 2020/878)





Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 4 of 13 Print date: 27/11/2024

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13). Wash with plenty of water.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising





Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 5 of 13 Print date: 27/11/2024

agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s). None in particular.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
United	United	Eight hours	200	500	
		Kingdom [1]	Short term	250	625
n propond	71-23-8	Éire [2]	Eight hours	100	
n-propanol	/1-25-0	Life [2]	Short term		
		Italia [2]	Eight hours	100	
		Italia [3]	Short term		
		United	Eight hours	400	999
propon 2 ol	67 62 0	Kingdom [1]	Short term	500	1250
propan-2-ol	07-03-0	67-63-0	Eight hours	200	
		Italia [3]	Short term	400	

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. [2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[3] Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
n-propanol CAS No: 71-23-8 EC No: 200-746-9	DNEL (Workers)	Inhalation, Chronic, Systemic effects	268 (mg/m ³)
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	500 (mg/m ³)
	DNEL (Consumers)	Inhalation, Chronic, Systemic effects	89 (mg/m ³)
propan-2-ol CAS No: 67-63-0 EC No: 200-661-7	DNEL (Workers)	Dermal, Chronic, Systemic effects	888 (mg/kg bw/day)
EC NO: 200-061-7	DNEL (Consumers)	Dermal, Chronic, Systemic effects	319 (mg/kg bw/day)
	DNEL (Consumers)	Oral, Chronic, Systemic effects	26 (mg/kg bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

(in accordance with Regulation (EU) 2020/878)





Version 1 Date of compilation: 19/03/2019 Revision date: 30/05/2022 Version 4 (replaces version 3)

Page 6 of 13 Print date: 27/11/2024

Name	Details	Value
	aqua (freshwater)	140,9 (mg/L)
	aqua (marine water)	140,9 (mg/L)
	aqua (intermittent releases)	140,9 (mg/L)
	sediment (freshwater)	552 (mg/kg
propag 2 ol		sediment dw)
propan-2-ol CAS No: 67-63-0	sediment (marine water)	552 (mg/kg
EC No: 200-661-7		sediment dw)
LC NO. 200-001-7	Soil	28 (mg/kg
		soil dw)
	STP	2251 (mg/L)
	oral (Hazard for predators)	160 (mg/kg
		food)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Cleaner
Breathing protect	ion:
If the recommended	l technical measures are observed, no individual protection equipment is necessary.
Hand protection:	
If the product is har	dled correctly, no individual protection equipment is necessary.
Eye protection:	
If the product is har	dled correctly, no individual protection equipment is necessary.
Skin protection:	
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should
Maintenance.	not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any
	injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Colourless

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product Boiling point or initial boiling point and boiling range: >90 °C Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: >40 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 11 - 12

(in accordance with Regulation (EU) 2020/878)





Version 1	Date of compilation:	: 19/03/2019
Version 4 (r	eplaces version 3)	Revision date: 30/05/2022

Page 7 of 13 Print date: 27/11/2024

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the nature/properties of the product Vapour pressure: 23,765 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.) Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: 0.982 (20°C) Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product Dropping point: Not applicable/Not available due to the nature/properties of the product Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with: - Acids.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with acids.

10.4 Conditions to avoid.

- Avoid contact with acids.

10.5 Incompatible materials.

Avoid the following materials: - Acids.

- Acius.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products: - Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
Name	Туре	Test	Kind	Value
		LD50	Rat	5050 mg/kg bw [1]
propan-2-ol	Oral	[1] Gigiena Vol. 43(1),		or English translation, see HYSAAV.
	Dermal	LD50	Rabbit	12800 mg/kg bw [1]

(in accordance with Regulation (EU) 2020/878)

0076-FILTER CLEANER



Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 8 of 13 Print date: 27/11/2024

				Material Data H bl. 1, Pg. 100, 19	andbook, Vol.1: Organic Solvents, 974
			LC50	Rat	>10000 ppm (6 h) [1]
CAS No: 67-63-0	EC No: 200-661-7	Inhalation	[1] OECI report, 1		(Acute Inhalation Toxicity), study

a) acute toxicity; Not conclusive data for classification.

Acute Toxicity Estimate (ATE): Mixtures: ATE (Oral) = 4.546 mg/kg

b) skin corrosion/irritation;Product classified:Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Based on available data, the classification criteria are not met.

i) STOT-repeated exposure; Based on available data, the classification criteria are not met.

j) aspiration hazard; Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health. **Other information**

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
propan-2-ol	Fish	LC50	Fish	9640 mg/l (96 h) [1]

0076-FILTER CLEANER



Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 9 of 13 Print date: 27/11/2024

			[1] Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1. Center for Lake Superior Environmental Stud., Univ.of Wisconsin-Superior, Superior, WI :414		
		Aquatic invertebrates	LC50 Crustacean 1400 mg/l (48 h) [1] [1] Blackman, R.A.A. 1974. Toxicity of Oil-Sinking Agents. Mar.Pollut.Bull. 5:116-118		
			ToxicityScenedesmusthresholdquadricauda1800 mg/L (7 d) [1]		
CAS No: 67-63-0	EC No: 200-661-7	Aquatic plants	[1] Comparison of the Toxicity Thresholds of Water Pollutants to Bacteria, Algae, and Protozoa in the Cell Multiplication Inhibition Test, Water Research Vol. 14. pp. 231 to 241		

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
n-propanol		0.25			Versileus
CAS No: 71-23-8	EC No: 200-746-9	0,25	-	-	Very low
propan-2-ol		0.05			Vandow
CAS No: 67-63-0	EC No: 200-661-7	0,05	-	-	Very low

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

(in accordance with Regulation (EU) 2020/878)

0076-FILTER CLEANER



Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 10 of 13 Print date: 27/11/2024

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID. Transport documentation: Consignment note and written instructions Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN2920

14.2 UN proper shipping name.

Description: ADR/RID: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / N-PROPANOL), 8 (3), PG II, (D/E) IMDG: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / N-PROPANOL), 8 (3), PG II (40°C) ICAO/IATA: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / N-PROPANOL), 8 (3), PG II

14.3 Transport hazard class(es).

Class(es): 8

14.4 Packing group.

Packing group: II

14.5 Environmental hazards.

Marine pollutant: No Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-E,S-C

14.6 Special precautions for user.

Labels: 8, 3





Hazard number: 83 ADR LQ: 1 L IMDG LQ: 1 L ICAO LQ: 0,5 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

(in accordance with Regulation (EU) 2020/878)





Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 11 of 13 Print date: 27/11/2024

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) VOC content (p/p): 4,8 % VOC content: 47,136 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

Substances including by Regulation (EU) No 649/2012 concerning the export and import of dangerous chemicals:

Name				
didecyldimethylammonium chloride				
CAS No: 7173-51-5				
EC No: 230-525-2				
Annex I Part 1 - Subcategory	Limitation			
Pesticide in the group of plant protection products	Ban			

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

Classification codes:

Acute Tox. 3 : Acute toxicity (Oral), Category 3 Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Flam. Liq. 2 : Flammable liquid, Category 2

(in accordance with Regulation (EU) 2020/878)

0076-FILTER CLEANER



Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 12 of 13 Print date: 27/11/2024

STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3 Skin Corr. 1A : Skin Corrosive, Category 1A Skin Corr. 1B : Skin Corrosive, Category 1B

Changes regarding to the previous version:

- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modifications in the handling and storage precautions (SECTION 7.2).
- Modification of exposure data (SECTION 8.1).
- Elimination of personal protective equipment (SECTION 8.2).
- Modifications of the personal protective equipment (SECTION 8.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).
- Elimination of abbreviations and acronyms (SECTION 16).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

- AwSV: Facility Regulations for handling substances that are hazardous for the water.
- BCF: Bioconcentration factor.
- CEN: European Committee for Standardization.
- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- NOEC: No observed effect concentration.
- PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
- WGK: Water hazard classes.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/





Version 1Date of compilation: 19/03/2019Version 4 (replaces version 3)Revision date: 30/05/2022

Page 13 of 13 Print date: 27/11/2024

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.