

ctx390GR MULTIACTION



Multi-action, occasional-use chlorine treatment

· Stable chlorine, lasts longer in the water

GRANULATED	EFFICACY	SPECIAL CERAMIC POOLS	DOSAGE
	IMMEDIATE		15g /10m³

PROPERTIES

Appearance	Granular
Colour	White
Available	70,2%
pH (1%)	1 - 3

CHARACTERISTICS

Organic compound, especially thought to make that with its only addition to the water in the swimming pool, you manage to eliminate all the bacteria, viruses and microorganisms in general. It prevents the weeds from developing and helps to keep the water clear and transparent.

INSTRUCTIONS FOR USE

Always adjust the pH before adding chlorine to the water, to make it as effective as possible.

Introduce the necessary dose of product inside the skimmers and then turn on the filter equipment; in this way the product will dissolve when it begins to move through the skimmers.

It is also possible to pour the dose of product equally over the surface of the swimming pool, preferably during the evening and when there are no swimmers in the pool.

The level of free residual chlorine should be between 0.5 - 2 mg/l. This level is easily determined using a chlorine and pH test kit, and should be measured at least twice daily.

DOSAGE

Initial Treatment: Add 15 grs. of ClorShock for m3 of water. Wait for two hours before adjusting the pH level between 7,2 - 7,6 using either ctx 10 pH Minus solid or ctx 20 pH Plus solid.

The Initial treatment should be repeated whenever the water does not appear transparent.





Maintenance Treatment: Once the pH level of the water has been adjusted, add 1 or 2 grams of product per m3 of water daily.

This dose is merely meant as a guideline and may be modified according to differing characteristics of the pool or climate.

