(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 1 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: OXIPOOL Product Code: 0100GR

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Desinfectant for pool water.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: FLUIDRA COMMERCIAL FRANCE

Address: Avenue Maurice Bellonte, City: 66 000 PERPIGNAN

Province: FRANCE

Telephone: Tel: 04 11 300 200
Fax: +34 93 713 41 11
E-mail: fds@inquide.com
Web: www.ctxprofessional.com

1.4 Emergency telephone number: (Available 24 hours)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111 Norway: +47 22 59 13 00 Cyprus: 1401

Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni pâna vineri, între orele 8.00-15.00

CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Acute Tox. 4 : Harmful if swallowed. Eye Dam. 1 : Causes serious eye damage.

Skin Corr. 1B: Causes severe skin burns and eye damage.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 2 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:





Signal Word:

Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Call a POISON CENTRE or doctor immediately.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

EUH statements:

EUH208 Contains dipotassium peroxodisulphate; potassium persulphate. May produce an allergic reaction.

Contains:

potassium hydrogensulphate

dipotassium peroxodisulphate, potassium persulphate

potassium peroximonosulphate

Active substances:

potassium peroximonosulphate, 80 - 100%;

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 3 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 70693-62-8 EC No: 274-778-7 Registration No: 01- 2119485567-22-XXXX	potassium peroximonosulphate	80 - 100 %	Acute Tox. 4, H302 - Aquatic Chronic 3, H412 - Eye Dam. 1, H318 - Skin Corr. 1B, H314	-
Index No: 016-056- 00-4 CAS No: 7646-93-7 EC No: 231-594-1	potassium hydrogensulphate	3 - 7 %	STOT SE 3, H335 - Skin Corr. 1B, H314	-
Index No: 016-061- 00-1 CAS No: 7727-21-1 EC No: 231-781-8 Registration No: 01- 2119495676-19-XXXX	dipotassium peroxodisulphate, potassium persulphate	3 - 5 %	Acute Tox. 4 *, H302 - Eye Irrit. 2, H319 - Ox. Sol. 3, H272 - Resp. Sens. 1, H334 - STOT SE 3, H335 - Skin Irrit. 2, H315 - Skin Sens. 1,	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

^{*} See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 4 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 5 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

None in particular.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
dipotassium peroxodisulphate,	7727-21-1	Éire [1]	Eight hours		0,1
potassium persulphate	//2/-21-1	ciie [1]	Short term		

[1] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
notaccium norovimonosulphato	DNEL	Inhalation, Chronic, Local effects	0,28
potassium peroximonosulphate CAS No: 70693-62-8	(Workers)		(mg/m³)
EC No: 274-778-7	DNEL	Inhalation, Chronic, Systemic effects	0,28
LC No. 2/4-7/6-7	(Workers)		(mg/m³)
dinatanai ya nayayadin dabata natanai ya nayay dabata	DNEL	Inhalation, Chronic, Local effects	2,06
dipotassium peroxodisulphate, potassium persulphate CAS No: 7727-21-1	(Workers)		(mg/m³)
EC No: 231-781-8	DNEL	Inhalation, Chronic, Systemic effects	2,06
EC NO: 231-761-6	(Workers)		(mg/m³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

CAS: 70693-62-8 TLV TWA - 10 mg/m3

CAS: 7727-21-1 TLV TWA - 0,1 mg/m3 **8.2 Exposure controls.**

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %	
Uses:	Desinfectant for pool water.	
Breathing protecti	ion:	
PPE:	Particle filter mask	

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Date of compilation: 18/09/2018 Page 6 of 12 Version 1 Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

«CE» marking, category III. Made of filtering material, it covers nose, mouth and

chin. CEN standards: EN 149

Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it Maintenance:

should be replaced after use.

Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding Observations:

suitable use of the equipment.

Filter Type needed: Hand protection:

Characteristics:

Non-disposable protective gloves against chemicals.

«CE» marking, category III. Check the list of chemicals for which the glove has Characteristics:

been tested.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

A schedule for the periodical replacement of gloves should be established in order to guarantee their Maintenance: replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous

than not using gloves, since the pollutant can gradually accumulate in the glove's material.

They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could Observations:

reduce their strength.

Breakthrough time Material thickness > 480 0,35 Material: PVC (polyvinyl chloride) (min.): (mm):

Eye protection:

Protective goggles against particle impacts. PPF:

Characteristics: «CE» marking, category II. Eye protector against dust and smoke.

CEN standards: EN 165, EN 166, EN 167, EN 168

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance:

be disinfected periodically following the manufacturer's instructions.

Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, Observations: scraping etc.

Skin protection:

Chemical protective clothing PPE:

«CE» marking, category III. Clothing should fit properly. The level of protection Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which

indicates how long it takes for the chemical to pass through the material. CEN standards: EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

The protective clothing's design should facilitate correct positioning, staying in place without moving for Observations:

the period of use expected, bearing in mind environmental factors as well as any movement or position

the user might adopt while carrying out the activity. Anti-static safety footwear against chemicals.

«CE» marking, category III. Check the list of chemicals against which the footwear Characteristics:

is resistant.

EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO

For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions Maintenance:

specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.

The footwear should be cleaned regularly and dried when damp, although it should not be placed too

Observations:

close to a source of heat in order to avoid any sharp changes in temperature.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid Colour: White

PPE:

CEN standards:

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 7 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Odour: Odourless

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 2 - 3 (1%)

. Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: 250 g/l

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): log Pow < 0,3

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.1 - 1.4 (20°C)

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: Si

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with:

- Bases.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

10.4 Conditions to avoid.

- Avoid contact with bases.

10.5 Incompatible materials.

Avoid the following materials:

- Bases.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 8 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
Name	Туре	Test	Kind	Value
	Oral	LD50	Rat	200-2000 mg/kg
potassium peroximonosulphate	Dermal	LC50	Rat	> 2000 mg/kg
CAS No: 70693-62-8 EC No: 274-778-7	Inhalation	LC50	Rat	> 5 mg/l (4 h)
		LD50	Rat	1130 mg/kg bw [1]
dia da saissa sa sa sa di salahaha sa da saissa	Oral	[1] FMC Corporation, Acute and 28-day subacute toxicity of potassium persulfate, Study no. ICG/T-79-024, 1979.		
dipotassium peroxodisulphate, potassium persulphate		LD50	Rabbit	10000 mg/kg bw [1]
persurphace	Dermal	[1] FMC Corporation, Acute and 28-day subacute toxicity of potassium persulfate, Study no. ICG/T-79-024, 1979.		
CAS No: 7727-21-1 EC No: 231-781-8	Inhalation			

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 9 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
	Fish	LC50 LC50	Fish Fish	1.09 mg/l (96 h) 53 mg/l (96 h)
potassium peroximonosulphate	Aquatic invertebrates	EC50	Daphnia	3.5 mg/l (48 h)
CAS No: 70693-62-8 EC No: 274-778-7	Aquatic plants	EC50	Algae	1 mg/l (72 h)
	Fish	LC50	Oncorhynchus mykiss	76.3 mg/l [1]
dipotassium peroxodisulphate, potassium		[1] US EPA	TG OPP 72-1	
persulphate	Aquatic	EC50	Daphnia magna	120 mg/l [1]
	invertebrates	[1] US EPA	TG OPP 72-2	
CAS No: 7727-21-1 EC No: 231-781-8	Aquatic plants			

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 10 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA

for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN3260

14.2 UN proper shipping name.

Description:

ADR/RID: UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM PEROXIMONOSULPHATE), 8, PG II, (E)

IMDG: UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM PEROXIMONOSULPHATE), 8, PG II ICAO/IATA: UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM

PEROXIMONOSULPHATE), 8, PG II

14.3 Transport hazard class(es).

Class(es): 8

14.4 Packing group.

Packing group: II

14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

14.6 Special precautions for user.

Labels: 8



Hazard number: 80 ADR LQ: 1 kg IMDG LQ: 1 kg ICAO LQ: 5 kg

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6. IMDG Code segregation group: 1 Acids

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 11 of 12
Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algaecides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
potassium peroximonosulphate	
CAS No: 70693-62-8	80 - 100
EC No: 274-778-7	

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): nwg: Non-hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Ox. Sol. 3 : Oxidising solid, Category 3

Resp. Sens. 1 : Respiratory sensitiser, Category 1

STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B: Skin Corrosive, Category 1B Skin Irrit. 2: Skin irritant, Category 2

(in accordance with Regulation (EU) 2020/878)

0100GR-OXIPOOL



Version 1 Date of compilation: 18/09/2018 Page 12 of 12 Version 12 (replaces version 11) Revision date: 15/02/2023 Print date: 27/11/2024

Skin Sens. 1: Skin sensitiser, Category 1

Changes regarding to the previous version:

- Change in the hazard classification (SECTION 2.1).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.3).
- Modifications in the accidental release measures (SECTION 6.1).
- Modifications in the handling and storage precautions (SECTION 7.1).
- Modifications in the handling and storage precautions (SECTION 7.2).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health hazards
Calculation method
Environmental hazards
Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.