



W LINE

2021 CATALOGUE

W 430 / W 432 / W 442
W 630 / W 650 / W 650 OP / W 670





- + Optimal cleaning for the floor/walls/water line
- + Extra large suction inlet
- + Easy access to filter

REFERENCE PRICE

WR000336

Price €€€

ACCESSORIES INCLUDED IN THE PACK



Control box



Fine Filter canister 100µ

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 10 x 5 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Liner, reinforced PVC, painted concrete. Polyester hull, tiles : dedicated brushes kit

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles : - Floor «Deep Clean» : 1h30 - Floor / walls / waterline : 1h30
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 1 motor
Transmission	Gear transmission
Brushes	Yes
Water removal assistance	No
Transparent window	Yes
Full filter indicator	No
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	20

TECHNICAL SPECIFICATIONS

Number of motors	2
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	15 m
Cleaner size (L x W x h)	41 x 42 x 28 cm
Packaging size (L x W x h)	56 x 56 x 38 cm
Cleaner weight	9 kg
Packaging weight	17,1 kg
Filtering surface and level	850 cm ² / 100µ
Filtering capacity	3,7 L
Inlet suction size	22 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Large debris filter canister 200µ	Fine filter canister 100µ	Kit for slippery surfaces (2 brushes)	Protective cover
Reference	R0632602	R0632601	R0632600	R0718600	R0893500



Adapted for pools with slippery surfaces (polyester hull, tile)

- + Optimal cleaning for the floor/walls/water line
- + Extra large suction inlet
- + Easy access to filter

REFERENCE PRICE

WR000337

Price €€€

ACCESSORIES INCLUDED IN THE PACK



Control box



Fine Filter canister 100µ

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 10 x 5 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Slippery surfaces (polyester hull, tile)

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles : - Floor «Deep Clean» : 1h30 - Floor / walls / waterline : 1h30
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 1 motor
Transmission	Gear transmission
Brushes	Yes
Water removal assistance	No
Transparent window	Yes
Full filter indicator	No
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	20

TECHNICAL SPECIFICATIONS

Number of motors	2
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	15 m
Cleaner size (L x W x h)	41 x 42 x 28 cm
Packaging size (L x W x h)	56 x 56 x 38 cm
Cleaner weight	9 kg
Packaging weight	17,1 kg
Filtering surface and level	850 cm ² / 100µ
Filtering capacity	3,7 L
Inlet suction size	22 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)




	Ultra-fine filter canister 60µ	Large debris filter canister 200µ	Fine filter canister 100µ	Protective cover
Reference	R0632602	R0632601	R0632600	R0893500



Adapted for pools with slippery surfaces (polyester hull, tile)

- + Optimal cleaning for the floor/walls/water line
- + Extra large suction inlet
- + Easy access to filter»





REFERENCE PRICE	
WR000338	Price €€€

ACCESSORIES INCLUDED IN THE PACK		
		
Trolley	Control box	Fine Filter canister 100µ

FOR WHICH TYPE OF POOLS?	
Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Slippery surfaces (polyester hull, tile)

DESCRIPTION	
Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	6 cycles : - Floor «Deep Clean» : 1h, 1h30, 2h - Floor / walls / waterline : 1h, 1h30, 2h
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 1 motor
Transmission	Gear transmission
Brushes	Yes
Water removal assistance	No
Transparent window	Yes
Full filter indicator	Yes
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS	
Number of motors	2
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m
Cleaner size (L x W x h)	41 x 42 x 28 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	9,5 kg
Packaging weight	19,1 kg
Filtering surface and level	850 cm² / 100µ
Filtering capacity	3,7 L
Inlet suction size	22 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)				
				
	Ultra-fine filter canister 60µ	Large debris filter canister 200µ	Fine filter canister 100µ	Protective cover
Reference	R0632602	R0632601	R0632600	R0893500

- + Smart navigation adapted to the pool
- + Long lasting cyclone power
- + Water removal assistance
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere



REFERENCE PRICE

WR000339

Price €€€

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time)
Timer	No
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	No
Brushes	Yes (Contact + Brushes)
Water removal assistance	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	No
Water temperature measurement	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	21 kg
Filtering surface and level	1180 cm² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
Reference	R0863500	R0863600	R0863700	R0893500

* 3 years + 1 year if the cleaner is paired to iAqualink™, see all conditions in the Warranty leaflet.

- + Smart navigation adapted to the pool
- + Long lasting cyclone power
- + Water removal assistance
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere



REFERENCE PRICE	
WR000340	Price €€€

ACCESSORIES INCLUDED IN THE PACK					
Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?	
Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION		TECHNICAL SPECIFICATIONS	
Cleaning areas	Floor / walls / waterline	Number of motors	3
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45)	Control box supply	200-240 VAC ; 50 / 60 Hz
Timer	7-days	Power supply	30 VDC
Power supply	Autonomous, connected to 230V mains supply before the transformer	Operating power	150 W
Steering	Pre-programmed	Cable length / Hose length	18m with Swivel
Drive system	4 wheel drive - 2 motors	Cleaner size (L x W x h)	43 x 48 x 27 cm
Transmission	Gear transmission	Packaging size (L x W x h)	56 x 56 x 46 cm
Pressure sensor	Yes	Cleaner weight	10 kg
Brushes	Yes (Contact + Brushes)	Packaging weight	21 kg
Water removal assistance	Yes	Filtering surface and level	1180 cm ² / 60µ
Transparent window	Yes	Filtering capacity	5 L
Full filter indicator	Yes	Inlet suction size	24,5 cm
Remote control	Remote control mode (with app)		
Water temperature measurement	No		
Safety	Deck system, out of water safety, diagnostic, electronic motor protector		
Filtration system / access	Rigid Filter canister with access over the cleaner		
Units / pallet	16		

OPTIONAL ACCESSORIES (NOT INCLUDED)				
	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
Reference	R0863500	R0863600	R0863700	R0893500

* 3 years + 1 year if the cleaner is paired to iAqualink™, see all conditions in the Warranty leaflet.

- + Smart navigation adapted to the pool
- + Long lasting cyclone power
- + Water removal assistance
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere



REFERENCE PRICE

WR000377	Price €€€
----------	------------------

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45)
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Water removal assistance	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	21 kg
Filtering surface and level	1180 cm² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
Reference	R0863500	R0863600	R0863700	R0893500

* 3 years + 1 year if the cleaner is paired to iAqualink™, see all conditions in the Warranty leaflet.

- + Smart navigation adapted to the pool
- + Long lasting cyclone power
- + Water removal assistance
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere



REFERENCE PRICE

WR000341

Price €€€

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 15 x 7 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45) - Waterline only: 0h45
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Water removal assistance	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	Yes (info in app)
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	21m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	22,3 kg
Filtering surface and level	1180 cm² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
Reference	R0863500	R0863600	R0863700	R0893500

* 3 years + 1 year if the cleaner is paired to iAqualink™, see all conditions in the Warranty leaflet.

