

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 1 of 9

Print date: 03/12/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: Rojo de Phenol REACTIVO DE pH  
Product Code: 0900  
UFI: 8AM0-S0K9-3009-NE92

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Reagent for analysis

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

##### Company's identification:

Company: **FLUIDRA COMMERCIAL, S.A.U**  
Address: Av. Alcalde Barnils, 69  
City: 08174 Sant Cugat del Vallès  
Province: (Barcelona) Spain  
Telephone: Tel:34 93 724 39 00 Fax:34 93 724 29 93  
Fax: +34 93 713 41 11  
E-mail: fds@inquire.com  
Web: www.astralpool.com

##### Responsible for market placement:

Company: **FLUIDRA COMMERCIALE ITALIA**  
Address: SPA UNIPERSONALE  
City: Via Trebocche, 7/E 25081  
Province: Bedizzole (BS) Italy  
Telephone: Tel: +39 030 687 04 41  
Fax: Fax: +39 030 687 05 71

#### 1.4 Emergency telephone number: (Available 24 hours)

Anti poisoning centre:

ITALY (Rome): 06/305 43 43

ITALY (Milan): 02/66 10 10 29

SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Toulouse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111

Norway: +47 22 59 13 00

Cyprus: 1401

Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni până vineri, între orele 8.00-15.00

CAV acreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00;

Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

#### 2.2 Label elements.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 2 of 9

Print date: 03/12/2024

P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.  
The mixture does not contain substances classified as vPvB.  
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers                                                                                             | Name    | Concentrate | (*)Classification - Regulation (EC) No 1272/2008 |                                                            |
|---------------------------------------------------------------------------------------------------------|---------|-------------|--------------------------------------------------|------------------------------------------------------------|
|                                                                                                         |         |             | Classification                                   | Specifics concentration limits and Acute toxicity estimate |
| Index No: 603-002-00-5<br>CAS No: 64-17-5<br>EC No: 200-578-6<br>Registration No: 01-2119457610-43-XXXX | ethanol | 2.5 - 10 %  | Flam. Liq. 2, H225                               | -                                                          |

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

#### Inhalation.

If breathing stops, give artificial respiration and seek immediate medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing.

#### Ingestion.

Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

## SECTION 5: FIREFIGHTING MEASURES.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1      Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 3 of 9

Print date: 03/12/2024

### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: ACCIDENTAL RELEASE MEASURES.

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

None in particular.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 4 of 9

Print date: 03/12/2024

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

| Name    | CAS No. | Country                      | Limit value | ppm  | mg/m <sup>3</sup> |
|---------|---------|------------------------------|-------------|------|-------------------|
| ethanol | 64-17-5 | United Kingdom [1]           | Eight hours | 1000 | 1920              |
|         |         |                              | Short term  |      |                   |
|         |         | Éire [2]                     | Eight hours |      |                   |
|         |         |                              | Short term  | 1000 |                   |
|         |         | Italia [3]                   | Eight hours | 1000 |                   |
|         |         |                              | Short term  |      |                   |
|         |         | United States [4] (Cal/OSHA) | Eight hours | 1000 |                   |
|         |         |                              | Short term  |      |                   |
|         |         | United States [5] (NIOSH)    | Eight hours | 1000 |                   |
|         |         |                              | Short term  |      |                   |
|         |         | United States [6] (OSHA)     | Eight hours | 1000 | 1900              |
|         |         |                              | Short term  |      |                   |

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[3] Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name                                           | DNEL/DMEL         | Type                                  | Value                       |
|------------------------------------------------|-------------------|---------------------------------------|-----------------------------|
| ethanol<br>CAS No: 64-17-5<br>EC No: 200-578-6 | DNEL<br>(Workers) | Inhalation, Chronic, Systemic effects | 950<br>(mg/m <sup>3</sup> ) |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

| Name                                           | Details                      | Value                   |
|------------------------------------------------|------------------------------|-------------------------|
| ethanol<br>CAS No: 64-17-5<br>EC No: 200-578-6 | Fresh water                  | 0,96 (mg/L)             |
|                                                | Marine water                 | 0,79 (mg/L)             |
|                                                | aqua (intermittent releases) | 2,75 (mg/L)             |
|                                                | Soil                         | 0,63 (mg/kg soil dw)    |
|                                                | sediment (freshwater)        | 3,6 (mg/kg sediment dw) |

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

CAS: 64-17-5

TLV TWA - 1000 ppm, A4 - 1884,25 mg/m<sup>3</sup>, A4

#### 8.2 Exposure controls.

##### Measures of a technical nature:

|                       |                      |
|-----------------------|----------------------|
| Concentration:        | 100 %                |
| Uses:                 | Reagent for analysis |
| Breathing protection: |                      |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 5 of 9

Print date: 03/12/2024

If the recommended technical measures are observed, no individual protection equipment is necessary.

### Hand protection:

If the product is handled correctly, no individual protection equipment is necessary.

### Eye protection:

If the product is handled correctly, no individual protection equipment is necessary.

### Skin protection:

PPE: Work footwear.

Characteristics: «CE» marking, category II.

CEN standards: EN ISO 13287, EN 20347

Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.

Observations: Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Red

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 99 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: >61 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 8.5 - 9.5 (20 °C)

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 24,598 (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0.94 - 1.04 g/cm<sup>3</sup>

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: No applicable

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with:

- Acids.

### 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with acids.

### 10.4 Conditions to avoid.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## 0900-Rojo de Phenol REACTIVO DE pH



Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 6 of 9

Print date: 03/12/2024

- Avoid contact with acids.

### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Toxicological information about the substances present in the composition.

| Name                                  | Acute toxicity |                                                                 |      |                   |
|---------------------------------------|----------------|-----------------------------------------------------------------|------|-------------------|
|                                       | Type           | Test                                                            | Kind | Value             |
| ethanol                               | Oral           | LD50                                                            | Rat  | 10470 mg/kg       |
|                                       |                | LD50                                                            | Rat  | 7060 mg/kg bw [1] |
|                                       |                | [1] Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970 |      |                   |
|                                       | Dermal         | LD50                                                            | Rat  | 15800 mg/kg       |
| CAS No: 64-17-5      EC No: 200-578-6 | Inhalation     | LC50                                                            | Rat  | 30000 mg/l        |

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### **Other information**

There is no information available on other adverse health effects.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## 0900-Rojo de Phenol REACTIVO DE pH

Version 1

Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022



Page 7 of 9

Print date: 03/12/2024

### SECTION 12: ECOLOGICAL INFORMATION.

#### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name                                                             | Bioaccumulation |     |       |          |
|------------------------------------------------------------------|-----------------|-----|-------|----------|
|                                                                  | Log Pow         | BCF | NOECs | Level    |
| ethanol<br>CAS No: 64-17-5                      EC No: 200-578-6 | -0,3            | -   | -     | Very low |

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS.

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## 0900-Rojo de Phenol REACTIVO DE pH



Version 1 Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 8 of 9

Print date: 03/12/2024

### 14.1 UN number or ID number.

Transportation is not dangerous.

### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

### 14.4 Packing group.

Transportation is not dangerous.

### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEM – Emergency sheets (F – Fire, S - Spills): Not applicable.

### 14.6 Special precautions for user.

Transportation is not dangerous.

### 14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

## SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

#### Volatile organic compound (VOC)

VOC content (p/p): 5,5 %

VOC content: 51,7 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H225 Highly flammable liquid and vapour.

Classification codes:

Flam. Liq. 2 : Flammable liquid, Category 2

Changes regarding to the previous version:

- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0900-Rojo de Phenol REACTIVO DE pH

Version 1      Date of compilation: 16/11/2018

Version 7 (replaces version 6)

Revision date: 26/10/2022

Page 9 of 9

Print date: 03/12/2024

- Changes in the composition of the product (SECTION 3.2).
- National legislative changes (SECTION 15.1).

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

It is recommended that the product only be employed for the purposes advised.

#### Abbreviations and acronyms used:

|       |                                                                                                                                                  |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| AwSV: | Facility Regulations for handling substances that are hazardous for the water.                                                                   |
| BCF:  | Bioconcentration factor.                                                                                                                         |
| CEN:  | European Committee for Standardization.                                                                                                          |
| DMEL: | Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.                    |
| DNEL: | Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.                                     |
| EC50: | Half maximal effective concentration.                                                                                                            |
| PPE:  | Personal protection equipment.                                                                                                                   |
| LC50: | Lethal concentration, 50%.                                                                                                                       |
| LD50: | Lethal dose, 50%.                                                                                                                                |
| NOEC: | No observed effect concentration.                                                                                                                |
| PNEC: | Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment. |
| WGK:  | Water hazard classes.                                                                                                                            |

#### Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.