(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Date of compilation: 24/04/2020 Version 1 Page 1 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: SurfoSAN Higienizante de superficies

Product Code:

UFT: P960-U0NX-J002-3HQ8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Cleaner

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

FLUIDRA COMERCIAL ESPAÑA, S.A.U. Company:

Av. Alcalde Barnils, 69 Address: 08174 Sant Cugat del Vallès City: Province:

Barcelona (España) Telephone: telf: 902 42 32 22 +34 93 713 41 11 Fax: E-mail: fds@inquide.com

Web: www.ctxprofessional.com

# **1.4 Emergency telephone number:** +34 93 724 39 00 (Only available during office hours; Monday-Friday; 08:00-18:00)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111 Norway: +47 22 59 13 00 Cyprus: 1401 Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni pâna vineri, între orele 8.00-15.00

CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

## **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Eye Dam. 1: Causes serious eye damage. Skin Irrit. 2: Causes skin irritation. Aguatic Acute 1: Very toxic to aquatic life.

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 2 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

#### 2.2 Label elements.

#### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:







#### Signal Word:

## **Danger**

#### Hazard statements:

H315 Causes skin irritation. H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Call a POISON CENTRE or doctor immediately.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

#### **EUH statements:**

EUH208 Contains cineole. May produce an allergic reaction.

# Contains:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

				- Regulation (EC) 2/2008
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 3 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

CAS No: 68424-85-1 Registration No: 01- 2119965180-41-XXXX	quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides	2.5 - 5 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 - Eye Dam. 1, H318 - Met. Corr. 1, H290 - Skin Corr. 1B, H314	-
Index No: 603-117- 00-0 CAS No: 67-63-0 EC No: 200-661-7 Registration No: 01- 2119457558-25-XXXX	propan-2-ol	0 - 10 %	Eye Irrit. 2, H319 - Flam. Liq. 2, H225 - STOT SE 3, H336	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

### **SECTION 4: FIRST AID MEASURES.**

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

## 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

## Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

### Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

## Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Indestion

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

## 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

## **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

#### 5.1 Extinguishing media.

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 4 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

# 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

## 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

## 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 5 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

		Qualifying quant the applic	
Code	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

#### 7.3 Specific end use(s).

None in particular.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
	67-63-0 Un [4] Un [5] Un	United	Eight hours	400	999
		Kingdom [1]	Short term	500	1250
		Éiro [2]	Eight hours	200	
		Éire [2]	Short term	400	
		Italia [3]	Eight hours	200	
proppy 3 of			Short term	400	
propan-2-ol		United States	Eight hours	400	
		[4] (Cal/OSHA)	Short term	500	
		United States	Eight hours	400	
		[5] (NIOSH)	Short term	500	
		United States	Eight hours	400	980
		[6] (OSHA)	Short term		

<sup>[1]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.
[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
	DNEL	Inhalation, Chronic, Systemic effects	500
	(Workers)	•	(mg/m³)
	DNEL	Inhalation, Chronic, Systemic effects	89
propaga 2 ol	(Consumers)	•	(mg/m³)
propan-2-ol CAS No: 67-63-0	DNEL	Dermal, Chronic, Systemic effects	888
EC No: 200-661-7	(Workers)		(mg/kg
LC NO. 200-001-7			bw/day)
	DNEL	Dermal, Chronic, Systemic effects	319
	(Consumers)		(mg/kg
			bw/day)

<sup>[3]</sup> Secondo il Dècreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

<sup>[4]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[5]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

<sup>[6]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 6 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

DNEL	Oral, Chronic, Systemic effects	26 (mg/kg
(Consumers)	. ,	bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	140,9 (mg/L)
	aqua (marine water)	140,9 (mg/L)
	aqua (intermittent releases)	140,9 (mg/L)
	sediment (freshwater)	552 (mg/kg
		sediment dw)
propan-2-ol CAS No: 67-63-0	sediment (marine water)	552 (mg/kg
EC No: 200-661-7		sediment dw)
LC NO. 200 001 7	Soil	28 (mg/kg
		soil dw)
	STP	2251 (mg/L)
	oral (Hazard for predators)	160 (mg/kg
		food)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

#### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: Verde Odour: Característico

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

οH: 6 - 8

. Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: 100%

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0.96 - 1.06 (20 °C)

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 7 of 13

Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

#### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: No aplicable

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

## **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

#### 10.4 Conditions to avoid.

Avoid any improper handling.

## 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## **SECTION 11: TOXICOLOGICAL INFORMATION.**

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

#### Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
and the second s	Oral	LD50	Rat	795 mg/kg	
quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides	Dermal	LD50	Rat	1560 mg/kg	
CAS No: 68424-85-1 EC No:	Inhalation				
propan-2-ol	Oral	LD50 LD50	Rat Rat	5840 mg/kg bw [1] 5840 mg/kg bw [2]	

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 8 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

		Dermal	IN THE 1 Toxicol 3 [2] FURT IN THE 1 Toxicol 3 LD50	INDUSTRIAL 1 0(1):63-68 THER EXPERIE INDUSTRIAL 1 0(1):63-68 Rabbit	ENCE WITH THE RANGE FINDING TEST TOXICOLOGY LABORATORY, J Ind Hyg ENCE WITH THE RANGE FINDING TEST TOXICOLOGY LABORATORY, J Ind Hyg 13900 mg/kg [1]
			[1] OCDI	E 402	
		Inhalation	LC50	Rat	> 25000 mg/kg [1]
CAS No: 67-63-0	EC No: 200-661-7	Innalation	[1] OCDI	E 403	

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

## 11.2 Information on other hazards.

# **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health. **Other information** 

There is no information available on other adverse health effects.

# **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

Name	Ecotoxicity
------	-------------

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 9 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

		Туре	Test	Kind	Value	
		Fish	LC50	fish	0.85-1.2 mg/L	
quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides		Aquatic invertebrates	EC50	Daphnia	0.02 mg/L	
CAS No: 68424-85-1	EC No:	Aquatic plants	EC50		0.06 mg/L	
			LC50 LC50	Fish Pimephales promelas	9640 mg/l (96 h) [1] 10000 mg/l (96 h) [2]	
		Fish	[1] Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1. Center for Lake Superior Environmental Stud., Univ.of Wisconsin-Superior, Superior, WI:414 [2] The 96 hour LC50 method is described by the US Environmental Protection Agency Committee on Methods for Toxicity Tests with Aquatic Organisms 1975.			
propan-2-ol		Aquatic invertebrates	EC50 LC50 [1] Not G the most not affect for the ev [2] Not G the most	Daphnia magna Daphnia magna LP, no guideline followerecent OECD 202 with results. It contains a valuation. LP, no guideline followerecent OECD 202 with results. It contains a	9714 mg/L (24 h) [1] >10000 mg/l (24 h) [2]  wed, although it is similar to h some deviations, which did ll the information necessary  wed, although it is similar to h some deviations, which did ll the information necessary	
CAS No: 67-63-0	EC No: 200-661-7	Aquatic plants		-		

## 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

# 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation				
		Log Pow	BCF	NOECs	Level	
propan-2-ol		0,05	_	_	Very low	
CAS No: 67-63-0	EC No: 200-661-7	0,05		-	very low	

## 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

## 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 10 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

#### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

## 14.1 UN number or ID number.

UN No: UN3082

# 14.2 UN proper shipping name.

Description:

ADR/RID: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS,BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES), 9, PG III, (-)

IMDG: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS,BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES), 9, PG III, MARINE POLLUTANT

ICAO/IATA: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS,BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES), 9, PG III

## 14.3 Transport hazard class(es).

Class(es): 9

# 14.4 Packing group.

Packing group: III

## 14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-F

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 11 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

#### 14.6 Special precautions for user.

Labels: 9



Hazard number: 90 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

#### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

## **SECTION 15: REGULATORY INFORMATION.**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E1

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): nwg: Non-hazardous to water. (Autoclassified according to the AwSV Regulations)

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin hurns and eve dam

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Muy tóxico para los organismos acuáticos, con efectos duraderos.

Classification codes:

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 12 of 13 Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Flam. Liq. 2 : Flammable liquid, Category 2 Met. Corr. 1 : Corrosive to metals, Category 1

STOT SE 3: Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B : Skin Corrosive, Category 1B Skin Irrit. 2 : Skin irritant, Category 2

Changes regarding to the previous version:

- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Modifications in the handling and storage precautions (SECTION 7.2).
- National legislative changes (SECTION 15.1).

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

(in accordance with Regulation (EU) 2020/878)

# 0070-SurfoSAN Higienizante de superficies



Version 1 Date of compilation: 24/04/2020 Page 13 of 13
Version 9 (replaces version 8) Revision date: 11/05/2023 Print date: 26/11/2024

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.