



CLARISAVE

FOR CONSCIOUS
CLEANING

CARTRIDGE FILTERS

ClariSave cartridge filters are the **most sustainable** choice for taking care and maintaining residential pools of any size.



EFFICIENT FILTRATION

Crystal-clear water at all times thanks to the filter fineness of its drain mesh that sifts particles of up to 20 micra, which are imperceptible to the human eye.



QUICK, EASY ASSEMBLY

ClariSave is a compact, lightweight, resistant filter, designed to deliver a hassle-free assembly and maintenance experience. The top cover comes with **handles** that make the unit easy to carry around and handle.


Once fitted in a technical room, its **adjustable connections** easily adapt to the position of the piping. This direct connection without the need to fit a multiport valve contribute to streamlining the installation process.

In addition, the **glycerin pressure gauge** provides clear, accurate pressure readings. Adjust the **clogging indicator** during set-up to optimize maintenance.

SAVE WITH EVERY DROP

The technology used to form layers inside the filter discharge an even delivery of the water flow. As the dirt is evenly dispersed the cartridge takes longer to clog up, which makes it possible to **prolong the time between washes by up to 20%** and to lengthen the service life of this consumable.

When the cartridge is taken out to be cleaned, the loss of water is avoided thanks to the tank's top opening system. As the cleaning process just involves a quick hosedown, this results in **reduced water consumption** in comparison with a traditional backwash.



TECHNICAL SPECIFICATIONS




Complies with Standard
EN 16713-01

CODE	77113	77114	77115	77116
Filtration surface area (m ²)	7.8	10	12	14
Filtration speed (m ³ / m ² /h)	1.3	1.5	1.7	1.8
Flow rate (m ³ /h)	10.1	15.2	20.2	25.2
Connections (mm)	50/63	50/63	50/63	50/63
Maximum pressure (bar)	3.5	3.5	3.5	3.5
Pool volume* (m ³)	81	122	162	202
Cartridge code (replacement)	77129	77130	77131	77132
Filter fineness (µm)	20	20	20	20

* 8-hour recirculation time.

DIMENSIONS AND LOGISTICS



FILTER CODE		77113	77114	77115	77116
Dimensions	A (mm)	490	490	490	490
	H ¹ (mm)	784	784	965	965
	M (mm)	569	569	569	569
	N (mm)	68	68	68	68
Gross weight (kg)		15.6	16.9	18.6	19.3
Packaging volume (m ³)		0,116	0,116	0,144	0,144
CARTRIDGE CODE		77129	77130	77131	77132
Dimensions	D (mm)	190	190	190	190
	H ² (mm)	570	570	750	750
Units per filter		1	1	1	1
Gross weight (kg)		2.9	3.1	3.6	4.0
Packaging volume (m ³)		0,026	0,026	0,034	0,034