Tintometer[®] Group Water Testing



phone: +49 (0)231 94510-0

e-mail: sales@lovibond.com

phone: +44 1980 664800

e-mail: SDS@lovibond.uk

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Ammonia No.2
- · Catalog number: 00512591, 512590BT, 4512590BT, 512591BT, 4512591BT, 00512599BT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

- · Informing department: e-mail: sds@lovibond.com Product Safety Department
- · 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

· Hazard pictograms

(Contd. of page 1)





GHS05

GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

lithium hydroxide monohydrate

sodium dichloroisocyanurate, dihydrate

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

· Additional information:

EUH031 Contact with acids liberates toxic gas.

- · 2.3 Other hazards Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds

	30–40%
♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	
sodium dichloroisocyanurate, dihydrate	0.25-<2.5%
Aguatic Acute 1, H400 (M=1); Aguatic Chronic 1, H410 (M=1); Acute	
Tox. 4, H302; Eye Írrit. 2, H319; STOT SE 3, H335, EUH031	
	lithium hydroxide monohydrate ❖ Skin Corr. 1A, H314; Eye Dam. 1, H318; ❖ Acute Tox. 4, H302 sodium dichloroisocyanurate, dihydrate ❖ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ❖ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed:

burns

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

absorption

after inhalation:

coughing

breathing difficulty

damage to the affected mucous membranes

after swallowing:

strong caustic effect.

after swallowing of large amounts:

sickness

vomiting

cardiovascular disorders

CNS disorders

ataxia (impaired locomotor coordination)

cramps

· Danger

Danger of system failure.

Danger of gastric perforation.

Danger of disturbed cardiac rhythm.

· 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Hydrogen chloride (HCI)

Dipotassium oxide

LiOx

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

· Advice for emergency responders: Protective equipment: see section 8

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

See Section 13 for information on disposal.

(Contd. of page 3)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Provide suction extractors if dust is formed.
- · Hygiene measures:

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidising agents.

see chapter 10

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Protect from the effects of light.

Store under dry conditions.

Protect from humidity and keep away from water.

This product is hygroscopic.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

WEL (Great Britain) Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

- Regulatory information WEL (Great Britain): EH40/2020
- · DNELs

Derived No Effect Level (DNEL)

CAS: 131	CAS: 1310-66-3 lithium hydroxide monohydrate				
Oral	DNEL	12.4 mg/kg (Consumer / acute / systemic effects)			
		4.13 mg/kg /bw/d (Consumer / long-term / systemic effects)			
Dermal	DNEL	100 mg/kg /bw/d (Worker / acute / systemic effects)			
		41.35 mg/kg /bw/d (Worker / long-term /systemic effects)			
		50 mg/kg /bw/d (Consumer / acute / systemic effects)			
		41.35 mg/kg /bw/d (Consumer / long-term / systemic effects)			
Inhalative	DNEL	30 mg/m³ (Worker / acute / systemic effects)			
		10 mg/m³ (Worker / long-term /systemic effects)			
		18.63 mg/m³ (Consumer / acute / systemic effects)			
		6.21 mg/m³ (Consumer / long-term / systemic effects)			

· PNECs

Predicted No Effect Concentration (PNEC)

PNEC 79.2 mg/l (Sewage treatment plant)

0.23 mg/l (Marine water)

2.3 mg/l (Fresh water)

(Contd. on page 5)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

PNEC 28.22 mg/kg (Soil)
15.3 mg/kg (Marine sediment)
153 mg/kg (Fresh water sediment)

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7

Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Tightly sealed safety glasses.

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

· Hand protection

Alkaline resistant gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Other skin protection (body protection): Alkaline resistant protective clothing
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties
• Physical state Solid.

Form:

Colour:

Odour:

Odour threshold:

Melting point/Freezing point:

Solid.

Tablets

White

Chlorine-like

Not determined.

Not determined.

Boiling point or initial boiling point and boiling range Not determined.

• Flammability The product is not combustible. • Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower:

Upper:
Not applicable.

Flash point:
Not applicable.

Not determined.

· pH (11.2 g/l) at 20°C 12.9

Kinematic viscosity Not applicable (solid).

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

• Vapour pressure: Not applicable.

· Density and/or relative density

Density: Not determined.
 Relative density: Not determined.
 Relative gas density Not applicable (solid).
 Particle characteristics Not determined.

(Contd. on page 6)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

(Contd. of page 5)

· 9.2 Other information

· Information with regard to physical hazard classes

Corrosive to metals Void

· Other safety characteristics

Oxidising properties: none

Additional information

· Solids content: 100 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Aqueous solution reacts alkaline.

Aqueous solution reacts with metals.

Reacts with acids

Corrodes aluminium

Reacts with oxidizing agents

--> forms heat

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid Exposure to moisture.
- · 10.5 Incompatible materials:

organic substances

aluminium

· 10.6 Hazardous decomposition products:

Chlorine compounds

In case of fire: see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Classification according to calculation procedure:

Harmful if swallowed.

Acute toxicity estimate (ATE_(MIX)) - Calculation method:

Oral CLP ATE_(MIX) 1416 mg/kg (.)

LD50

Dermal

· LD/LC50 values that are relevant for classification:

_							
	CAS: 1310-66-3 lithium hydroxide monohydrate						
Γ	Oral	LD50	578 mg/kg (rat)				
			(Registrant, ECHA)				
			Acute toxicity data are available for oral route of exposure: LD50 (rat, oral): female: 210 mg/kg bw; male: 280				
			mg/kg bw , both for lithium hydroxide anhydrous. As these values are most likely linked to local tissue				
			damage due to the corrosiveness of the substance and are not only a result of "primary" systemic toxicity the				
			LD50 oral of lithium chloride and lithium carbonate were taken into account after conversion. A LD50 value of				
			330 mg/kg bw(anhydrous) resp. 578 mg/kg bw (monohydrate) were found to reflect properly the systemic				
			toxicity of the corrosive substance lithium hydroxide.				
	Dermal	LD50.	>2000 mg/kg (rat)				
			(Registrant, ECHA)				
	Inhalative	LC50	>6.15 mg/l /4h (rat)				
			(Registrant, ECHA)				
ľ	CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate						
Γ	Oral	LD50	1671 mg/kg (rat) (EPA OPP 81-1)				
1			(Registrant, ECHA)				

· Skin corrosion/irritation Causes severe skin burns and eye damage.

(Registrant, ECHA)

>5000 mg/kg (rat) (EPA OPP 81-2)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

· Serious eye damage/irritation

(Contd. of page 6)

Causes serious eye damage.

Risk of blindness!

· Information on components:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Irritation of eyes OECD 405 (rabbit: burns)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

Sensitisation | OECD 406 | (guinea pig: negative) (Magnusson / Klingman)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test) (Escherichia coli)

- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The following applies to lithium compounds in general:

after absorption: CNS disorders, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:								
CAS: 1	CAS: 1310-66-3 lithium hydroxide monohydrate							
EC50	33.5 mg/l/48h (Daphnia magna) without pH-adjustment							
NOEC	17.35 mg/l /34d (zebrafish)							
	4 mg/l /21d (Daphnia magna)							
	10 mg/l /72h (Pseudokirchneriella subcapitata)							
EC50	153.44 mg/l/72h (Pseudokirchneriella subcapitata)							
LC50	109 mg/l/96h (zebrafish)							
CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate								
EC50	0.28 mg/l/48h (Daphnia magna) (ECOTOX)							
EC50	>5000 mg/l/96h (Algeal toxicity) (OECD 201)							
NOEC	2600 mg/l (Daphnia magna) (OECD 2011, 21d) (Registrant, ECHA)							

(Contd. on page 8)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

(Contd. of page 7)
756 mg/l (fish) (28d)
(Registrant, ECHA)

1000 mg/l (rainbow trout) (OECD 2015, 28d)

(Registrant, ECHA)

LC50 0.25 mg/l/96h (rainbow trout)

(ECOTOX)

Other information:

The following applies for lithium compounds in general:

fish toxic from 100 mg/l, Daphnia toxic from 16 mg/l, plants toxic from 0,2 mg/l

· 12.2 Persistence and degradability

CAS: 51580-86-0 sodium dichloroisocyanurate, dihydrate

OECD 306 4 (.) (Biodegradation Test – Seawater)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN2680

· 14.2 UN proper shipping name

• ADR 2680 LITHIUM HYDROXIDE mixture
• IMDG, IATA LITHIUM HYDROXIDE mixture

· 14.3 Transport hazard class(es)

· ADR



Class 8 (C6) Corrosive substances.

(Contd. on page 9)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

(Contd. of page 8)

· Label

· IMDG, IATA

· Class 8 Corrosive substances.

· Label

· 14.4 Packing group · ADR, IMDG, IATA Ш

Not applicable. · 14.5 Environmental hazards:

· 14.6 Special precautions for user Warning: Corrosive substances.

· Kemler Number: · EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis

Stowage Category

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

· Transport category Tunnel restriction code Ε

· IMDG

· Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EU) 2019/1148 on the marketing and use of explosives precursors not regulated
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 11.10.2022 Version number 43 (replaces version 42) Revision: 10.10.2022

Product name: Ammonia No.2

(Contd. of page 9)

- Substances of very high concern (SVHC) according to REACH, Article 57
- This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).
- Substances of very high concern (SVHC) according to UK REACH

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w). see item 3 SVHC

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Information about limitation of use: Employment restrictions concerning young persons must be observed (94/33/EC).
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Training hints Provide adequate information, instruction and training for operators.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Causes serious eye irritation. H319

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

ECOTOX Database

* Data compared to the previous version altered.