1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 1 of 12 Print date: 21/11/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name:CARE PODSProduct Code:1698

1.2 Relevant identified uses of the substance or mixture and uses advised against.

flocculant, algeacide, antiscale and enzymatic Product for the continuos treatment of swimming pool water.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company:	Fluidra Comercial España
Address:	Av. Alcalde Barnils, 69
City:	08174 Sant Cugat del Vallès
Province:	Barcelona (España)
Telephone:	telf: 902 42 32 22
Fax:	+34 93 713 41 11
E-mail:	fds@inquide.com
Web:	www.ctxprofessional.com

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20 FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25 PORTUGAL: 808 250 143 BELGIQUE (Brussel): (+32) 070 245 245 Sweden: 112 - Begär Giftinformation (ask for Poisons Information) Denmark (Giftlinjen): +45 8212 1212 Finland: 0800 147 111 Norway: +47 22 59 13 00 Cyprus: 1401 Greece: (0030) 2107793777 Netherlands (NVIC): +31 (0)88 755 8000 Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica Apelabil de luni pâna vineri, între orele 8.00-15.00 CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008: Aquatic Chronic 1 : Very toxic to aquatic life with long lasting effects. Eye Dam. 1 : Causes serious eye damage.

2.2 Label elements.

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 2 of 12 Print date: 21/11/2024

Labelling in accordance with Regulation (EU) No 1272/2008:



Signal Word:

Danger

Hazard statements:

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

- P102 Keep out of reach of children. P280 Wear protective gloves/protective clothing/eye protection.
- P273 Avoid release to the environment.
- P391 Collect spillage.
- P501 Dispose of contents and/or container in accordance with hazardous waste regulations.
- Contains:

Aluminium sulfate polymer of N-methylmethanamine with (chloromethyl) oxirane (1-hydroxyethylidene)bisphosphonic acid, sodium salt

Active substances:

polymer of N-methylmethanamine with (chloromethyl) oxirane, 1 - 10%; Citric acid, <1%;

2.3 Other hazards.

The mixture does not contain substances classified as PBT. The mixture does not contain substances classified as vPvB. The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate

(in accordance with Regulation (EU) 2020/878)





Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 3 of 12 Print date: 21/11/2024

: 25988-97-0	polymer of N-methylmethanamine with (chloromethyl) oxirane	1 - 10 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 (M=10)	-
: 10043-01-3 : 233-135-0 : 01-2119531538-36- XXXX	Aluminium sulfate	50 - 70 %	Eye Dam. 1, H318	-
: 29329-71-3 : 249-559-4 : 01-2119510382-52- XXXX	(1-hydroxyethylidene)bisphosphonic acid, sodium salt	5 - 15 %	Acute Tox. 4, H302 - Eye Dam. 1, H318 - Met. Corr. 1, H290	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 4 of 12 Print date: 21/11/2024

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

Qualifying quantity (tonnes) for the application of

(in accordance with Regulation (EU) 2020/878)



1698-CARE PODS

Version 1 Date of compilation: 19/10/2015

Version 7 (replaces version 6) Revision date: 03/01/2023

Page 5 of 12 Print date: 21/11/2024

Code	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

7.3 Specific end use(s).

None in particular.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
	DNEL	Dermal, Chronic, Local effects	10 (mg/kg)
	(Workers)		
Aluminium sulfate CAS No: 10043-01-3	DNEL	Oral, Chronic, Systemic effects	5 (mg/kg)
	(Consumers)		
EC No: 233-135-0	DNEL	Dermal, Chronic, Systemic effects	1,8
	(Workers)		(mg/m3)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
Aluminium sulfate	Water (freshwater)	34,6 (mg/kg)
CAS No: 10043-01-3	Sediment (marine water)	3,46 (mg/kg)
EC No: 233-135-0	Soil	33,1 (mg/kg)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

CAS: 10043-01-3 TLV TWA - 2 mg/m3 (Al)

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	flocculant, algeacide, antiscale and enzymatic
0365.	Product for the continuos treatment of swimming pool water.
Breathing protecti	ion:
PPE:	Particle filter mask
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and
Characteristics.	chin.
CEN standards:	EN 149
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it
Maintenance.	should be replaced after use.
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding
	suitable use of the equipment.
Filter Type needed:	P2

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Page 6 of 12

Print date: 21/11/2024

Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

-						
Hand protection						
PPE:	Protective gloves against chemicals.					
Characteristics:	«CE» marking, category III.					
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420					
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.					
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.					
Material:	PVC (polyvinyl chloride)Breakthrough time (min.):> 480Material thickness (mm):0,35					
Eye protection:						
PPE:	Protective goggles with built-in frame.					
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.					
CEN standards:	EN 165, EN 166, EN 167, EN 168					
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.					
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.					
Skin protection:						
PPE:	Chemical protective clothing					
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which					
CEN standards:	indicates how long it takes for the chemical to pass through the material. EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034					
	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by					
Maintenance:	the manufacturer.					
	The protective clothing's design should facilitate correct positioning, staying in place without moving for					
Observations:	the period of use expected, bearing in mind environmental factors as well as any movement or position					
	the user might adopt while carrying out the activity.					
PPE:	Work footwear.					
Characteristics:	«CE» marking, category II.					
CEN standards:	EN ISO 13287, EN 20347					
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.					
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid Colour: White Odour: característico Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: > - 15 °C Freezing point: Not applicable/Not available due to the nature/properties of the product Boiling point or initial boiling point and boiling range: >100 °C Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: >100 °C Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 7 of 12 Print date: 21/11/2024

pH: 5,5 - 8,5

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product Vapour pressure: 19,243 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.) Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: 1,15 - 1,18 Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product Dropping point: Not applicable/Not available due to the nature/properties of the product Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

- Unstable in contact with:
- Bases.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

10.4 Conditions to avoid.

- Avoid contact with bases.

10.5 Incompatible materials.

Avoid the following materials: - Bases.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) Nº 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
Name	Туре	Test	Kind	Value
polymer of N-methylmethanamine with	Oral	LD50	Rat - Femenino	1003 mg/kg
(chloromethyl) oxirane	Dermal	LD50	Rabbit	>2000 mg/kg

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 8 of 12 Print date: 21/11/2024

CAS No: 25988-97-0	EC No:	Inhalation			
		Oral	LD50	Rat	>2000 mg/kg [1]
			[1] OCDE 4	401	
Aluminium sulfate			LD50	Rabbit	>5000 mg/kg [1]
		Dermal			
			[1] OCDE 4	102	
CAS No: 10043-01-3	EC No: 233-135-0	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation; Not conclusive data for classification.

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

11.2 Information on other hazards. Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name		Ecotoxicity					
Name			Туре	Test	Kind	Value	
polymer	of	N-methylmethanamine	with	Fish	LC50	Fish	0.077 mg/l (96 h) [1]

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1 Date of compilation: 19/10/2015 Version 7 (replaces version 6) Revision date: 03/01/2023

Page 9 of 12 Print date: 21/11/2024

(chloromethyl) oxirane	1		[1] OECD	TG	
		Aquatic invertebrates	EC50	Daphnia	0.084 mg/l (48 h) [1]
			[1] OECD TG		
			EC50	Algae	0.09 mg/l (72 h) [1]
CAS No: 25988-97-0	EC No:	Aquatic plants			
CAS NO: 25966-97-0	25988-97-0 EC NO: [1] OECD TG 201				
		Fish	LC50	Fish	> 1000 mg/l (96 h)
Aluminium sulfate		Aquatic invertebrates	LC50	Daphnia	> 160 mg/l (48h)
CAS No: 10043-01-3	EC No: 233-135-0	Aquatic plants			

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present. No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

(in accordance with Regulation (EU) 2020/878)



1698-CARE PODS

Date of compilation: 19/10/2015 Version 1 Version 7 (replaces version 6) Revision date: 03/01/2023

Page 10 of 12 Print date: 21/11/2024

Transport document: Airway bill.

14.1 UN number or ID number. UN No: UN3077

14.2 UN proper shipping name.

Description: ADR/RID: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS POLYMER OF N-METHYLMETHANAMINE WITH (CHLOROMETHYL) OXIRANE), 9, PG III, (-) IMDG: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS POLYMER OF N-METHYLMETHANAMINE WITH (CHLOROMETHYL) OXIRANE), 9, PG III, MARINE POLLUTANT UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS POLYMER OF N-ICAO/IATA: METHYLMETHANAMINE WITH (CHLOROMETHYL) OXIRANE), 9, PG III

14.3 Transport hazard class(es).

Class(es): 9

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.





Dangerous for the environment Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-F

14.6 Special precautions for user.





Hazard number: 90 ADR LQ: 5 kg IMDG LQ: 5 kg ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR:

Carriage in bulk in sheeted vehicles, sheeted containers or sheeted bulk containers is permitted. VC1 VC2 Carriage in bulk in closed vehicles, closed containers or closed bulk containers is permitted. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 11 of 12 Print date: 21/11/2024

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) VOC content (p/p): 0 % VOC content: 0 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E1

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algaecides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
polymer of N-methylmethanamine with (chloromethyl) oxirane	1 - 10
CAS No: 25988-97-0	1 - 10
Citric acid	
CAS No: 77-92-9	<1
EC No: 201-069-1	

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Eye Dam. 1 : Serious eye damage, Category 1 Met. Corr. 1 : Corrosive to metals, Category 1

Changes regarding to the previous version:

- Changes in the composition of the product (SECTION 3.2).

- Modification of toxicity values (SECTION 11.1).

- National legislative changes (SECTION 15.1).

(in accordance with Regulation (EU) 2020/878)

1698-CARE PODS



Version 1Date of compilation: 19/10/2015Version 7 (replaces version 6)Revision date: 03/01/2023

Page 12 of 12 Print date: 21/11/2024

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

- AwSV: Facility Regulations for handling substances that are hazardous for the water.
- CEN: European Committee for Standardization.
- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
- WGK: Water hazard classes.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.