

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: hth[™] FILTERWASH

Article number: 10603 hth
UFI: FA03-A0T0-C009-6KPJ

1.2 Relevant identified uses of the substance or mixture and uses advised against
Sector of Use SU21 Consumer uses: Private households / general public / consumers

Product category PC0 Other

Application of the substance / the mixture Deliming agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

INNOVATIVE WATER CARE EUROPE
BP 219 - 37402 Amboise Cedex - FRANCE
phone : +33 (0)2 47 23 43 00
fax : +33 (0)2 47 23 12 21
eu.sds@sigurawater.com

INNOVATIVE WATER CARE Ltd
The Studios - Colorado Way - Castleford - West Yorkshire -
WF10 4TA - UNITED KINGDOM
Telephone: +44 (0) 1924 792909
eu.sds@sigurawater.com

1.4 Emergency telephone number:

Europe >>> NCEC - Tel. +44 (0)1235 239 670
Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671
N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423
780 2970}

(Contd. on page 2)
GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

CALL A LOCAL NATIONAL POISON CONTROL UNIT
FOR UK CONTACT NCEC Tel 01865 407 333

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

hydrogen chloride
phosphoric acid
2-Propylheptanol, ethoxylated

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 2)

P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P234 Keep only in original packaging.
P260 Do not breathe mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.
P501 Dispose of contents/container to special treatment scheme according to official regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth™ FILTERWASH

(Contd. of page 3)

| Dangerous components: | | |
|---|--|----------|
| CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X Reg.nr.: 01-2119484862-27-XXXX | hydrogen chloride ☞ Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % | 10-<25% |
| CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-XXXX | phosphoric acid ☞ Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | 10-<25% |
| CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX | Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit | 2.5-<10% |
| CAS: 160875-66-1 Polymer | 2-Propylheptanol, ethoxylated ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302 | 2.5-<10% |

Regulation (EC) No 648/2004 on detergents / Labelling for contents

among other constituent below 5% non-ionic surfactant

Additional information For the wording of the listed hazard phrases refer to section 16.
SECTION 4: First aid measures
4.1 Description of first aid measures
General information Immediately remove any clothing soiled by the product.
After inhalation

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes (15) under running water. Then consult a doctor.

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 4)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 6)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 5)

Prevent formation of aerosols.

Handling



DO NOT MIX WITH OTHER PRODUCTS

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: Keep receptacle tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS: 7647-01-0 hydrogen chloride

| | |
|-----|--|
| WEL | Short-term value: 8 mg/m ³ , 5 ppm Long-term value: 2 mg/m ³ , 1 ppm (gas and aerosol mists) |
|-----|--|

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

| | |
|-----|---|
| WEL | Long-term value: 308 mg/m ³ , 50 ppm Sk |
|-----|---|

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 6)

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

| | |
|---------------------------|-----------------|
| Form: | Fluid |
| Colour: | Violet |
| Odour: | Chlorine-like |
| Odour threshold: | Not determined. |
| pH-value at 20 °C: | <0 |

(Contd. on page 8)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 7)

Change in condition**Melting point/freezing point:** undetermined
Initial boiling point and boiling range: 85 °C**Flash point:** Not applicable**Flammability (solid, gaseous)** Not applicable.**Decomposition temperature:** Not determined.**Auto-ignition temperature:** Product is not selfigniting.**Explosive properties:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Vapour pressure at 20 °C:** 20 hPa**Density at 20 °C:** 1.172 g/cm³**Relative density** Not determined.**Vapour density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with****Water:** Fully miscible**Partition coefficient: n-octanol/water:** Not determined.**Viscosity:****dynamic:** Not determined.**kinematic:** Not determined.**Solvent content:****Organic solvents:** 3.9 %**Water:** 62.1 %**Solids content:** 60.1 %**9.2 Other information**

No further relevant information available.

GB

(Contd. on page 9)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth™ FILTERWASH

(Contd. of page 8)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

| | | |
|--------|------|-------------------|
| Oral | LD50 | 5,135 mg/kg (rat) |
| Dermal | LD50 | 9,500 mg/kg (rat) |

Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

GB

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 9)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

Anorganic product, is not eliminable from water by means of biological cleaning processes.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number
ADR, IMDG, IATA

UN1760

(Contd. on page 11)
GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth™ FILTERWASH

(Contd. of page 10)

**14.2 UN proper shipping name
 ADR**

1760 CORROSIVE LIQUID, N.O.S.
 (HYDROCHLORIC ACID, PHOSPHORIC ACID,
 SOLUTION)
 CORROSIVE LIQUID, N.O.S.
 (HYDROCHLORIC ACID, PHOSPHORIC ACID,
 SOLUTION)

IMDG, IATA

14.3 Transport hazard class(es)

ADR



**Class
 Label**

8 (C9) Corrosive substances.
 8

IMDG, IATA



**Class
 Label**

8 Corrosive substances.
 8

**14.4 Packing group
 ADR, IMDG, IATA**

II

**14.5 Environmental hazards:
 Marine pollutant:**

No

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A, S-B

Segregation groups

Acids

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

**14.7 Transport in bulk according to Annex II of
 Marpol and the IBC Code**

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ):

E2

(Contd. on page 12)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth™ FILTERWASH

(Contd. of page 11)

**Limited quantities (LQ)
 Excepted quantities (EQ)**

1L
 Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

**Transport category
 Tunnel restriction code**

2
 E

**IMDG
 Limited quantities (LQ)
 Excepted quantities (EQ)**

1L
 Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S.
 (HYDROCHLORIC ACID, PHOSPHORIC ACID,
 SOLUTION), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 25.4

Revision: 19.03.2021

Trade name: hth[™] FILTERWASH

(Contd. of page 12)

Relevant phrases

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Informations relatives au Règlement Détergents 648/2004/CE

Contient parmi d'autres composants à moins de 5%:

- agents de surface non ionique

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* **Data compared to the previous version altered.**