

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index : 23.6 Revision: 23.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: GRANUFAST ACTION 5

Article number: 11709 hth

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU21 Consumer uses: Private households / general public / consumers

Product category

PC37 Water treatment chemicals

PC8 Biocidal products

Application of the substance / the mixture Water treatment - Solid Chlorinating agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

INNOVATIVE WATER CARE EUROPE BP 219 - 37402 Amboise Cedex - FRANCE phone: +33 (0)2 47 23 43 00 fax: +33 (0)2 47 23 12 21 eu.sds@sigurawater.com

1.4 Emergency telephone number:

Europe >>> NCEC - Tel. +44 (0)1235 239 670 Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423 780 2970}

CALL A LOCAL NATIONAL POISON CONTROL UNIT

FOR UK CONTACT NCEC Tel 01865 407 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

troclosene sodium, dihydrate Copper sulphate pentahydrate

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index: 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

P270 Do not eat, drink or smoke when using this product.

P271 P273 Use only outdoors or in a well-ventilated area.

Avoid rélease to the environment.

P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P391

rinsing. Collect spillage. P405 Store locked up.

P501 Dispose of contents/container to special treatment scheme according to official regulations.

Additional information:

EUH031 Contact with acids liberates toxic gas.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous component		•
EINECS: 220-767-7	troclosene sodium, dihydrate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	50-<100%
	aluminium sulphate ♦ Eye Dam. 1, H318	0.1-<2.5%
EINECS: 231-847-6	Copper sulphate pentahydrate ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ♦ Acute Tox. 4, H302	0.1-<2.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Rinse with warm water.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents Extinguishing powder.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index: 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Handling



DO NOT MIX WITH OTHER PRODUCTS DO NOT DISSOLVE BEFORE USE

Information about fire - and explosion protection: Substance/product is oxidising when dry.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store together with acids.

Further information about storage conditions: Keep receptacle tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS: 51580-86-0 troclosene sodium, dihydrate

WEL Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

Sen; as -NCO

CAS: 10043-01-3 aluminium sulphate

WEL Long-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

ĠΒ



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index : 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

(Contd. of page 3)





Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Granulate
Colour: Pigmented
Odour: Characteristic
Odour threshold: Not determined.

pH-value at 20 °C:

Change in condition

Melting point/freezing point: undetermined Initial boiling point and boiling range: undetermined

Flash point: Not applicable
Flammability (solid, gaseous) Not determined.

Ignition temperature: 250 °C

Decomposition temperature: 250 °C

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:
Upper:
Not determined.
Not determined.
Not applicable.

Density at 20 °C:

Not applicable.

1 g/cm³

Relative density
Vapour density
Evaporation rate

Not determined.
Not applicable.
Not applicable.

Solubility in / Miscibility with

Water at 25 °C: 250 g/l
Partition coefficient: n-octanol/water: Not determined.

Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

Solvent content:

Water: 1.3 %

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index: 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

(Contd. of page 4)

Solids content:

100.0 %

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions
NEVER MIX THIS PRODUCT WITH INORGANIC CHLORINE (HYPOCHLORITE) WITHIN THE SAME CONTAINER

Reacts with strong oxidizing agents

Reacts with alcohols, amines, aqueous acids and alkalis

Reacts with flammable substances

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/L0	LD/LC50 values relevant for classification:		
CAS: 51580-86-0 troclosene sodium, dihydrate			
Oral	LD50	1,400 mg/kg (rat)	
CAS: 7758	CAS: 7758-99-8 Copper sulphate pentahydrate		
Oral	LD50	300 mg/kg (rat)	
Dermal	LD50	1,000 mg/kg (rat)	
	LC50 - 4 hrs	1.48 mg/l (rat)	

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aq	uatic toxicity:		
CAS	CAS: 7758-99-8 Copper sulphate pentahydrate		
Oral	LC50 - 96 hrs	0.75-0.84 mg/l (rainbow trout)	
	CE50 - 48 hrs	0.024 mg/l (daphnia magna)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Page 6/8

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index: 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

Ecotoxical effects:

Remark: Very toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number ADR, IMDG, IATA

14.2 UN proper shipping name

ADR

IMDG

IATA

14.3 Transport hazard class(es)

ADR





Label

Class

9 (M7) Miscellaneous dangerous substances and articles.

(troclosene sodium, dihydrate, copper sulphate)

(troclosene sodium, dihydrate, copper sulphate)

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium, dihydrate, copper sulphate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

IMDG, IATA



Class Label

14.4 Packing group

ADR, IMDG

14.5 Environmental hazards:

Marine pollutant:

Special marking (ADR): Special marking (IATA):

14.6 Special precautions for user

Hazard identification number (Kemler code):

EMS Number: Stowage Category 9 Miscellaneous dangerous substances and articles.

UN3077

Ш

Symbol (fish and tree) Symbol (fish and tree)

Symbol (fish and tree)

Warning: Miscellaneous dangerous substances and articles.

90 F-A,S-F

Α

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index: 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

Stowage Code	(Contd. of page 6 SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or innepackaging of 5 l or less for liquids or having a net mass per single or innepackaging of 5 kg or less for solids, are not subject to any other provision provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 an 4.1.1.4 to 4.1.1.8 UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S. (TROCLOSENE SODIUM, DIHYDRATE, COPPER SULPHATE 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 528/2012

Best before : see date on packaging

Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.09.2021 Rev. Index : 23.6 Revision: 23.03.2021

Trade name: GRANUFAST ACTION 5

Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.

(Contd. of page 7)