

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 1 of 13

Print date: 26/11/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: PIPEWORK CLEANER  
Product Code: 0073  
UFI: 4V60-D0GQ-P00H-RWSQ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Cleaner

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

##### Company's identification:

Company: **FLUIDRA COMERCIAL ESPAÑA, S.A.**  
Address: Av. Alcalde Barnils, 69  
City: 08174 SANT CUGAT DEL VALLÈS  
Province: Barcelona (España)  
Telephone: Teléfono: 937133022  
Fax: +34 93 713 41 11  
E-mail: fds@inquide.com

##### Responsible for market placement:

Company: **FLUIDRA COMERCIAL PORTUGAL**  
Address: Rua Alfredo Silva nº41  
City: 2785-656 São Domingos de Rana,  
Province: Lisboa (PORTUGAL)  
Telephone: Tef. +351 214 444 720

#### 1.4 Emergency telephone number: (Available 24 hours)

Anti poisoning centre:

ITALY (Rome): 06/305 43 43

ITALY (Milan): 02/66 10 10 29

SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Toulouse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111

Norway: +47 22 59 13 00

Cyprus: 1401

Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni până vineri, între orele 8.00-15.00

CAV acreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00;

Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88 33 00; Verona +39 800 01 18 58.

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 2 of 13

Print date: 26/11/2024

In accordance with Regulation (EU) No 1272/2008:

Skin Corr. 1B : Causes severe skin burns and eye damage.

### 2.2 Label elements.

#### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

**Danger**

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection.

P301+P310 IF SWALLOWED: Call a POISON CENTRE or doctor immediately.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Contains:

didecyldimethylammonium chloride

### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers | Name | Concentrate | (*)Classification - Regulation (EC) No 1272/2008 |  |
|-------------|------|-------------|--|--|
|             |      |             | Classification                                   | Specifics concentration limits and Acute toxicity estimate |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 3 of 13

Print date: 26/11/2024

|   |  |           |   |   |
|---|--|-----------|---|---|
| Index No: 612-131-00-6<br>CAS No: 7173-51-5<br>EC No: 230-525-2<br>Registration No: 01-2119945987-15-XXXX | didecyldimethylammonium chloride               | 5 - 10 %  | Acute Tox. 4 *,<br>H302 - Skin<br>Corr. 1B, H314  | - |
| Index No: 603-117-00-0<br>CAS No: 67-63-0<br>EC No: 200-661-7<br>Registration No: 01-2119457558-25-XXXX   | propan-2-ol                                    | 1 - 10 %  | Eye Irrit. 2,<br>H319 - Flam.<br>Liq. 2, H225 -<br>STOT SE 3,<br>H336                             | - |
| CAS No: 2372-82-9<br>EC No: 219-145-8   | N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 0.1 - 1 % | Acute Tox. 3,<br>H301 - Aquatic<br>Acute 1, H400 -<br>STOT RE 2,<br>H373 - Skin<br>Corr. 1A, H314 | : |

(\* ) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

\* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

### SECTION 4: FIRST AID MEASURES.

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 4 of 13

Print date: 26/11/2024

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### **5.2 Special hazards arising from the substance or mixture.**

#### **Special risks.**

Exposure to combustion or decomposition products can be harmful to your health.

### **5.3 Advice for firefighters.**

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

### **Fire protection equipment.**

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### **6.1 Personal precautions, protective equipment and emergency procedures.**

For exposure control and individual protection measures, see section 8.

### **6.2 Environmental precautions.**

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### **6.3 Methods and material for containment and cleaning up.**

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

Wash with plenty of water.

### **6.4 Reference to other sections.**

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## **SECTION 7: HANDLING AND STORAGE.**

### **7.1 Precautions for safe handling.**

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### **7.2 Conditions for safe storage, including any incompatibilities.**

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

\*P5c -> if the product is maintained at ambient pressure and temperature.

### **7.3 Specific end use(s).**

None in particular.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 5 of 13

Print date: 26/11/2024

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

| Name        | CAS No. | Country            | Limit value | ppm | mg/m <sup>3</sup> |
|-------------|---------|--------------------|-------------|-----|-------------------|
| propan-2-ol | 67-63-0 | United Kingdom [1] | Eight hours | 400 | 999               |
|             |         |                    | Short term  | 500 | 1250              |
|             |         | Italia [2]         | Eight hours | 200 |                   |
|             |         |                    | Short term  | 400 |                   |

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[2] Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

| Name   | DNEL/DMEL           | Type                                  | Value                       |
|--|---------------------|---------------------------------------|-----------------------------|
| propan-2-ol<br>CAS No: 67-63-0<br>EC No: 200-661-7 | DNEL<br>(Workers)   | Inhalation, Chronic, Systemic effects | 500<br>(mg/m <sup>3</sup> ) |
|  | DNEL<br>(Consumers) | Inhalation, Chronic, Systemic effects | 89<br>(mg/m <sup>3</sup> )  |
|  | DNEL<br>(Workers)   | Dermal, Chronic, Systemic effects     | 888<br>(mg/kg<br>bw/day)    |
|  | DNEL<br>(Consumers) | Dermal, Chronic, Systemic effects     | 319<br>(mg/kg<br>bw/day)    |
|  | DNEL<br>(Consumers) | Oral, Chronic, Systemic effects       | 26 (mg/kg<br>bw/day)        |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

| Name   | Details                      | Value                      |
|--|------------------------------|----------------------------|
| propan-2-ol<br>CAS No: 67-63-0<br>EC No: 200-661-7 | aqua (freshwater)            | 140,9 (mg/L)               |
|  | aqua (marine water)          | 140,9 (mg/L)               |
|  | aqua (intermittent releases) | 140,9 (mg/L)               |
|  | sediment (freshwater)        | 552 (mg/kg<br>sediment dw) |
|  | sediment (marine water)      | 552 (mg/kg<br>sediment dw) |
|  | Soil                         | 28 (mg/kg<br>soil dw)      |
|  | STP                          | 2251 (mg/L)                |
|  | oral (Hazard for predators)  | 160 (mg/kg<br>food)        |

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

#### 8.2 Exposure controls.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER






Version 1 Date of compilation: 19/03/2019  
Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 6 of 13  
Print date: 26/11/2024

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

|                              |   |                                 |   |
|------------------------------|---|---------------------------------|---|
| <b>Concentration:</b>        | <b>100 %</b>  |                                 |   |
| <b>Uses:</b>                 | <b>Cleaner</b>  |                                 |   |
| <b>Breathing protection:</b> |   |                                 |   |
| PPE:                         | Particle filter mask  |                                 |    |
| Characteristics:             | «CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.   |                                 |   |
| CEN standards:               | EN 149  |                                 |   |
| Maintenance:                 | Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.   |                                 |   |
| Observations:                | Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.   |                                 |   |
| Filter Type needed:          | P2  |                                 |   |
| <b>Hand protection:</b>      |   |                                 |   |
| PPE:                         | Protective gloves against chemicals.  |                                 |   |
| Characteristics:             | «CE» marking, category III.   |                                 |   |
| CEN standards:               | EN 374-1, En 374-2, EN 374-3, EN 420  |                                 |   |
| Maintenance:                 | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  |                                 |   |
| Observations:                | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  |                                 |   |
| Material:                    | PVC (polyvinyl chloride)  | Breakthrough time (min.): > 480 | Material thickness (mm): 0,35   |
| <b>Eye protection:</b>       |   |                                 |   |
| PPE:                         | Protective goggles with built-in frame.   |                                 |  |
| Characteristics:             | «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  |                                 |   |
| CEN standards:               | EN 165, EN 166, EN 167, EN 168  |                                 |   |
| Maintenance:                 | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.   |                                 |   |
| Observations:                | Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  |                                 |   |
| <b>Skin protection:</b>      |   |                                 |   |
| PPE:                         | Chemical protective clothing  |                                 |  |
| Characteristics:             | «CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.                             |                                 |   |
| CEN standards:               | EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034  |                                 |   |
| Maintenance:                 | In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.   |                                 |   |
| Observations:                | The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity. |                                 |   |
| PPE:                         | Anti-static safety footwear.  |                                 |  |
| Characteristics:             | «CE» marking, category II.  |                                 |   |
| CEN standards:               | EN ISO 13287, EN ISO 20344, EN ISO 20346  |                                 |   |
| Maintenance:                 | The footwear should be checked regularly  |                                 |   |
| Observations:                | The level of comfort during use and acceptability are factors that are assessed very differently depending on the user. Therefore, it is advisable to try on different footwear models and, if possible, different widths.  |                                 |   |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 7 of 13

Print date: 26/11/2024

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Colourless

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: >90 °C

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: >50 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 10 - 11

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 23,757 (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0,985 (20°C)

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

### SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Unstable in contact with:

- Acids.

#### 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with acids.

#### 10.4 Conditions to avoid.

- Avoid contact with acids.

#### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.

#### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 8 of 13

Print date: 26/11/2024

### SECTION 11: TOXICOLOGICAL INFORMATION.

#### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

#### Toxicological information about the substances present in the composition.

| Name   | Acute toxicity |  |  |                    |
|--|----------------|--|--|--------------------|
|  | Type           | Test   | Kind   | Value              |
| propan-2-ol<br><br>CAS No: 67-63-0      EC No: 200-661-7 | Oral           | LD50   | Rat  | 5050 mg/kg bw [1]  |
|  |                | [1] <i>Gigiena i Sanitariya</i> . For English translation, see HYSAAV. Vol. 43(1), Pg. 8, 1978 |  |                    |
|  | Dermal         | LD50   | Rabbit   | 12800 mg/kg bw [1] |
|  |                |  | [1] <i>Raw Material Data Handbook</i> , Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 100, 1974 |                    |
| Inhalation   | LC50           | Rat  | >10000 ppm (6 h) [1]   |                    |
|  |                |  | [1] <i>OECD Guideline 403 (Acute Inhalation Toxicity)</i> , study report, 1991               |                    |

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 4.546 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

-Continued on next page.-



# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 9 of 13

Print date: 26/11/2024

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

| Name   | Ecotoxicity           |                    |                         |  |
|--|-----------------------|--------------------|-------------------------|--|
|  | Type                  | Test               | Kind                    | Value  |
| propan-2-ol<br><br>CAS No: 67-63-0      EC No: 200-661-7 | Fish                  | LC50               | Fish                    | 9640 mg/l (96 h) [1]<br>[1] Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows ( <i>Pimephales promelas</i> ), Vol. 1. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI :414 |
|  | Aquatic invertebrates | LC50               | Crustacean              | 1400 mg/l (48 h) [1]<br>[1] Blackman, R.A.A. 1974. Toxicity of Oil-Sinking Agents. Mar.Pollut.Bull. 5:116-118  |
|  | Aquatic plants        | Toxicity threshold | Scenedesmus quadricauda | 1800 mg/L (7 d) [1]<br>[1] Comparison of the Toxicity Thresholds of Water Pollutants to Bacteria, Algae, and Protozoa in the Cell Multiplication Inhibition Test, Water Research Vol. 14. pp. 231 to 241   |

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name   | Bioaccumulation |     |       |          |
|--|-----------------|-----|-------|----------|
|  | Log Pow         | BCF | NOECs | Level    |
| propan-2-ol<br><br>CAS No: 67-63-0      EC No: 200-661-7 | 0,05            | -   | -     | Very low |

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 10 of 13

Print date: 26/11/2024

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

**Land:** Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

**Sea:** Transport by ship: IMDG.

Transport documentation: Bill of lading

**Air:** Transport by plane: ICAO/IATA.

Transport document: Airway bill.

### 14.1 UN number or ID number.

UN No: UN2920

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / PROPAN-2-OL), 8 (3), PG II, (D/E)

IMDG: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / PROPAN-2-OL), 8 (3), PG II (50°C)

ICAO/IATA: UN 2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS DIDECYLDIMETHYLAMMONIUM CHLORIDE / PROPAN-2-OL), 8 (3), PG II

### 14.3 Transport hazard class(es).

Class(es): 8

### 14.4 Packing group.

Packing group: II

### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-E,S-C

### 14.6 Special precautions for user.

Labels: 8, 3

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 11 of 13

Print date: 26/11/2024



Hazard number: 83

ADR LQ: 1 L

IMDG LQ: 1 L

ICAO LQ: 0,5 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

## SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

#### Volatile organic compound (VOC)

VOC content (p/p): 1,8 %

VOC content: 17,73 g/l

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

Substances including by Regulation (EU) No 649/2012 concerning the export and import of dangerous chemicals:

| Name  |            |
|---|------------|
| didecyldimethylammonium chloride                    |            |
| CAS No: 7173-51-5                                   |            |
| EC No: 230-525-2                                    |            |
| Annex I Part 1 - Subcategory                        | Limitation |
| Pesticide in the group of plant protection products | Ban        |

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

\*P5c -> if the product is maintained at ambient pressure and temperature.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H225 Highly flammable liquid and vapour.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

Version 1 Date of compilation: 19/03/2019

Version 6 (replaces version 5)

Revision date: 17/05/2023

Page 12 of 13

Print date: 26/11/2024

|      |  |
|------|--|
| H301 | Toxic if swallowed.  |
| H302 | Harmful if swallowed.  |
| H314 | Causes severe skin burns and eye damage.                           |
| H319 | Causes serious eye irritation.                                     |
| H336 | May cause drowsiness or dizziness.                                 |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.  |

Classification codes:

Acute Tox. 3 : Acute toxicity (Oral), Category 3  
Acute Tox. 4 : Acute toxicity (Oral), Category 4  
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1  
Eye Irrit. 2 : Eye irritation, Category 2  
Flam. Liq. 2 : Flammable liquid, Category 2  
STOT RE 2 : Specific target organ toxicity following a repeated exposure, Category 2  
STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3  
Skin Corr. 1A : Skin Corrosive, Category 1A  
Skin Corr. 1B : Skin Corrosive, Category 1B

Changes regarding to the previous version:

- Change in the hazard classification (SECTION 2.1).
- Changes in the composition of the product (SECTION 3.2).
- Modification of the symptoms (SECTION 4.2).
- Modifications in the handling and storage precautions (SECTION 7.1).
- Modifications in the handling and storage precautions (SECTION 7.2).
- Change in the hazard classification (SECTION 11.1).
- National legislative changes (SECTION 15.1).

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
AwSV: Facility Regulations for handling substances that are hazardous for the water.  
BCF: Bioconcentration factor.  
CEN: European Committee for Standardization.  
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.  
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
IATA: International Air Transport Association.  
ICAO: International Civil Aviation Organization.  
IMDG: International Maritime Code for Dangerous Goods.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## 0073-PIPEWORK CLEANER

**Version 1**      **Date of compilation: 19/03/2019**

**Version 6 (replaces version 5)**

**Revision date: 17/05/2023**

**Page 13 of 13**

**Print date: 26/11/2024**

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.