



### FEATURES

- ✓ Manufactured from polyester resin and fiber glass.
- ✓ Finished in excellent quality GEL-COAT ISO NPG.
- ✓ 316 Stainless Steel grill suitable for sea water (for a line pool frame is included).
- ✓ Designed according to the European standard EN-13451-1/3:2012.
- ✓ It will be supplied of outlets to glue tube of 75, 90, 110, 125, 140, 160 and 200mm.

### OPTIONAL

- ✓ Hydrostatic valve to prevent overpressure due to phreatic water in the bottom of the pool.
- ✓ Antivortex Cover for systems with a single drain.

### CARACTERÍSTICAS

- ✓ Fabricados con resina de poliéster y fibra de vidrio.
- ✓ Acabado de excelente calidad en GEL-COAT ISO NPG.
- ✓ Disponibilidad de rejilla de acero inoxidable 316 adecuada para agua marina (para piscina con liner se incluye marco).
- ✓ Diseñado siguiendo la norma europea EN-13451-1/3:2012.
- ✓ Será suministrado con salidas para encolar tubo de 75, 90, 110, 125, 140, 160 y 200mm.

### OPCIONAL

- ✓ Válvula hidrostática para prevenir de la sobrepresión debida a las aguas freáticas en el fondo de la piscina.
- ✓ Cubierta anti vórtice para sistemas con drenaje sencillo.

### TECHNICAL DATA OF MAIN DRAIN

Code for a concrete pool	Code for a liner pool	Grill	Connections (mm)	Flow (m <sup>3</sup> /h)	Net weight (kg)	A concrete pool (mm)	A liner pool (mm)	B (mm)	C (mm)	D (mm)
20282N	20074N	Stainless steel	75	15	8	330	350	255	400	280
20283N	20075N	Stainless steel	90	23	9					
20284N	20290N	Stainless steel	110	27	10					

\*MAX. FLOW RECOMMENDED IN STAINLESS STEEL GRILL 27 m<sup>3</sup>/h (0.5 m/s)

### TECHNICAL DATA OF MAIN DRAIN

Code for a concrete pool	Code for a liner pool	Grill	Connections (mm)	Flow (m <sup>3</sup> /h)	Net weight (kg)	A concrete pool (mm)	A liner pool (mm)	B (mm)	C (mm)	D (mm)
20285N	20076N	Stainless steel	110	35	16	507	507	412	585	390
20286N	20077N	Stainless steel	125	47	17					
20287N	20078N	Stainless steel	140	55	18					
20288N	20079N	Stainless steel	160	79.5	19					
20289N	20291N	Stainless steel	200	85	20					

\*MAX. FLOW RECOMMENDED IN STAINLESS STEEL GRILL 86 m<sup>3</sup>/h (0.5 m/s)

