Revision 08/01/2014



SAFETY DATA SHEET

1.1				n and of the compan	yranaertannig	
	Product Identi	ifier	Chemical Weight Code	Swimfresh Clarifier T 5 kg	ablets	
			Code	CLTAB05CK		
1.2			s of the sub t for water tr		nd uses advised against	
1.3			Pool Contro e Park hard leeve ershire			
	Telephone: E-mail:		712 229081 <u>c-chemicals</u>		+44 (0) 8712 229083	
1.4	Emergency Te Tel:		12 229081	(office hours)	+44 (0) 1242 300271	(outside of office hours)
zard	I Identification					
	Hazard Class Eye Irritation Skin Irritation For the full text	t of the H s	tatements n	Hazard Category STOT SE3 Category 2 Category 2 nentioned in this section	Target Organs	Hazard Statements H335 H319 H315
					on see Section 16.	
	Hazard Symbo Irritant (Xi)	according ol/Categor	g to EU Dire y of dange	ectives 67/548/EEC o	r 1999/45/EC ases 8	
	Hazard Symbo Irritant (Xi)	according ol/Categor t of the R p nt adverse : emical Haz	g to EU Dire ry of dange hrases mer effects ards:	ectives 67/548/EEC or r Risk phr R36/37/3 ationed in this section See section 11 for to See section 9 for phy	ar 1999/45/EC ases 8 see Section 16.	
2.2	Hazard Symbol Irritant (Xi) For the full text Most important Human Health: Physical & Che Potential environt Label element	according ol/Categor t of the R p nt adverse : emical Haz onmental e ts	g to EU Dire by of dange hrases mer effects ards: offects:	ectives 67/548/EEC or r Risk phr R36/37/3 ationed in this section See section 11 for to See section 9 for phy	or 1999/45/EC ases 8 see Section 16. xilogical information vsicochemical information	
2.2	Hazard Symbol Irritant (Xi) For the full text Most important Human Health: Physical & Che Potential environt Label element	according ol/Categor t of the R p nt adverse : emical Haz onmental e ts ording to I	g to EU Dire by of dange hrases mer effects ards: offects:	ectives 67/548/EEC or r Risk phr. R36/37/3 ationed in this section See section 11 for to See section 9 for phy See section 12 for er	or 1999/45/EC ases 8 see Section 16. xilogical information vsicochemical information	
2.2	Hazard Symbol Irritant (Xi) For the full text Most importan Human Health: Physical & Che Potential enviro Label element Labelling acco	according ol/Categor t of the R p nt adverse : emical Haz onmental e ts ording to I	g to EU Dire by of dange hrases mer effects ards: offects:	ectives 67/548/EEC or r Risk phr. R36/37/3 ationed in this section See section 11 for to See section 9 for phy See section 12 for er	or 1999/45/EC ases 8 see Section 16. xilogical information vsicochemical information	

Trado	Name:	
naue	Name.	

Precautiona		
Prevention:	-	Wear protective gloves/protective clothing/eye protection/face protectio Store locked up
Reponse: P101 P102	If medical advice is r Keep out of reach of	needed, have product or label to hand. children
water P305+351+		r): Remove/Take off immediately all contaminated clothing. Rinse skin wit continuously with water for several minutes. Remove contact lenses if insing
P401 P501	Store in accordance	with local/national/ international regulations / container in accordance with local/national/international regulations

3. Composition/information on ingredients

3.1 Mixture

J. I	MIXIUIE				
	Chemical Name	CAS No:	EC No:	%	H & R Phrases
	Aluminium Sulphate	10043-01-3	233-135 0	47-57	H315:H319:H335 - R36/37/38

4. First Aid measures

General Advice:	Take off all contaminated clothing immediately.
If inhaled:	Not normally applicable but as a precaution remove to fresh air and keep patient wa
In case of skin contact:	Wash off immediately with plenty of soap & water. If irritation appears seek medical advice
In case of eye contact:	Rinse immediately with plenty of water, also under eyelids for at least 15 minutes. Remove contact lenses.
If swallowed:	Clean mouth with water and drink plenty of water. Never give anything by mouth to a unconscious person. If swallowed , do not induce vomiting - seek medical advice.
	oms and effects, both acute and delayed
Symptoms: Effects:	No further information available No further information available
Indication of immediat	e medical attention and special treatment needed
	nptomatically er information available

 5. Fire fighting measures 5.1 Extinguishing media: Suitable extinguishing media: Will not burn, use media appropriate for surrounding material. 5.2 Special hazards arising from the substance or mixture Specific Hazards during fire: Thermal decomposition (> 600°C) mov liberate SO, fumore 		
Suitable extinguishing media: Will not burn, use media appropriate for surrounding material. 5.2 Special hazards arising from the substance or mixture	5. Fire fighting measures	
	• •	Will not burn, use media appropriate for surrounding material.
Specific Hazards during fire: Thermal decomposition (> 600°C) movel liberate SO, fumor		
Specific hazards during me. Thermal decomposition (>600 C) may liberate SO _x runles.	Specific Hazards during fire:	Thermal decomposition (>600°C) may liberate SO _x fumes.
5.3 Advice for firefighters	5.3 Advice for firefighters	
Special protective equipment: Wear self-contained breathing apparatus and protective clothing to prever contact with skin and eyes.	Special protective equipment:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Further Information: local regulations.	Further Information:	•
Collect fire fighting water separately. it must not enter drains.		Conect me nyming water separately. It must not enter drains.

cidental release Measures	
6.1 Demonstrations protection	a aquinment and amorganous press dures
• • •	e equipment and emergency procedures
Personal Precautions:	Use appropriate personal protective equipment as detailed in section
6.2 Environmental precautions	
Environmental precautions:	Do not lat product optor drains, contain the material and owners up
Environmental precautions.	Do not let product enter drains, contain the material and sweep up.
Environmental precautions.	Do not let product enter drains, contain the material and sweep up.
6.3 Methods and materials for cont	
6.3 Methods and materials for cont	ainment and cleaning up
6.3 Methods and materials for cont on grou	ainment and cleaning up nd: Flush with plenty of water, if possible neutralise with lime.
6.3 Methods and materials for cont on grou	ainment and cleaning up
6.3 Methods and materials for cont on grou	ainment and cleaning up nd: Flush with plenty of water, if possible neutralise with lime. ter: Inform police and/or fire brigade and appropriate authority
6.3 Methods and materials for cont on grou on wa	ainment and cleaning up nd: Flush with plenty of water, if possible neutralise with lime. ter: Inform police and/or fire brigade and appropriate authority See Section 7 for information on safe handling
6.3 Methods and materials for cont on grou on wa	ainment and cleaning up nd: Flush with plenty of water, if possible neutralise with lime. ter: Inform police and/or fire brigade and appropriate authority

7.1 Precautions for safe handling	
Advice on safe handling:	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin and eyes. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity. Do r mix with other products in their concentrated form.
Hygiene measures:	Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of the work day. Take off all contaminate clothing immediately. Provide adequate ventilation. Avoid contact with skin and eyes.
7.2 Conditions for safe storage, inclu	uding any incompatabilities.
Storage areas and containers:	Prevent any seepage into the ground
Protection against fire and explosion:	No special measures required
Further information:	Store in cool, dry conditions in well sealed receptacles
Advice on common storage:	Keep away from food, drink and animal feedstuffs.
Storage Temperature:	No further information available

8. Exposure control/personal protection

8.1 Control parameters

S			
	Aluminium	Sulphate	
	8 hr	TWA	
	ppm	mg/m ³	
		2	

Exposure controls

Engineering measures Engineering controls should be provided which maintain airborne concentrations as low as practicable

Persona	protective	equipment
---------	------------	-----------

Environmental exposure	controls
Skin and body protection	Acid resistant protective clothing
Eye protection	Tightly fitting safety goggles (EN166)
Hand protection	Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
Ventilation:	No special ventilation requirements are normally necessary for this product. However,

General advice: Do not flush into surface water or sanitary sewer systems. Avoid subsoil penetration.

9. Physical and chemical properties

Form:	Solid
Colour:	White
Odour:	Insignificant
pH @ 20°C:	N/A
Melting point:	770°C
Boiling point:	N/A
Flash point:	N/A
Density @ 20°C:	1690
Water solubility:	Fully miscible

tability and reactivity	
10.1 Reactivity	Avoid contact with chlorite/hypochlorite/sulphite/oxidising agents & cyanides.
10.2 Chemical stability	No decomposition if stored and applied as directed
10.3 Possibility of hazardous reactions	Thermal decomposition (>600°C) may liberate SO _x fumes.
10.4 Conditions to avoid	No information available
10.5 Incompatible materials	Galvanised or aluminium surfaces
10.6 Hazardous decomposition products	No information available

11. Toxilogical Information

11.1 Information on toxilogical effects Toxicity Values

Aluminium Sulphate	luminium Sulphate				
Route	Species	Test	Value	Units	
Oral	Rat	LD50	>5,000	mg/kg	
Intrapetrioneal	Mouse	LD50	6,207	mg/kg	

Primary Irritant effect

On the skin: Causes skin irritation and soreness On the eye: Causes severe eye irritation.

CarcinogenicThere is no evidence that this substance has any carcinogenic properties.MutagenicThere is no evidence that this substance is mutagenicSensitization:No sensitizing effects known

Additional toxicological information:

If ingested The ingestion of significant quantities may cause nausea/vomiting **If inhaled** Irritating to mucous membranes and upper respiratory tract.

12. Ecological Information

12.1 Toxicity	Expected to be harmful
12.2 Persistance and degradability	No data available
12.3 Bioaccumlative potential	No data available
12.4 Mobility in soil	No data available
12.5 Results of PBT and PvB assessment	No data available

12.6 Other adverse effects

On contact with water, aluminium sulphate will hydrolyse to give dilute sulphuric acid and gelatinous aluminium hydroxide.

Discharge to the aquatic environment should be avoided since it may lead to localised adverse effects arising from the products physical properties. The clogging of tentacles, gills and filters of suspension feeders and the modification of the photosynthesis of algae and plankton may result from the presence of suspended particles and turbidity.

The product is an inorganic substance/preparation. During hydrolisation, a precepate is formed of metal hydroxide in the pH range 5 to 7. Due to this reaction the pH in the water phase decreases, If phosphates are present, metal phosphate complex may form.

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation Do not reuse empty containers without commercial cleaning or reconditioning Do not discharge into drains or the environment, dispose to an authorised waste collection point

Classification

Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority

Trade Name:

Clarifier Tablets

14. Transport Information

- 14.1 UN Number Not applicable
- 14.2 UN proper shipping name Not applicable
- 14.3 Transport hazard class(es) Not applicable
- 14.4 Packaging Group
- 14.5 Environmental hazards
- Not applicable Clean up even minor leaks or spills if possible without unnecessary risk
- 14.6 Special precautions for user
- See Section 7 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture. This Safety Data Sheet is provided in compliance with REACH Regulation (EC) No 1907/2006

15.2 Chemical Safety Assessment

No further information

16. Other information

Full text of R-phrases referred to under sections 2 and 3			
R36/37/38	Irritating to eyes, respiratory system and skin		

Full text of H-statements referred to under sections 2 and 3

Causes skin irritation H315

H319 Causes serious eye irritation

H335 May cause respiratory irritation

Further information

Restricted to professional users. Attention - Avoid exposure- obtain special instructions before use

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Abbreviations and acronyms:

Globally Harmonized System of Classification and Labelling of Chemicals GHS: European Inventory of Existing Commercial Chemical Substances. EINECS Chemicals Abstracts Service (division of the Americal Chemical Society) CAS: LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Povision Data Dv Amondmont

IVENISION	Date	Бу	Amenament
1	21/11/2008	Linda Brueford	Sections 2 & 3 Swapped
2	Jun-09	Linda Brueford	Updated to conform with REACH, references to legislation changed
3	15/04/11	Linda Brueford	GHS label elements added and other minor editorial amendments
4	Jan-13	Linda Brueford	Minor editorial amendments