

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Product name: **Sulfite-P (Photometer)**

· Catalog number: 00515681, 515680BT, 4515680BT, 00515689BT

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation: Reagent for water analysis

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 231 94510-0
e-mail: sales@tintometer.de

Tintometer GmbH
Division AQUALYTIC®
Schleefstr. 12
44287 Dortmund
Made in Germany
www.aqualytic.de

phone: +49 231 94510-755
e-mail: sales@aqualytic.de

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@tintometer.com

· Informing department:

e-mail: sds@tintometer.de
Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360FD May damage fertility. May damage the unborn child.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 1)

Hazard pictograms


GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

 boric acid
 disodium tetraborate, anhydrous

Hazard statements

 H319 Causes serious eye irritation.
 H360FD May damage fertility. May damage the unborn child.

Precautionary statements

 P201 Obtain special instructions before use.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Restricted to professional users.

2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of organic and inorganic compounds

Dangerous components:

CAS: 10043-35-3 EINECS: 233-139-2 Index No: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid	⚠ Repr. 1B, H360FD	60–70%
CAS: 1330-43-4 EINECS: 215-540-4 Index No: 005-011-00-4 Reg.nr.: 01-2119490790-32-XXXX	disodium tetraborate, anhydrous	⚠ Repr. 1B, H360FD; ⚠ Eye Irrit. 2, H319	10–20%

SVHC

CAS: 10043-35-3	boric acid
CAS: 1330-43-4	disodium tetraborate, anhydrous

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information Instantly remove any clothing soiled by the product.

After inhalation

 Supply fresh air.
 Seek medical treatment.

After skin contact

 Instantly wash with water and soap and rinse thoroughly.
 Seek medical treatment.

After eye contact

 Rinse opened eye for several minutes (at least 15 min) under running water.
 Seek medical treatment.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 2)

Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed:**

- irritations
- absorption
- after swallowing:
- sickness
- vomiting
- after absorption:
- CNS disorders
- cramps

- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **5.2 Special hazards arising from the substance or mixture**

- The product is not combustible.
- Formation of toxic gases is possible during heating or in case of fire.

- **5.3 Advice for firefighters**

- **Protective equipment:**

- Wear self-contained breathing apparatus.
- Wear full protective suit.

- **Additional information**

- Collect contaminated fire fighting water separately. It must not enter drains.
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

- Wear protective equipment. Keep unprotected persons away.
- Avoid substance contact.
- Ensure adequate ventilation

- **Advice for emergency responders:** Protective equipment: see section 8

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.

- **6.3 Methods and material for containment and cleaning up:**

- Ensure adequate ventilation.
- Collect mechanically.
- Dispose of contaminated material as waste according to item 13.

- **6.4 Reference to other sections**

- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

- **Advice on safe handling:** Prevent formation of dust.

- **Hygiene measures:**

- Do not get in eyes, on skin, or on clothing.
- Take off immediately all contaminated clothing.
- Store protective clothing separately.
- Wash hands during breaks and at the end of the work.
- Do not eat, drink or smoke when using this product.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and containers:** Store in cool location.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

- Store in a locked cabinet or with access restricted to technical experts or their assistants.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 3)

- Store in cool, dry conditions in well sealed containers.
 Protect from heat and direct sunlight.
 Protect from the effects of light.
 Protect from humidity and keep away from water.
 This product is hygroscopic.
 · **Recommended storage temperature:** 20°C +/- 5°C
 · **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1330-43-4 disodium tetraborate, anhydrous

WEL (Great Britain) Long-term value: 1 mg/m³

· **Regulatory information** WEL (Great Britain): EH40/2018

· DNELs

Derived No Effect Level (DNEL)

CAS: 10043-35-3 boric acid

Oral	DNEL	0.98 mg/kg (Consumer / acute / systemic effects)
		0.98 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	392 mg/kg (Worker / long-term /systemic effects)
		196 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	8.3 mg/m ³ (Worker / long-term /systemic effects)
		4.15 mg/m ³ (Consumer / long-term / systemic effects)

CAS: 1330-43-4 disodium tetraborate, anhydrous

Oral	DNEL	0.17 mg/kg (Consumer / acute / systemic effects)
		(Expressed as Boron)
Dermal	DNEL	0.17 mg/kg (Consumer / long-term / systemic effects)
		(Expressed as Boron)
Inhalative	DNEL	68 mg/kg (Worker / long-term /systemic effects)
		(Expressed as Boron)
Inhalative	DNEL	34.3 mg/kg (Consumer / long-term / systemic effects)
		(Expressed as Boron)
Inhalative	DNEL	2.52 mg/m ³ (Worker / acute / local effects)
		(Expressed as Boron)
Inhalative	DNEL	2.52 mg/m ³ (Worker / long-term / local effects)
		(Expressed as Boron)
Inhalative	DNEL	1.45 mg/m ³ (Worker / long-term /systemic effects)
		(Expressed as Boron)
Inhalative	DNEL	2.52 mg/m ³ (Consumer / acute / local effects)
		(Expressed as Boron)
Inhalative	DNEL	2.52 mg/m ³ (Consumer / long-term / local effects)
		(Expressed as Boron)
Inhalative	DNEL	0.73 mg/m ³ (Consumer / long-term / systemic effects)
		(Expressed as Boron)

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

CAS: 10043-35-3 boric acid

PNEC	10 mg/l (Sewage treatment plant)
	2.02 mg/l (Marine water)
	13.7 mg/l (Aquatic intermittent release)
	2.02 mg/l (Fresh water)
PNEC	5.4 mg/kg (Soil)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 4)

CAS: 1330-43-4 disodium tetraborate, anhydrous	
PNEC	10 mg/l (Sewage treatment plant) (Expressed as Boron)
	2.9 mg/l (Marine water) (Expressed as Boron)
	13.7 mg/l (Aquatic intermittent release) (Expressed as Boron)
	2.9 mg/l (Fresh water) (Expressed as Boron)
PNEC	5.7 mg/kg (Soil) (Expressed as Boron)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.
- **Personal protective equipment**
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P3
- **Protection of hands:**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.
- **Limitation and supervision of exposure into the environment:** Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
Appearance:	
Form / Physical state:	Tablets
Colour:	Blue
· Odour:	Odourless
· Odour threshold:	Not applicable
· pH-value (9.9 g/l) at 20°C:	8.1
· Melting point/Freezing point:	Not determined
· Initial boiling point and boiling range:	300°C
· Flash point:	Not applicable
· Flammability (solid, gas):	The product is not combustible.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive.
· Flammability or explosive limits:	
Lower:	Not applicable
Upper:	Not applicable
· Oxidising properties:	none
· Vapour pressure:	Not applicable.

(Contd. on page 6)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 5)

· Density:	Not determined
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies):	
Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
Reacts with acids, alkalis and oxidizing agents
--> forms heat
- **10.4 Conditions to avoid** To avoid thermal decomposition do not overheat.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** see section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 10043-35-3 boric acid

Oral	LD50	2660 mg/kg (rat) (OECD 401) (GESTIS, ECHA registrant)
Dermal	LD50.	>2000 mg/kg (rat) (ECHA, registrant: no deaths occurred.)
	LD ₀	1500 mg/kg (child) (MERCK)
Inhalative	LC50.	>2.03 mg/l/4h (rat) (OECD 403, aerosol) (ECHA, registrant: no deaths occurred)
	NOAEL	9.6 mg/kg (rat) (NTP)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.

· Information on components:

CAS: 10043-35-3 boric acid

Irritation of skin	OECD 404	(rabbit: no irritation) (Registrant, ECHA)
Irritation of eyes	OECD 405	(rabbit: slight irritation) (IUCLID)
CAS: 1330-43-4 disodium tetraborate, anhydrous		
Irritation of skin	OECD 404	(rabbit: no irritation) (Registrant, ECHA, Sodium tetraborate pentahydrate)
Irritation of eyes	OECD 405	(rabbit: irritation) (Registrant, ECHA, Sodium tetraborate pentahydrate)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 6)

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Information on components:**

CAS: 10043-35-3 boric acid

Sensitisation | OECD 406 | (guinea pig: negative)

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** The following statements refer to the mixture:

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity**

May damage fertility. May damage the unborn child.

· **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

· **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Information on components:**

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 10043-35-3 boric acid

OECD 471 | (negative) (Bacterial Reverse Mutation Test - Ames test)

OECD 476 | (negative) (In Vitro Mammalian Cell Gene Mutation Test)
(mouse lymphoma test)

OECD 414 | (negative) (oral, rat)
(ECHA, registrant: no evidence of developmental toxicity up to 55 mg/kg bw. At 76 mg/kg bw there was reduced fetal bodyweight, short and wavy ribs, and these effects disappeared during the postnatal period.)

OECD 474 | (negative) (in vivo, mice)

· **Additional toxicological information:**

CAS 10043-35-3/ 1330-43-4: Absorption through gastro-intestinal tract, mucous membranes

This substance should be handled with particular care.

· **Experience with humans:** CAS 10043-35-3/ 1330-43-4: Can cause kidney damages.

* SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 10043-35-3 boric acid

EC50 | 133 mg/l/48h (Daphnia magna)
(ECOTOX)

LC50 | 50–100 mg/l/96h (rainbow trout)
(ECOTOX)

CAS: 1330-43-4 disodium tetraborate, anhydrous

LC50 | 1085–1402 mg/l/48h (Daphnia magna)
(IUCLID)

IC50 | 158 mg/l/96 h (Desmodesmus subspicatus)
(IUCLID)

LC50 | 340 mg/l/96h (fish)
(IUCLID)

· **Bacterial toxicity:**

CAS: 1330-43-4 disodium tetraborate, anhydrous

EC5 | 1.3 mg/l (Entosiphon sulcatum) (72h)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 10043-35-3 boric acid

log Pow | -1.09 (.) (OECD 107, 22°C)
(Merck)

· **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Other adverse effects Avoid transfer into the environment.

Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to disposers of hazardous waste.

European waste catalogue

16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
-----------	--

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR, IMDG, IATA

Class

Void

14.4 Packing group

ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

Directive 2012/18/EU (SEVESO III):

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30

Regulation (EU) No 649/2012

None of the ingredients is listed.

National regulations
Information about limitation of use:

Observe employment restrictions for pregnant and nursing mothers according to the 'mother protection guideline' (92/85/EEC).
Employment restrictions concerning young persons must be observed.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.08.2019

Version number 14

Revision: 28.08.2019

Product name: Sulfite-P (Photometer)

(Contd. of page 8)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
-

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Repr. 1B: Reproductive toxicity – Category 1B

- **Sources**

Data arise from safety data sheets, reference works and literature.
 ECHA: European Chemicals Agency <http://echa.europa.eu>
 ECOTOX Database
 IUCLID (International Uniform Chemical Information Database)

- *** Data compared to the previous version altered.**
-