(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



**Version 1** Date of compilation: 28/02/2019

Page 1 of 13 Print date: 26/01/2023 **Version 3 (replaces version 2) Revision date: 30/03/2022** 

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: ESTUCHE COMPARADOR DUREZA

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Not available

#### 1.3 Details of the supplier of the safety data sheet.

Fluidra Comercial España Company:

Address: Av. Alcalde Barnils, 69 08174 Sant Cugat del Vallès City:

Barcelona (España) Province: Telephone: telf: 902 42 32 22 +34 93 713 41 11 Fax: E-mail: fds@inquide.com Web: www.ctxprofessional.com

#### 1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111 Norway: +47 22 59 13 00

Cyprus: 1401

Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni pâna vineri, între orele 8.00-15.00

CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88

33 00; Verona +39 800 01 18 58.

## **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008: Flam. Liq. 2: Highly flammable liquid and vapour.

#### 2.2 Label elements.

### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



**Version 1** Date of compilation: 28/02/2019

Page 2 of 13 Print date: 26/01/2023 **Version 3 (replaces version 2) Revision date: 30/03/2022** 



#### Signal Word:

### **Danger**

Hazard statements:

Highly flammable liquid and vapour. H225

#### Precautionary statements:

Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P242 Use non-sparking tools.

Wear protective gloves/protective clothing/eye protection. P280 In case of fire: Use appropriate extinguishing products. P370+P378

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Contains: ethanol

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

		Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name		Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 603-002- 00-5 CAS No: 64-17-5 EC No: 200-578-6 Registration No: 01- 2119457610-43-XXXX	[2] ethanol	50 - 80 %	Flam. Liq. 2, H225	-
CAS No: 102-71-6 EC No: 203-049-8 Registration No: 01- 2119486482-31-XXXX	[2] 2,2',2"-nitrilotriethanol	10 - 25 %	-	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

<sup>[2]</sup> Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019

Page 3 of 13 Print date: 26/01/2023 **Version 3 (replaces version 2) Revision date: 30/03/2022** 

#### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### **SECTION 5: FIREFIGHTING MEASURES.**

The product is Highly inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- Flammable vapors or gases.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Follow the instructions given in the emergency or fire evacuation plan or plans if available.

### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required.

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



**Version 1** Date of compilation: 28/02/2019

Page 4 of 13 Print date: 26/01/2023 **Version 3 (replaces version 2) Revision date: 30/03/2022** 

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

Eliminate possible ignition points and ventilate the area. No smoking, Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

#### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

The fumes are heavier than air and can spread across the ground. They can form explosive mixtures with air. Prevent the creation of flammable or explosive fume concentrations in the air; prevent fume concentrations above work exposure limits. The product must only be used in areas where all unprotected flames and other ignition points have been eliminated. Electrical equipment has to be protected according to applicable standards.

The product can be electrostatically charged: always use earth grounds when transferring the product. Operators must use antistatic footwear and clothing, and floors must be conductors.

Keep the container tightly closed and isolated from heat sources, sparks, and fire. Do not use tools that can cause sparks. For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Not available.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
athanal	64-17-5	United	Eight hours	1000	1920
ethanol		Kingdom [1]	Short term		

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 5 of 13 Version 3 (replaces version 2) **Revision date: 30/03/2022** Print date: 26/01/2023

	T .		I		
	Éire [2]		Eight hours		
	Life [2]	Life [2]	Short term	1000	
		Italia [3]	Eight hours	1000	
	United States  [4] (Cal/OSHA) Sho United States Eig	Short term			
		Eight hours	1000		
		[4] (Cal/OSHA)	Short term		
		Eight hours	1000		
		Short term			
		United States	Eight hours	1000	1900
		[6] (OSHA)	Short term		
	102-71-6	Éire [2]	Eight hours		5
2.21.211 mitwilestwiesthernel		cire [2]	Short term		
2,2',2"-nitrilotriethanol		Thalia [2]	Eight hours		5
		Italia [3]	Short term		

<sup>[1]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. [2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
ethanol	DNEL	Inhalation, Chronic, Systemic effects	950
CAS No: 64-17-5	(Workers)		(mg/m³)
EC No: 200-578-6			
	DNEL	Inhalation, Chronic, Local effects	5 (mg/m <sup>3</sup> )
	(Workers)		
	DNEL	Inhalation, Chronic, Local effects	1,25
	(Consumers)		(mg/m³)
	DNEL	Inhalation, Chronic, Systemic effects	5 (mg/m <sup>3</sup> )
2.21.211 nitrilatriathanal	(Workers)		
2,2',2"-nitrilotriethanol CAS No: 102-71-6	DNEL	Inhalation, Chronic, Systemic effects	1,25
EC No: 203-049-8	(Consumers)		(mg/m³)
LC NO. 203-049-0	DNEL	Dermal, Chronic, Systemic effects	6,3 (mg/kg
	(Workers)		bw/day)
	DNEL	Dermal, Chronic, Systemic effects	3,1 (mg/kg
	(Consumers)	•	bw/day)
	DNEL	Oral, Chronic, Systemic effects	13 (mg/kg
	(Consumers)		bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	Fresh water	0,96 (mg/L)
	Marine water	0,79 (mg/L)
ethanol	aqua (intermittent releases)	2,75 (mg/L)
CAS No: 64-17-5	Soil	0,63 (mg/kg
EC No: 200-578-6		soil dw)
	sediment (freshwater)	3,6 (mg/kg
	, ,	sediment dw)

<sup>[3]</sup> Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

<sup>[4]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[5]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

<sup>[6]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 6 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

2,2',2"-nitrilotriethanol CAS No: 102-71-6 EC No: 203-049-8	aqua (freshwater)	0,32 (mg/L)
	aqua (marine water)	0,032 (mg/L)
	aqua (intermittent releases)	5,12 (mg/L)
	STP	10 (mg/L)
	sediment (freshwater)	1,7 (mg/kg
		sediment dw)
	sediment (marine water)	0,17 (mg/kg
		sediment dw)
	soil	0,151 (mg/kg
		soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

CAS: 64-17-5

TLV TWA - 1000 ppm, A4 - 1884,25 mg/m3, A4

8.2 Exposure controls.

### **Measures of a technical nature:**

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %				
Uses:					
Breathing protect	ion:				
PPE:	Particle filter mask				
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.				
CEN standards:	EN 149				
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.				
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.				
Filter Type needed:	P2				
Hand protection:					
PPE: Characteristics:	Protective gloves against chemicals.  «CE» marking, category III.				
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420				
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.				
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight.  Always use with clean, dry hands.				
Material:	PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35				
Eye protection:					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					
PPE:	Chemical protective clothing				
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.				
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034				

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 7 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by

the manufacturer.

The protective clothing's design should facilitate correct positioning, staying in place without moving for

Observations: the period of use expected, bearing in mind environmental factors as well as any movement or position

the user might adopt while carrying out the activity.

PPE: Anti-static safety footwear. Characteristics: «CE» marking, category II.

CEN standards: EN ISO 13287, EN ISO 20344, EN ISO 20346

Maintenance: The footwear should be checked regularly

The level of comfort during use and acceptability are factors that are assessed very differently depending

Observations: on the user. Therefore, it is advisable to try on different footwear models and, if possible, different

widths.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

#### 9.1 Information on basic physical and chemical properties.

Physical state: Not applicable/Not available due to the nature/properties of the product Colour: Not applicable/Not available due to the nature/properties of the product Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 80 °C (Estimation based on the indication of the Regulation (CE)

Nº1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: 14 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 60,882 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0,849 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.)

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Unstable in contact with:

- Acids.

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 8 of 13
Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

- Bases.
- Oxidizing agents.

#### 10.3 Possibility of hazardous reactions.

In certain conditions this may cause a polymerization reaction.

#### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

#### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

#### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Toxicological information about the substances present in the composition.

Name		Acute toxicity				
N	ame	Туре	Test	Kind	Value	
			LD50	Rat	10470 mg/kg	
			LD50	Rat	7060 mg/kg bw [1]	
		Oral				
ethanol			[1] Toxicology and Applied Pharmacology. Vol. 16, Pg. 718, 1970			
		Dermal	LD50	Rat	15800 mg/kg	
CAS No: 64-17-5	EC No: 200-578-6	Inhalation	LC50	Rat	30000 mg/l	
CAS NO. 04-17-3	EC NO. 200-370-0		LD50	Rat	5530 mg/kg bw [1]	
			LD50	Rat	6400 mg/kg bw [1]	
		Oral	LDSO	Nuc	0 100 mg/kg bw [2]	
2,2',2"-nitrilotriethanol	2 2' 2"-nitrilotriethanol			al Technical Info report, 1966.	ormation Service. Vol. OTS0516797	
			LD50	Rabbit	> 22500 mg/kg bw [1]	
		Dermal			3, 3 1 1	
			[1] Union	Carbide Data Sh	eet. Vol. 3/18/1965	
CAS No: 102-71-6	EC No: 203-049-8	Inhalation				

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 9 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

#### 11.2 Information on other hazards.

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

### Other information

There is no information available on other adverse health effects.

### **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
	Fish		rinciples. however, ex	>5000 mg/L (24 h) [1] >10000 mg/l (48 h) [2] neets generally accepted cosure period only 24 h
	11311	instead of 96 h according to recent guidelines (e.g. OECD 203).  [2] Study meets generally accepted scientific principles. however, exposure period only 48 h instead of 96 h according to recent guidelines (e.g. OECD 203)		
2,2',2"-nitrilotriethanol		EC50 EC50	Artemia salina Daphnia magna	3/ ( / [ ]
	Aquatic invertebrates	petrochemi [2] Results Daphnia m	of the harmful effect agna in the 21 day re Pernak KD and Winte	y GT and Conway RA, 1974. ts of water pollutants to eproduction test. Kuehn R,
	Aquatic plants	EC0 TTC EC50	Colpoda Scenedesmus quadricauda Scenedesmus subspicatus	160 mg/l [1] 715 mg/l (8 d) [2] 750 mg/l (48 h) [3]

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 10 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

CAS No: 102-71-6	EC No: 203-049-8	[1] Handbook of Environmental Data on Organic Chemicals, 2nd ed. Van Nostrand Reinhold Co., New York, USA: 518-519. [2] Testing of substances for their toxicity threshold: Model organisms Microcystis (Diplocystis) aeruginosa and Scenedesmus quadricauda. [3] Results of the harmful effects of water pollutants to green algae (Scenedesmus subspicatus) in the cell multiplication inhibition test.
------------------	------------------	---

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name -			Bioaccumulation				
		Log Pow	BCF	NOECs	Level		
ethanol		0.3			Vom de le co		
CAS No: 64-17-5	EC No: 200-578-6	-0,3	-	-	Very low		
2,2',2"-nitrilotriethanol		1			Venden		
CAS No: 102-71-6	EC No: 203-049-8	-1	-	-	Very low		

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

#### **SECTION 14: TRANSPORT INFORMATION.**

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



**Version 1** Date of compilation: 28/02/2019 Page 11 of 13 **Version 3 (replaces version 2) Revision date: 30/03/2022** 

Print date: 26/01/2023

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN1993

#### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 1993, FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL), 3, PG II, (D/E) IMDG: UN 1993, FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL), 3, PG II ICAO/IATA: UN 1993, FLAMMABLE LIQUID, N.O.S. (CONTAINS ETHANOL), 3, PG II

#### 14.3 Transport hazard class(es).

Class(es): 3

#### 14.4 Packing group.

Packing group: II

#### 14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-E,S-E

#### 14.6 Special precautions for user.

Labels: 3



Hazard number: 33 ADR LQ: 1 L IMDG LQ: 1 L ICAO LQ: 1 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

#### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

#### **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 12 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H225 Highly flammable liquid and vapour.

Classification codes:

Flam. Liq. 2: Flammable liquid, Category 2

Changes regarding to the previous version:

- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Elimination of abbreviations and acronyms (SECTION 16).
- Addition of abbreviations and acronyms (SECTION 16).

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

(in accordance with Regulation (EU) 2020/878)

### **ESTUCHE COMPARADOR DUREZA**



Version 1 Date of compilation: 28/02/2019 Page 13 of 13 Version 3 (replaces version 2) Revision date: 30/03/2022 Print date: 26/01/2023

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.