



Infinite, unique

experiences...

The swimming pool brand

Our products can be found in over **170 countries.** We have over **40 years** of experience. Over **40,000 professionals and 2,000,000 swimming pools** use one of our **15,000 products.** Completely innovative and sustainable solutions. For all of these reasons and many more, our systems and components for public and private pools are and will continue to be world leaders.

We set the benchmark for professionals and private home owners. Let AstralPool surprise you once again.

And remember: when you see our brand, you're looking at **the pool brand.**



Pools for sharing emotions



Eco-friendly pools for staying green




Pools for relaxing



Pools for keeping fit



... for infinite, unique people







COMPETITION PRODUCTS

STARTING BLOCKS
LANE ROPES
FLOATS
LANE ROPE STORAGE
LANE ROPE ACCESSORIES
SIGNAGE
TURNING PANELS
SPARGER

OUTDOOR PRODUCTS




DISABLED ACCESS LIFEGUARD ACCESSORIES LIFEGUARD SEATS


CLEANING



AUTOMATIC POOL CLEANERS




COMPETITION



- 1 Ladder
- Starting block
- Overflow grate


- 4 Lane ropes
- Backstroke flagsTurning panel with supports



RACE PRODUCTS



STARTING BLOCKS






BCN STARTING BLOCK


Specially designed for competition events, it has an adjustable footrest to facilitate entry into the water.

The minimalist, high quality design of the materials gives it a modern, elegant look.

Made of AISI-316 stainless steel. Polished finish. Adjustable footrest (6 positions).

Plate anchoring (code 54460) not included.











STARTING BLOCKS

Made of AISI-316 stainless steel. Adjustable polyester and fibreglass non-slip platform measuring $500 \text{ mm} \times 500 \text{ mm}$. Starting block numbers not included. Plate anchoring (code 54461) not included.

Polished finish. Height 700 mm.	Code 00144
Polished finish. Height 400 mm.	Code 00145
Painted white. Height 400mm.	Code 19957







STARTING BLOCK PLATFORM

AstralPool has created a platform on which the starting blocks can be attached. This product is made up of an AISI-304 stainless steel structure and plastic grating. The platform can also be used as a turning panel and has fastening points for the lane ropes.

Block platform, lane width 2 m	Code 34213
Block platform, lane width 2.5 m	Code 34214
Block platform, far right	Code 34215
Block platform, far left	Code 34216

STARTING BLOCK FASTENERS

Starting block fasteners to be embedded into concrete, made of AISI-304/316 stainless steel, comprising a base that can be embedded, screws and washers, with electrical bonding.


Starting block (Code 53875) fastener in AISI-316	Code 54460
Starting block (Code 00144 - 00145 - 19957) fastener in AISI-316	Code 54461
Starting block (Code 27578 - 27836) fastener in AISI-304	Code 54462
Starting block (Code 00146 - 19958) fastener in AISI-304	Code 00143




STARTING BLOCKS

Made of AlSI-304 stainless steel. Adjustable polyester and fibreglass non-slip platform measuring 500 mm \times 500 mm. Starting block numbers not included. Plate anchoring not included.

Polished finish. Height 700 mm.
Polished finish. Height 400 mm.
Painted white. Height 700mm.
Painted white. Height 400mm.
Code **27578**Code **19958**Code **27836**





^{*} The starting block with code 00146 may be made to measure to adapt to the position of the overflow outlets.



STARTING BLOCK NUMBERS

4 units included.

Height 80 mm (For starting blocks 00146-27578-19958-27836)

For starting block numbers 1 to 6 Code **28616**For starting block numbers 1 to 10 Code **28617**


Height 100 mm (For starting blocks 00144-00145-19956-19957-28760-28761)

For BCN03 starting blocks 1 to 6 Code **34200** For BCN03 starting blocks 1 to 10 Code **34201**




COMPETITION LANE ROPES

These are supplied assembled with floats, 6 mm stainless steel cable (28808), tensor (00208), shock absorber (01468) and hook (00207). Floats with inner turbine mechanism, with outer Ø of 148 mm in keeping with International Swimming Federation regulations (FINA).







LEISURE LANE LINES*

These are supplied assembled with floats, polyester rope of 7 mm (00210), tensor (00209) and hook (00207).





MOSCOW MODEL

Floats with inner turbines, with outer \emptyset of 105 mm.

12,5 m ○○○○	Code 67623
16,5 m 00000	67624
25 m ●●○○○○●●	67625
33 m	67626
50 m	67627







LANE ROPE STORAGE



BCN03 LANE ROPE STORAGE TROLLEY

Code **28623**



STOWABLE STORAGE REEL

Code **15842**



PORTABLE LANE ROPE ROLLER

Width 1.2 m Code **58860** Width 1.8 m Code **58859**





LANE ROPE ACCESSORIES





LANE ROPE TENSOR Code 00208



TENSOR
Code 00209



LANE ROPE SHOCK ABSORBER

Code **01468**



LANE ROPE HOOK

Code **00207**




LANE ROPES AND CABLES

In polyester Ø 7 mm Code **00210** In Ø 6 mm stainless steel with no coating Code **28808**







FALSE START SIGNAGE

False start posts:

For pool width of up to 21 m, Ø 43 mm tube (for coupling with anchors 00141 & 00142).

Code **19950**

For pool width of up to 21 m, tube Ø 48 mm (for coupling with anchors 19960 & 19961). Code 19951

False start float line:

Polyester rope and floats. Code 19954



BACKSTROKE TURN INDICATORS

Backstroke turn indicator posts

For pool width of up to 21 m, Ø 43 mm tube (for coupling with anchors 00141 & 00142).

Code 19952

For pool width of up to 21 m, Ø 48 mm tube (for coupling with anchors 19960 & 19961). Code 19953

Backstroke flags:

Set of 2 units. Code **19955**



ANCHORING FOR COMPETITION EQUIPMENT

Horizontal flange anchoring sockets Zurich-Wiesbaden AISI-316

For Ø 43 mm. Code **00141** For Ø 48 mm. Code **19960**

Angled flange anchoring socket Finnish AISI-316 For Ø 43 mm. Code **00142**

For Ø 48 mm. Code 19961

Anchoring socket with locking bolts with bolts AISI-316

For Ø 43 mm. Code **00143**


TURNING PANELS



TURNING PANEL

In AISI-316 stainless steel with plastic lattice screen. Height 300 mm. Support (00139) is not included.


Lane width 2 m Code **00137** Lane width 2.5 m Code **00138**




HOLDER

AISI stainless steel (for coupling to 00141 and 00142 fasteners). State H and L dimensions, and the type of overflow channel when you place an order. Two units are required for each rotating panel.


Code **00139**




Specifications of the support when the "L" dimension is lower than 500 mm.



Specifications of the support when the "L" dimension is greater than 500 mm.













SPARGER – SAFETY SYSTEM FOR DIVING POOLS

This system is designed to minimise the risk of injury for divers from boards when they hit the water. The diffusers fitted at the bottom of the pool release highly pressurised air which mixes with the water to cushion divers.

Air compressor Code 65463


Control unitCode **65467-65486**

Diffuser boxes Length 5.5 m Code Length 3.0 m Code Length 1.5 m Code User control: Manual Code 65477-65486

User control: Automatic Code **65467-65477**



MOVABLE WALL



Technology for installing movable walls in pools, enabling a pool to be divided into two different parts for different uses. Thus, the best use is made of the space while variety is ensured for the users at a lower cost than that of changing the entire facility. The movable wall system can be adapted and used in pools that have already been built or in new ones.

Made of AISI-304 stainless steel lined with white, non-slip plastic plates.





DISABLED ACCESS



PORTABLE LIFT FOR DISABLED PEOPLE

Portable chair for disabled people. Requires no assembly on the poolside. This is the ideal solution for facilities with several pools, since it can be placed anywhere on the poolside and stored when not needed.



PORTABLE SPLASH LIFT FOR DISABLED PEOPLE

Semi-portable chair to be installed on the poolside for disabled people. Trolley for moving the chair included to help install it in different places. Duration of 30 cycles once charged. Waterproof remote control.

SPLASH chair Code **53924**



HYDRAULIC LIFT

Made of a tubular structure of Ø 43 mm in shiny, polished AISI-316 stainless steel adapted to the hydraulic mechanism that holds the chair, with steps on the side for the monitor.

L-650 Handrail Code **28619**

L-1000 Handrail Code **28620**

Cylinder Code **28621**

Accessories Code **28622**



HYDRAULIC LIFT WITH PLATFORM

To help disabled people or those with limited mobility who need to get in and out of the water.

Made of an AISI-316 stainless steel structure in which the hydraulic mechanism that holds the platform is adapted.

L-650 lift L-1000 lift Platform Code **63157** Code **63158** Code **63159**



500 MM WIDE LADDER

Tubular polished AISI-316 stainless steel of \emptyset 43 mm. Plastic steps with non-slip surface.

Supplied with fastener ready for electrical bonding.

 4 steps
 5 steps
 6 steps
 7 steps
 8 steps

 Code 00116
 Code 00117
 Code 00118
 Code 00119
 Code 00120

970 MM WIDE LADDER

 4 steps
 5 steps
 6 steps
 7 steps
 8 steps

 Code 00116
 Code 00117
 Code 00118
 Code 00119
 Code 00120

 + 4 Kit 28615
 + 5 Kit 28615
 + 6 Kit 28615
 + 7 Kit 28615
 + 8 Kit 28615



STEP KIT FOR CONVERTING A LADDER'S WIDTH FROM 500 TO 970 MM

To turn the 500 mm ladder into 970 mm. A "Step Kit" is needed for each of the steps on the ladder. In AISI-316 polished stainless steel. Plastic steps with non-slip surface.



LIFEGUARD CHAIRS

H-400 FAST ACCESS CHAIR

Made of Ø 43 mm tubular AISI-304 stainless steel. Plastic steps, platform and chair. Large platform and chair with 90° spin to improve the field of view. Recommended for paddling and children's pools. Includes parasol holder.

Code **15673**





LIFEGUARD ACCESSORIES



LIFE FLOAT HANGER

Code **01368**



LIFE FLOAT HOLDER

Code **01370**



LIFE FLOAT

Code **01369**



LIFE FLOAT HOLDER **STAND**

CLEANING PRODUCTS



AUTOMATIC POOL CLEANERS



Its built-in gyroscope ensures the whole of the pool floor is cleaned. It has three programs: 3, 4 or 5 h (floor only), 4 h (floor and walls) and 5 h (floor and walls). The program start can be delayed and the level of cleaning chosen. Includes remote control, 30 m of cable and caddy for moving it around, plus a LED indicator to show when the filter must be cleaned. The pump motor has a suction rate of 22 m³/h.





ULTRA 125Code **60165**



ULTRAMAX GYRO

Cable 36 m. Cable 45 m. Code **60164** Code **62268**





ULTRA 250 Code 60140





CADDY FOR AUTOMATIC POOL CLEANER

Model	ULTRA 125	ULTRA 250	ULTRA 500	ULTRAMAX GYRO
Max. pool length (m)	15	25	25	50
Wall cleaning	YES	YES	YES	NO
Water line cleaning	YES	YES	NO	NO
Filter bags	1	1	1	2
Length of cable (m)	23	30	30	36/45
Caddy	NO	YES	YES	YES
Automatic programs	1 programa (3h)	3 programas (3/4/5 h), modo de limpieza extra	3 programas (3/4/5 h), modo de limpieza extra	3 programas (3/4/6 h), modo de limpieza extra
Remote control	NO	YES	YES	YES
Infrared sensor	NO	NO	NO	YES
Full filter indicator	NO	YES	YES	YES
Digital control panel	NO	NO	NO	YES
Delayed start	NO	YES	YES	YES
Warranty	2	2	2	2



www.astralpool.com





