

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier**Trade name: **hth[™] OXYGEN 3 in 1**

Article number: 11514 hth

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU21 Consumer uses: Private households / general public / consumers

Product category

PC37 Water treatment chemicals

PC8 Biocidal products

Application of the substance / the mixture Water disinfectant**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**INNOVATIVE WATER CARE EUROPE
BP 219 - 37402 Amboise Cedex - FRANCE

phone : +33 (0)2 47 23 43 00

fax : +33 (0)2 47 23 12 21

eu.sds@sigurawater.com

INNOVATIVE WATER CARE Ltd
The Studios - Colorado Way - Castleford - West Yorkshire -
WF10 4TA - UNITED KINGDOM
Telephone: +44 (0) 1924 792909
eu.sds@sigurawater.com**1.4 Emergency telephone number:**

Europe >>> NCEC - Tel. +44 (0)1235 239 670

Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423
780 2970}

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth[™] OXYGEN 3 in 1

(Contd. of page 1)

CALL A LOCAL NATIONAL POISON CONTROL UNIT
FOR UK CONTACT NCEC Tel 01865 407 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4	H302 Harmful if swallowed.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS09

Signal word Warning

Hazard statements

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

(Contd. on page 3)

GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 2)

P273 Avoid release to the environment.
 P280 Wear protective gloves / eye protection / face protection.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P330 Rinse mouth.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P501 Dispose of contents/container to special treatment scheme according to official regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.
SECTION 3: Composition/information on ingredients
3.2 Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 70693-62-8 EINECS: 274-778-7	pentapotassium bis(peroxymonosulphate) bis(sulphate) ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Aquatic Chronic 3, H412	50-<100%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid ⚠ Repr. 1B, H360FD Specific concentration limit: Repr. 1B; H360: C ≥ 5.5 %	2.5-<10%
CAS: 7758-99-8 EINECS: 231-847-6 Index number: 029-023-00-4	Copper sulphate pentahydrate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302	0.1-<2.5%
CAS: 10043-01-3 EINECS: 233-135-0 Reg.nr.: 01-2119531538-36-XXXX	aluminium sulphate ⚠ Eye Dam. 1, H318	0.1-<2.5%

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth[™] OXYGEN 3 in 1

(Contd. of page 3)

SVHC

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).
Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take affected persons out into the fresh air.
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Rinse with warm water.
Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents Extinguishing powder.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth[™] OXYGEN 3 in 1

(Contd. of page 4)

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Handling



DO NOT MIX WITH OTHER PRODUCTS
DO NOT DISSOLVE BEFORE USE

Information about fire - and explosion protection: Substance/product is oxidising when dry.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Further information about storage conditions: Keep receptacle tightly sealed.

7.3 Specific end use(s) No further relevant information available.

GB

(Contd. on page 6)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 5)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS: 10043-01-3 aluminium sulphate

WEL | Long-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:** Not required.
- Protection of hands:**



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth[™] OXYGEN 3 in 1

(Contd. of page 6)

Eye protection:



Tightly sealed goggles.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Tablets
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value (30 g/l) at 20 °C: 1.5 à 2.5

Change in condition

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined

Flash point: Not applicable

Flammability (solid, gaseous) Not determined.

Decomposition temperature: 70 °C

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure: Not applicable.

Density at 20 °C: 1.2 g/cm³

Relative density Not determined.

Vapour density Not applicable.

Evaporation rate Not applicable.

(Contd. on page 8)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 7)

Solubility in / Miscibility with Water: Soluble

Partition coefficient: n-octanol/water: Not determined.

Viscosity:
dynamic: Not applicable.
kinematic: Not applicable.

Solvent content:

Solids content: 100.0 %

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions
 Reacts with strong oxidizing agents
 Reacts with alcohols, amines, aqueous acids and alkalis
 Reacts with flammable substances

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
 Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 70693-62-8 pentapotassium bis(peroxymonosulphate)bis(sulphate)

Oral	LD50	500 mg/kg (rat)
------	------	-----------------

CAS: 10043-35-3 boric acid

Oral	LD50	2,660 mg/kg (rat)
------	------	-------------------

(Contd. on page 9)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 8)

CAS: 7758-99-8 Copper sulphate pentahydrate

Oral	LD50	300 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rat)
Inhalative	LC50 - 4 hrs	1.48 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Contains less than 5.5% of boric acid(Repr. 1B; H360FD: C ≥ 5,5 %).

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 70693-62-8 pentapotassium bis(peroxymonosulphate)bis(sulphate)

Oral	LC50 - 96 hrs	53 mg/l (rainbow trout)
	CE50 - 48 hrs	3.35 mg/l (daphnia magna)

CAS: 7758-99-8 Copper sulphate pentahydrate

Oral	LC50 - 96 hrs	0.75-0.84 mg/l (rainbow trout)
	CE50 - 48 hrs	0.024 mg/l (daphnia magna)

12.2 Persistence and degradability

Anorganic product, is not eliminable from water by means of biological cleaning processes.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Toxic for fish

(Contd. on page 10)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 9)

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA

Not Classified as Dangerous for Transport
 Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA

Not Classified as Dangerous for Transport
 Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Not Classified as Dangerous for Transport

14.4 Packing group

ADR, IMDG, IATA

Void
 Not Classified as Dangerous for Transport
 Void

14.5 Environmental hazards:

Marine pollutant:

No

14.6 Special precautions for user

Not applicable.

(Contd. on page 11)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth™ OXYGEN 3 in 1

(Contd. of page 10)

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).

Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 29.1

Revision: 20.09.2019

Trade name: hth[™] OXYGEN 3 in 1

(Contd. of page 11)

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**