

# PERFECT WATER CONTROL WITH TOTAL PEACE OF MIND



Models shown with optional pH regulation modules

eXO® iQ  
eXO® iQ LS

## 1 ABSOLUTE BATHING COMFORT

Enjoy all the benefits of salt chlorination, which is gentler on the skin and more environmentally-friendly. With its **smart control**, EXO iQ ensures **automated and continuous water treatment**, providing you with optimal water quality at all times. Dive into your pool in complete safety and find essential information at a glance on its **new intuitive screen**.

For total peace of mind, EXO iQ has a **long-lasting electrode and comes with a 3-year unconditional warranty**.



## 2 CENTRALISED SMART POOL CONTROL

Fully control the quality of your pool water by adding **"plug & play" modules** for automatic pH and chlorination regulation.

In addition to water quality, personalise your bathing experience via the chlorination unit and manage **all your pool equipment** such as the filtration pump (single or variable-speed), heating system, lighting (including the colour) and more.



## 3 BUILT-IN CONNECTIVITY

Thanks to **built-in Wi-Fi**, you have all the features of your pool at your fingertips, wherever you are, using the **Fluidra Pool® application**. Simple and smart, it allows you to see and manage the settings for all your pool equipment remotely.



SALT CHLORINATOR

eXO® iQ

eXO® iQ LS

## PERFECT WATER CONTROL WITH TOTAL PEACE OF MIND



Discover the new, more attractive and intuitive eXO® iQ chlorinator screen.

Featuring a 12-line colour display, **it offers a clear**, at-a-glance view of all information.


Enjoy a **comprehensive overview of the status of your pool** and its equipment, and the actions you need to take, thanks to a simple colour-coded system. Now available in 11 additional languages, **this screen facilitates access to data** for an even more seamless, user-friendly experience.

### ADDITIONAL MODULES FOR FULL WATER BALANCE CONTROL

The eXO® iQ and eXO® iQ LS chlorinators can be upgraded to meet every need, thanks to plug & play modules for automatic regulation of pH and chlorination.

The Zodiac® regulation systems automatically adjust the pH and maintain perfect chlorine levels, using peristaltic dosing pumps.

To ensure optimal chlorinator efficiency and bather comfort:





## A SINGLE BOX TO CUSTOMISE YOUR BATHING EXPERIENCE

For greater comfort, the equipment can be configured and programmed in advance.



### FILTRATION

Control over a single or variable speed filtration pump.



### HEATING

Control over the heating system to adjust the power and keep the pool at the chosen temperature.



### LIGHTING

Control over lighting, with your choice of colour to illuminate the pool and create the perfect mood.

## THE EXO® iQ CHLORINATOR IS ALSO AVAILABLE IN A LOW SALT VERSION



The **low salt version** combines performance and innovation. With just **2g of salt per litre of water**, i.e. **half** that of a standard chlorinator, it guarantees effective disinfection, while taking **better care of the environment** and your equipment.

Less salt also means more comfort for users: **less irritation, fewer allergies and no chlorine odour**, for a more enjoyable bathing experience.

## A SINGLE APPLICATION TO CONTROL ALL YOUR FLUIDRA SOLUTIONS

Disinfection settings

pH and Redox setpoint adjustments

Water temperature and salinity reading

Settings

Access to potential alarms

Chlorinator

Chlorination 50%

Boost Remaining 23h 50min

pH 7,2

ORP 784 mV

Salinity 6.0g/L

Pool Temperature 26°

Using the Fluidra Pool® app on a smart phone, you can **control, configure and view** the various functions of all the Fluidra solutions connected to your pool.



Fluidra Pool® is a secure application that complies with privacy, data protection and security standards (GDPR).

Apple and the Apple logo are trademarks of Apple, Inc., registered in the U.S. and other countries. App Store is a service mark of Apple, Inc., registered in the U.S. and other countries. Google Play and the Google Play logo are trademarks of Google LLC.

## SPECIFICATIONS

**STOP**

### SAFE SYSTEM

Automatic stop if there is no flow in the cell.



### MINIMAL MAINTENANCE

Self-cleaning electrodes using polarity reversal.



### UNCONDITIONAL WARRANTY<sup>(1)</sup>

For the control box and cell (3 years) regardless of how the damage is caused.

(1) 3 years unconditional (device), 2 years (pH sensor), 1 year (ORP sensor and consumables).

## DESCRIPTION OF THE RANGE

Models	eXO® iQ				eXO® iQ LS	
	eXO® iQ 10	eXO® iQ 18	eXO® iQ 22	eXO® iQ 35	eXO® iQ LS 10	eXO® iQ LS 18
Reference	WW000326	WW000327	WW000328	WW000329	WW000334	WW000335
Recommended water volume (Under good filtration conditions)	40 m <sup>3</sup>	70 m <sup>3</sup>	100 m <sup>3</sup>	160 m <sup>3</sup>	40 m <sup>3</sup>	70 m <sup>3</sup>
Nominal chlorine production	10 g / h	18 g / h	22 g / h	35 g / h	10 g / h	18 g / h
Salt level (recommended)	4 g / l				2 g / l	

## TECHNICAL INFORMATION

User interface	TFT color screen
Number of languages	13 languages
Operating mode(s)	Normal, Boost, Low (adjustable range: 0 to 30%)
Polarity reversal	Adjustable every 2 to 8 hours
Cover mode	Reduced chlorination when the electric cover is closed. Automatic or manual activation (adjustable from 0 to 30% chlorination power)
Safety	<ul style="list-style-type: none"> <li>• Temperature sensors: Chlorine production lowered in case of cold water to protect the electrode</li> <li>• «Low salt» indicator light: Reduced production to protect the electrode</li> <li>• «No flow» message: Production is interrupted as long as conditions are not ideal</li> <li>• Mechanical flow sensor</li> </ul>
Power supply	220-240 V / 50-60 Hz
Working life of cells	10 000 h

Salt water chlorinators offer an **automatic and efficient disinfection solution**. They are easy to use, offer complete water treatment and reduce maintenance.

## FOR WHICH TYPE OF POOL?

**1** ALL TYPES OF SWIMMING POOLS



**2** VOLUME OF WATER TREATED IN A TEMPERATE CLIMATE:

- Up to 160 m<sup>3</sup> for 8 h of filtration per day



## ACCESSORIES INCLUDED IN THE PACK




Reducing bushes kit



Flow switch kit



Wall mounting kit



Temperature sensor kit

## ASSOCIATED PRODUCTS



pH Link module (pH regulation)



Dual Link module (pH and ORP regulation)

© Photo credits: ZODIAC® - kissthebride.fr

**3 YEARS**  
UNCONDITIONAL  
WARRANTY