



# Easy Drain<sup>®</sup>

by ess

## Modulo Clean

Modulo Clean is the world's most complete series of linear drains, which require almost no cleaning! Thanks to its improved siphon, incorporating our Dryphon<sup>®</sup> technology, it is now more powerful and convenient.

### FEATURES

- Available lengths - 500 - 2000 mm
- Water Protection System - 10-year warranty
- Siphon - Easy to clean
- Suitable for - Renovation projects
- Supplied as - Complete set
- Dryphon<sup>®</sup> technology - More power - less cleaning



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

Serie	Compact FF
Name	Modulo Clean
Model	Rectangular shower drain
Length (mm)	500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000
Product type	Complete
Application	Renovation
Certification	DIN 18534, ETAG-022, EN1253

## INSTALLATION

Substrate	Lewis sheets, Concrete / Sand Cement, Wooden floors
Floor finish	Glass Mosaic, Tiles / Mosaic, Thin tiles
Height adjustable feet	Included
Installation option	Wall, Floor
Outlet	Horizontal
Connection (mm)	N.A.
Min. installation depth (mm) (built-in set)	70
Min. installation depth (mm) (incl. grate)	77

## DRAINAGE

Max. drainage capacity entrance (l/min)	33 (30 mm), 34 (50 mm), 54 (Dryphon)
Max. drainage capacity wall (l/min)	36,5 (30 mm), 42 (50 mm), 60 (Dryphon)
Max. drainage capacity (l/min)	36,5 (30 mm), 42 (50 mm), 60 (Dryphon)

## BUILT-IN SET

Pre-assembled sealing membrane	Included
Siphon features	Cleanable
Water seal height (mm)	30 / 50
Outlet	Horizontal
Material siphon	ABS

## DESIGN

Grate finish	Brushed stainless steel / Tile
Grate pattern	N.A.
Grate width (mm)	45
Grate tile insert (mm)	12
Adjustable grate	N.A.
Frame type	TAF (Tile Adjustable Frame)
TAF Frame material	Stainless steel (304)
Design frame finish	Brushed stainless steel
Frame width (mm)	62
Wheelchair accessible	Yes
Extension set available	Yes



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

500 mm	EDCLEANCOMTAF-500	1300 mm	EDCLEANCOMTAF-1300
600 mm	EDCLEANCOMTAF-600	1400 mm	EDCLEANCOMTAF-1400
700 mm	EDCLEANCOMTAF-700	1500 mm	EDCLEANCOMTAF-1500
800 mm	EDCLEANCOMTAF-800	1600 mm	EDCLEANCOMTAF-1600
900 mm	EDCLEANCOMTAF-900	1700 mm	EDCLEANCOMTAF-1700
1000 mm	EDCLEANCOMTAF-1000	1800 mm	EDCLEANCOMTAF-1800
1100 mm	EDCLEANCOMTAF-1100	1900 mm	EDCLEANCOMTAF-1900
1200 mm	EDCLEANCOMTAF-1200	2000 mm	EDCLEANCOMTAF-2000

## TECHNICAL DRAWINGS



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com