Datasheet

Suction cup B50-2 Nitrile-PVC with filter, G1/4" male, with mesh filter

Article number: 0101670



• Suitable for level adjustment. Several short bellows in one lifting device can handle objects with height differences and varying shapes, for example embossed or corrugated plates.

• Lifting movement to separate small and thin objects.

• Only lightweight objects should be handled when the lifting force is parallel to the surface of the object, in order to achieve good precision and safe lifting movement.

• With mesh filter.


l'echnical data		
Description	Unit	Value
Suction cup shape	-	Bellows
Application	-	Dry sheet metal, Plastic injection molded parts
Suction cup design	-	Round
Characteristics	-	Dry sheet metal, Plastic injection molded parts
Material	-	Nitrile-PVC (NPV)
Weight, max.	g	38
Weight, min.	g	20
Suction cup model	-	В
Volume	cm³	32
Height	mm	50.4
Outer diameter, min.	mm	52.5
Fitting size	-	1/4"
Fitting option	-	Filter mesh, Filter disc
Fitting style	-	Male
Fitting type	-	G-thread
Suction cup model	-	B50-2
Movement, vertical max.	mm	12.4
Curve radius, min.	mm	30

Performance - Lifting forces

B50-2	Vertical (N)	Parallel (N)
20 -kPa	33	24.2
60 -kPa	65	51.2
90 -kPa	82	60.8

Material				
Name	Nitrile-PVC (NPV)			
Colour	Black			
Temperature, min. °C	0			
Temperature max. °C	90			
Hardness °Shore A	50			
Material resistance				
Alcohol	Good			
Concentrated acids	Fair			
Ethanol	n/a			
Hydrolysis	Good			
Methanol	n/a			
Oil	Excellent			
Oxidation	Good			
Petrol	Excellent			
Wear resistance	Excellent			
Weather and ozone	Good			

Dimensional drawings



Values specified in this data sheet are tested at (unless otherwise stated):

•Room temperature (20°C [68°F] ± 3°C [5.5°F]).

•Standard atmosphere (101.3 [29.9 inHg] \pm 1.0 kPa [0.3 inHg]).

•Relative humidity 20-70%.

•Compressed air quality, DIN ISO 8573-1 class 4.

Accessories

0100262 | Fitting 5x1/8" NPSF female, 50 0101110 | Suction cup B50-2 Silicone with filter 0101154 | Fitting 1/8" NPSF female, 50, with mesh filter 0104655 | Filter D=54, 20 pcs, for B50-2 0200715 | Fitting G1/8" male, 50, with mesh filter 3150198 | Fitting 1/8" NPSF female, 50, PA 3250017 | Fitting 1/8" NPSF female, 50 3250087 | Fitting G3/8" male, 50, with mesh filter 3250090 | Fitting 3/8" NPT male, with mesh filter 3250094 | Fitting 1/4" NPT male, with mesh filter 3251012 | Fitting 1/8" NPSF female, 50, with dual flow control valve 3251013 | Fitting G1/4" male, with mesh filter and dual flow control valve 3251014 | Fitting 1/4" NPT male, with dual flow control valve 3251015 | Fitting G3/8" male, 50, with mesh filter and dual flow control valve 3251016 | Fitting 3/8" NPT male, with dual flow control valve 3251017 | Fitting 5x1/8" NPSF female, 50, with dual flow control valve

Spare parts

0101109 | Suction cup B50-2 Nitrile-PVC with filter 3250092 | Fitting G1/4" male, 50, with mesh filter