


PE100-RC11-B12 -

Beskrivelse



Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel

GPA Flowsystem A/S

Paul Bergsøes Vej 8

DK-2600 Glostrup


+45 43-86 03 00

info@gpa.dk

gpa.dk

PE100-RC11-B12 -

Teknisk specifikation



Artikelnr	da(OD)	s	kg/m
PE100-RC11-B12-0063	63	5.8	1.06
PE100-RC11-B12-0075	75	6.8	1.48
PE100-RC11-B12-0090	90	8.2	2.14
PE100-RC11-B12-0110	110	10	3.18
PE100-RC11-B12-0125	125	11.4	4.12
PE100-RC11-B12-0140	140	12.7	5.13
PE100-RC11-B12-0160	160	14.6	6.74
PE100-RC11-B12-0180	180	16.4	8.51
PE100-RC11-B12-0200	200	18.2	10.5
PE100-RC11-B12-0225	225	20.5	13.3
PE100-RC11-B12-0250	250	22.7	16.3
PE100-RC11-B12-0280	280	25.4	20.5


Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel

GPA Flowsystem A/S

Paul Bergsøes Vej 8
DK-2600 Glostrup
+45 43-86 03 00
info@gpa.dk
gpa.dk

PE100-RC11-B12 -

Teknisk specifikation



Artikelnr	da(OD)	s	kg/m
PE100-RC11-B12-0315	315	28.6	25.9
PE100-RC11-B12-0355	355	32.2	32.9
PE100-RC11-B12-0400	400	36.3	41.7
PE100-RC11-B12-0450	450	40.9	52.8
PE100-RC11-B12-0500	500	45.4	65.2
PE100-RC11-B12-0560	560	50.8	81.7
PE100-RC11-B12-0630	630	57.2	103
PE100-RC11-B12-0710	710	64.5	131
PE100-RC11-B12-0800	800	72.6	167

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel

GPA Flowsystem A/S

Paul Bergsøes Vej 8
DK-2600 Glostrup
+45 43-86 03 00
info@gpa.dk
gpa.dk